

10324-196

07/31/2012

1/9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



United States
Environmental Protection
Agency

Office of Pesticide Programs

Ms. Elizabeth Tannehill
Mason Chemical Company
721 W. Algonquin Road
Arlington Heights, IL 60005

JUL 31 2012

Subject: Maquat MC 1412 -60%-LF
Registration #: 10324-196
Amendment Date: April 24, 2012
Received Date: May 2, 2012
Submission #: 916897

Dear Ms. Tannehill,

The following amendments, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable subject to the conditions listed below:

- Response to EPA letter dated 4/24/12

Conditions

Revise the label as follows:

- Add the following statement to the section beginning, "Cleaning the container before final disposal..." and ending "...is the responsibility of the refiller." Add: "*When empty return to point of sale for refilling*".
- Add the following statement to the Container Handling/Residue Removal Instructions FOR USE ON REFILLABLE STORAGE TANK/FIXED STORAGE TANK/TOTE CONTAINERS section: Revise to include: "*...application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Drain rinsate into application...*"

General Comments

Stamped copies of the accepted labels are enclosed. Submit one (1) copy of your final printed labels before distributing or selling these products bearing the revised labeling. Should you have any questions concerning this letter, please contact Velma Noble at (703) 308-8233 or Jamil Mixon at (703) 308-8032.

Sincerely,

Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure: Stamped Label



MASON CHEMICAL COMPANY
 "The Quaternary Specialists"

721 W. Algonquin Road | Arlington Heights, IL 60005 | 847-290-1621 or 800-362-1855

E.P.A. Reg. No. 10324-196
 E.P.A. Est. No. 10324-IL-1

MAQUAT® MC1412-60% LF

Net Contents: Batch No.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER. Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed or inhaled. Harmful if absorbed through the skin. Do not get into eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

(If container is larger than 5 gallons, the following statement must appear on the label)

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

(For containers up to and including 5 gallons, use the following environmental hazard)

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame or in car.
 Do not mix with oxidizers, anionic soaps and detergents.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

For Control of Algae and Algal Slime Growth in Swimming Pools, (Outside) Spas/Whirlpools/Hot Tub Baths, (Containerized) Decorative Fountains and Pools and bird baths. ("Containerized", "Outside" description and the use site "Retort Water Systems" not for use in California.)

For Control of Algae and Algae Slime Growth in Industrial and/or Commercial Recirculating Cooling Water Towers, Retort Water Systems, Once Through Water Cooling Systems.

Low foaming algaecide

(Product of USA) (Made in the USA)

ACTIVE INGREDIENTS:

n-Alkyl (50%C₁₄, 40%C₁₂, 10%C₁₆) dimethyl benzyl ammonium chloride..... 60.0

INERT INGREDIENTS:..... 40.0%
TOTAL:..... 100.0%

Weight: Approx. 8.2 lbs./gallon

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

See left (back) (side) (right) panel (of label) (below) for additional precautionary statements and first aid statements.

(Note to Reviewer: This information has been verified per DOT regulations. It is NOT required to be on the label but is being requested by a customer.)

TRANSPORTATION INFORMATION

DOT Hazard Class: 8 Corrosive

DOT Proper Shipping Name: Disinfectant Liquid Corrosive (Quaternary Ammonium Compound), 8, UN1903, PGIII

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ, ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

(Manufacturing and/or Lot no. **31712 Letter Dated:**

Under the Federal Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10324-196

MARKETING CLAIMS

- 60% Concentration
 - Kills and prevents all type of Algae
- This product is a non-metallic, low-foaming, low odor pool algaecide that kills most types and strains of algae and is not affected by pH levels. (Not for use in CA)
Non-staining formula is great for all pool types and will not discolor hair.
A great value.
- Premium quality, non-metallic, low-foaming, pH neutral algaesat and algaecide. It is very stable and highly effective for controlling a broad spectrum of algae and can be used all season as well as for winterizing. (Not for use in CA)
- Non-metallic, low-foaming algaecide for preventing and eliminating mustard, black and other algae species. It can be used all season and is excellent for winterizing. (Not for use in CA)
- This product is 60% active quat. It is highly effective for controlling slimy green algae. A great product when used for winterizing. It is non-metallic, long lasting, pH neutral and applied directly to the pool. (Not for use in CA)
- Can be used in conjunction with super chlorination.
- Recommended for use with well water.
- Kills all types of stubborn algae - including black, mustard, pink, and green. It is a low-foaming, non-staining formula which also significantly clarifies pool water. (Not for use in CA)
- This product will not stain surfaces or leave behind any residue.
- Helps eliminate clogging of algae on the filter which can decrease filter effectiveness and require more backwashing or medium replacement.
- Your pool will use less chlorine. Algae create a chlorine demand in the water for itself, actually consuming chlorine that must be working on other contaminants.
- Will prevent the growth of most algae during the off season winter months when pool is not in use. (Not for use in CA)
- Is compatible with those chemicals normally used to treat pools and spas and is effective at both acid and alkaline pH.
- Can be used in pools and spas treated with chlorine chemicals and may reduce the amount of these chemicals normally required.
- 60% Strength.
- Effective winterizer. (Not for use in CA)
- Ideal for treating all types of algae. (Not for use in CA)
- Protects against algal growth.
- Effective treatment against green, black and yellow algae. (Not for use in CA)
- Low-foaming formula.
- No pH adjustment necessary before use.
- Protects against green, black and yellow algae. (Not for use in CA)
- Prevents green, black, yellow algae. (Not for use in CA)
- Controls green, black and yellow algae. (Not for use in CA)

Treats green, black and yellow algae. (Not for use in CA)

Good for all pool surfaces.

This product when used regularly will kill and control the growth of (green) algae for complete pool enjoyment.

Chlorine Free.

This product is compatible with many (most) swimming pool chemicals when use as directed. It is not harmful to the metal, plastic, concrete, paint, plaster, or the tile surfaces of the swimming pool.

This product when used as directed will help improve the appearance and cleanliness of the swimming pool water.

This product helps to inhibit the growth of unsightly algae.

This product will not lose its effectiveness or strength on your shelf in storage (over winter).

Requires no special equipment for treating swimming pool water.

When this product is used as directed, it is effective against *Chlorella pyrenoidosa* (green Algae), *Phormidium luridum* (black algae), *Lyngbya versicolor* (blue-green algae), and other swimming pool algae and slime producing microorganisms.

This product is efficient and stable in use dilution.

This product keeps pool water free and sparkling clear of visible green and blue-green algae, slime and green brown colors.

This product improves filter operation and reduces need for other chemicals.

This product imparts tone and a pleasant "feel" to swimming pool water.

This product is formulated to complement swimming pool water being treated with normal chlorine systems. It is especially effective against growth of algae and being non-volatile, aids in maintaining pool water clarity and sparkle. The residual effectiveness of this algaecide tends to stabilize the total chemical treatment system.

This product is compatible with most chemicals normally used in swimming pool maintenance. However, in its concentrated form, this chemical must not come in contact with high concentrations of chlorine or any other oxidizer. **DO NOT MIX THIS PRODUCT AND CHLORINE OR ANY OTHER OXIDIZER TOGETHER** before adding to the pool. These chemicals must be handled separately.

This product was formulated to complement most swimming pool sanitizers. This product is not a stand-alone product. It must be used with either halogen based or halogen based pool sanitizers. This product supports your overall pool chemical maintenance program, offering a residual effectiveness that protects your pool against algal formation while keeping your pool water sparkling clear. This product protects the unattended pool when you're away (refer to Vacation Treatment section under Directions For Use).

WATER TREATMENT DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Please read entire label and use strictly in accordance with precautionary statements and directions.

ACCEPTED
with COMMENTS

Filed: 3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

3/17/2012

SWIMMING POOLS

This product requires no special equipment for treating swimming pool water. The correct use dilution may be added directly to the pool in any spot or added to the water circulation equipment. This product works best when added by itself directly to pool water.

INSTRUCTIONS FOR USE WITH HALOGEN BASED POOL SANITIZERS

This product is formulated to complement most swimming pool sanitizers. When using other products as outlined in Directions For Use on those products, always follow Directions For Use of those products. This product is effective against the growth of algae. This product is efficient and non-staining when used as directed. This product will not evaporate and its algal fighting abilities actually increase as pool water temperature increases.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH between 7.2-7.6. Adjust chlorine residual to 1-3 ppm. In a chlorine treated pool, add stabilizer to establish a minimum level of 40-50 ppm to reduce the degradable effects of sunlight upon the chlorine residual. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface due to metals. Check chlorine residual and adjust to 1-3 ppm.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers must not be allowed into the water.

1. **Dosages** - For pools, which are, free of algae or contain algae growth.

Initial Application: Backwash the filter thoroughly. Vacuum algae debris (to waste) and thoroughly brush pool. For an initial application, pour directly into pool at a rate of 6.4 ounces of this product per 15,000 gallons of water (2 ppm) (one 3.2 ounce package per 7500 gallons of pool water). More rapid distribution will be achieved by pouring a portion of the specified amount into several areas of the pool until all of the required quantity has been added. Vacuum pool after 24 hours to remove dead algae. If algae is still visible repeat dose as necessary until pool is free of visible algae. Once algae are under control, clean filter and return to normal operation. Recirculation accomplished by running the filter will assure rapid dispersion of product. *(Note to reviewer: The term "to waste" is not for use in California.)*

Maintenance: Pour directly into pool at a rate of 1.6 ounces per 15,000 gallons of water (0.5 ppm) every 5-7 days depending on weather and use factors. After each rain of consequence, add 1.6 ounces per 15,000 gallons water. Even when the pool may not be in use for periods of time, algaecide additions must be made since a heavy accumulation of algae growth is difficult to remove. The appropriate amount of this product must be added by pouring a portion of the specified amount into several areas of the pool until the required quantity has been added. Recirculation accomplished by running the filter will assure rapid dispersion of product.

2. **Reentry interval:** swimmers are allowed to re-enter the pool 15 minutes after application of the product.
3. Ensure that water quality conditions are maintained for the successful use of the product.

OR

INITIAL APPLICATION (Note to reviewer: The term "to waste" is not for use in California.)

1. Backwash the filter thoroughly.

2. Vacuum algae debris (to waste) and thoroughly brush pool.
3. Add 12.8 ounces of this product to each 30,000 gallons of water (6.4 ounces per 15,000 gallons) (one 3.2 fluid ounce packet per 7,500 gallons of pool water) or ratio thereof.
4. Vacuum pool after 24 hours to remove dead algae.
5. If algae are still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
6. Once algae are under control, clean filter and return to normal operation.

MAINTENANCE APPLICATION

Add 6.4 ounces of this product in 60,000 gallons of water (one 1.6 fluid ounce packet per 15,000 gallons of pool water) every 3-5 days or as needed to maintain 0.5 ppm active.

BOOSTER APPLICATION

Add 6.4 ounces of this product in 60,000 gallons of water (one 1.6 fluid ounce packet per 15,000 gallons of pool water) after a heavy or prolonged period of when there is a heavy bathing load.

The above directions must be followed even when the pool is not in use.

If algal growth is noticeable, apply initial dose.

VACATION TREATMENT

When you are going to be away for one week or longer, add 6.4 ounces of this product per 15,000 gallons of water (one 3.2 fluid ounce packet per 7,500 gallons of pool water) for every week unattended. Pour product around the edges of the shallow end of the pool if shock is also being applied in the deep end of pool.

OPTIONAL INSTRUCTIONS FOR USE WITH NON-HALOGEN BASED POOL SANITIZERS

This product is formulated to complement swimming pool water being treated with the BioGuard Softswim System, Baquacil and other non-halogen systems. When using other products as outlined in Directions For Use for this product, always follow Directions For Use of those products. This product is efficient and non-staining when used as directed. This product will not evaporate and its algal fighting abilities actually increase as the pool water temperature increases. The residual effectiveness of this product tends to stabilize the total chemical treatment system.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH between 7.2-7.6. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface due to metals.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers must not be allowed into the water.

INITIAL APPLICATION (Note to reviewer: The term "to waste" is not for use in California.)

1. Backwash the filter thoroughly.
2. Vacuum algal debris (to waste) and thoroughly brush pool.
3. Add 25.6 ounces of this product to each 60,000 gallons of water (6.4 ounces per 15,000 gallons) (one 3.2 fluid ounce packet per 7,500 gallons of pool water) or ratio thereof.
4. Vacuum pool after 24 hours to remove dead algae.
5. If algae are still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
6. Once algae are under control, clean filter and return to normal operation.

REV. 3/17/2017

Under the revised insecticide,

When you are going to be away for one week or longer, add 6.4 ounces of this product per 15,000 gallons of water (one 3.2 fluid ounce packet per 7,500 gallons of pool water) for every week unattended. Pour product around the edges of the shallow end of the pool if shock is also being applied in the deep end of pool.

MAINTENANCE APPLICATION

Add 6.4 ounces of this product in 60,000 gallons of water (one 1.6 fluid ounce packet per 15,000 gallons of pool water) every 3-5 days or as needed to maintain 0.5 ppm active.

BOOSTER APPLICATION

Add 6.4 ounces of this product in 60,000 gallons of water (one 1.6 fluid ounce packet per 15,000 gallons of pool water) after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions must be followed even when the pool is not in use.

If algal growth is noticeable, apply initial dose.

VACATION TREATMENT

When you are going to be away for one week or more add 6.4 ounces of this product per 15,000 gallons of water (one 1.6 fluid ounce packet per 7,500 gallons of pool water) for every week unattended. Pour product around the edges of the shallow end of the pool if shock is also being applied in the deep end of pool.

WINTERIZING TREATMENT (Not for use in California)

When swimming pool season is over, add 16 ounces of this product per 15,000 gallons (1.6 ounces per 1,500 gallons) (or ratio thereof) of water left in pool. This dose helps provide a measure of control of algal growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

For persistent algae or slime producing organisms, add 6.4 ounces of this product into the skimmer with the filter pump running. After one minute shut off pump and allow the system to remain off overnight. The following day, restart the filter pump and add 6.4 ounces of this product to the pool. Run filter continuously for 24-48 hours brushing the sides and bottom of the pool frequently.

(Usage chart for one-gallon containers)

Swimming Pool Capacity Gallon of Water	Initial Treatment	Maintenance Dose Booster Dose
7,500	3.2 ounces	0.8 ounces
15,000	6.4 ounces	1.6 ounces
30,000	12.8 ounces	3.2 ounces
60,000	25.6 ounces	6.4 ounces
100,000	51.2 ounces	12.8 ounces

OR

(Usage chart for one-quart containers)

Swimming Pool Capacity Gallon of Water	Initial Treatment	Maintenance Dose Booster Dose
7,500	3.2 ounces	0.8 ounces
15,000	6.4 ounces	1.6 ounces

OR

(Usage chart for one-gallon containers)

Under Maintenance Dose, 3.2 ounces per 7,500 gallons of water. Under Booster Dose, 0.8 ounces per 7,500 gallons of water. For the pesticide, consult the label for the correct application rate.

WINTERIZATION METHOD (not for use in California)

This product may be used with the following pool chemicals to form a winterization "package".

- Directions:**
1. Add a maintenance dose of chloride or oxygen shock.
 2. Top up BioGuard Softswim System, Baquacil or other non-halogen systems to 50 ppm.

3. Add 6.4 ounces of this product per 15,000 gallons (3.2 ounces per 7,500) (or ratio thereof) of water left in pool. This dose helps provide a measure of control of algal growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.
4. Allow filter to run for several hours after chemical additions for good mixing.

Note: Before using chlorine or oxygen shock, read the Directions for Use and Precautionary Statements specific to that product.

TO DETERMINE POOL CAPACITY

Rectangular Pools: Length (times) width (times) average depth (in feet) (times) 7.5 (equals) gallons.

Round and Oval Pools: Long diameter (times) short diameter (times) average depth (in feet) (times) 5.9 (equals) gallons

OTHER

DIRECTIONS FOR USE IN (OUTSIDE) SPAS/WHIRLPOOLS/HOT TUBS

("Outside" description not for use in California)

Initial Dose: Add 3.2 ounces of this product per 7,500 gallons of water. Initial dose is used upon filling of outside spa/whirlpool/hot tub bath.

Maintenance Dose: Add 0.8 ounces of this product per 7,500 gallons of wa. Maintenance dose must be added at 3-5 day intervals. If high temperatures prevail or outside spa/whirlpool/hot tub bath has unusually heavy use, add maintenance dose more frequently. Drain and clean outside spa/whirlpool/hot tub bath at least once a month or as needed depending upon bather load.

CONTROLLING ALGAL GROWTH

BIRD BATHS: Do not use with fish. This product is toxic to fish. Do not use this product when fish are present. Clean to remove algae growth prior to filling birdbath. Then spray all exposed surfaces with a solution of 0.17 ounces of this product per gallon of water. Allow to air dry and brush off dead algae.

(Or)

INSTRUCTIONS FOR BIRD BATHS

This product is toxic to fish and aquatic invertebrates. DO NOT use this product when fish are present.

Initial Dose:

1. Drain Bird Bath.
2. Wipe, mop or spray all exposed surfaces using 0.17 ounces of this product per gallon of water. Spray device must be a mechanical coarse spray device. Wipe applied with spray device, surfaces must be sprayed until thoroughly wetted. Do rinse.
3. Allow to air dry and brush off dead algae. Repeat, if necessary, until no algae are visible.
4. Refill Bird Bath with fresh water.

Maintenance Dose: Repeat initial treatment when algal growth returns.

ALGAL CONTROL ON WALKWAYS (Not for use in CA): For heavy infestations, spray or swab a solution of 0.17 ounces of this product per gallon of water. Let stand for an hour or more, then brush and wash away dead algae. Soak area again with the solution. Do not rinse. Allow to air dry on the surface and repeat application when algal growth returns.

INSTRUCTIONS FOR (CONTAINERIZED) DECORATIVE FOUNTAINS AND POOLS

(Note to Reviewer: "Containerized" description must be used in California.)
 This product is toxic to fish and aquatic invertebrates. **DO NOT** use this product when fish are present.

Initial Dose:

1. Remove floating algae by raking, dragging with cable or chain or any other suitable method. It is more economical to remove floating type algae (if possible) before the water is treated.
2. Add this product at any point that is convenient, such as the bowl, pool, or sump.
3. Add 25.6 ounces of this product to each 60,000 gallons (6.4 ounces per 15,000 gallons) or ratio thereof.

Weekly Maintenance Dose: Add 6.4 ounces of this product to each 60,000 gallons of water every 3-5 days or as to maintain 0.5 ppm active.

Each month drain and clean bowl. Refill with fresh water and repeat initial treatment. Draining removes airborne dirt, dust, contamination and alkali buildup.

Decorative Fountains or Pools Capacity in gallons of water	Initial Treatment	Maintenance Dose Booster Dose
60,000	25.6 ounces	6.4 ounces
30,000	12.8 ounces	3.2 ounces
15,000	6.4 ounces	1.6 ounces
7,500	3.2 ounces	0.8 ounces
3,250	1.6 ounces	0.4 ounces
1,625	0.8 ounces	0.2 ounces
812	0.4 ounces	0.1 ounces
406	0.2 ounces	0.05 ounces
203	0.1 ounces	0.025 ounces

INDUSTRIAL WATER TREATMENT

Do not use water containing residues from use of this product to irrigate crops for food or feed.

Use of the product in either public/municipal or single or multiple family private/residential potable/drinking water systems is strictly prohibited. Use of the product in any cooling water system that discharges effluent within 1/4 mile of either a public/municipal or single or multiple family private/residential potable/drinking water intake is strictly prohibited.

This product aids in the control of bacterial, fungal and algal slimes in condensers, heat exchange water systems, industrial and commercial influent systems such as flow through filters and lagoons, industrial water scrubbing systems and brewery pasteurizers.

INDUSTRIAL (AND/OR COMMERCIAL) RECIRCULATING AND RETORT WATER SYSTEMS COOLING WATER TOWERS AND RETORT WATER SYSTEMS
 (Note: Retort Water Systems use site not applicable in California.)

1. **Dosing Location:** This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
2. **Dosing Conditions:** This product must be applied when the system is in jeopardy of being affected or after cleaning systems where efficiency is already impaired.
3. **Method Of Application:**

a. INTERMITTENT OR SLUG METHOD

Initial Dose: When the system is noticeably fouled, apply 4.28 to 8.5 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1000 gallons of water in the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 1.06 to 3.2 fluid ounces (5 to 15 ppm on an active quaternary basis) per 1000 gallons of water in the system twice weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

b. MODIFIED INTERMITTENT METHOD

Initial Dose: When the system is noticeable fouled, apply 4.28 to 8.5 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1000 gallons of water in the system. Apply half of this initial dose when half of the water in the system has been lost by blowdown.

Subsequent Dose: When control of microbial growth is evident, apply 1.06 to 3.2 fluid ounces (5 to 15 ppm on an active quaternary basis) per 1000 gallons of water in the system. Apply half of this subsequent dose when half of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

c. CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, apply 4.28 fluid ounce (20 ppm on an active quaternary basis) per 1000 gallons of water in the system.

Subsequent Dose: Maintain this treatment by starting a continuous feed of 1.06 fluid ounces (5 ppm on an active quaternary basis) per 1000 gallons of water lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

ONCE THROUGH (FRESH AND SEA) WATER COOLING SYSTEMS (Not for use in CA)
Dosing Location: This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.

Dosing Conditions: This product must be applied when the system is in jeopardy of being affected or after cleaning systems where efficiency is already impaired.

3. Method Of Applications:

a. INTERMITTENT OR SLUG METHOD

Initial Dose: When the system is noticeably fouled, apply 0.21 to 3.2 fluid ounces (1 to 10 ppm on an active quaternary basis) per 1000 gallons of water based on system flow rates. The minimum treatment must be 6 to 24 hours. Repeat until control is achieved. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 to 1 ppm product.

Subsequent Dose: When microbial control is evident, add 0.106 to 1.06 fluid ounces (5 to 5 ppm on an active quaternary basis) per 1000 gallons of water based upon system flow rates on a as needed basis to maintain control. Frequency of feed must be tied to an in plant monitoring program for macro fouling growth. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ratio of 5 ppm clay to 1 ppm product.

TO DEACTIVATE: Use bentonite clay at the minimum ratio of 6 ppm clay to 1 ppm product. Deactivation must occur prior to discharge of the NPDES outfall. Do not apply this product more than 4 times a year.

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:
 12/15/2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

AUXILIARY SERVICE WATER AND WASTE WATER SYSTEM (Not for use in CA)

This product is effective for the control of odor-forming and slime-forming bacterial, fungi and algae in auxiliary service water systems such as fire protection systems and pump or screen bays, water waste systems such as storage tanks, storage piles, associated piping, setting ponds or lagoons, transport spillways or canals and disposed wells.

This product may be added to the system by slug or intermittent feed or by spraying onto a waste pile. The frequency of feed or spray and the duration of treatment will depend upon the severity of the contamination. Additions to water systems must be made during the pumping operation and as close to the pump as possible to ensure adequate mixing.

INTERMITTENT OR SLUG METHOD

When this treatment is required, add this product at the rate of 4.28 to 8.5 ounces per 1000 gallons of water already in the system, or being added to the system, for 4 to 8 hours, 1 to 4 times per week or as needed to achieve the desired level of control. When control is obtained, add this product at the rate of 1.06 to 3.2 ounces per 1000 gallons of water in the system.

DIRECTIONS FOR ALTERNATE CONTAINERS/DELIVERY SYSTEMS

AUTOMATED DILUTION SYSTEM (DILUTION SYSTEMS TRADE NAME) INSTRUCTIONS: Remove cap/spray nozzle from empty container. Fill empty container with a newly prepared use-solution. Replace cap/spray nozzle. Place correct use-dilution label on newly filled container.

BAG-IN BOX CONTAINERS

How to use this package: This package is designed to be used with automatic control systems only. Open package and connect to dispense according to the instructions in the box.

TRIGGER SPRAYERS: Fill bottle from dispenser. Apply according to directions above.

REFILLS

To Refill Concentrate From Large Containers Into Smaller Containers: This product (Product Name) may be used to fill and refill clean, properly labeled containers for dilution elsewhere within your facility. Make sure the small container has been cleaned, dried and properly labeled according to state and local regulations. Also make sure other items (funnels or hand pumps) are properly cleaned and dried. To refill, simply pour (or pump product) from the larger container directly into the smaller one being careful not to spill any product. Keep both containers sealed when not in use.

(Note to reviewer: The title and first statement of this section must appear on every label, followed by the appropriate Storage and Disposal section. Brackets [] indicate that one option within the brackets MUST be used in the final label text. Each option within the brackets is enclosed in a set of parenthesis (). All "Notes" are only for reviewers and will not be included on label.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

(For Swimming Pool Use and Decorative Fountains and Pools in nonrefillable containers up to and including 5 gallons)

Nonrefillable container. Store in original container in areas inaccessible to small children. Keep from freezing. Offer for recycling if available or wrap and discard in trash (or recycle).

(For Swimming Pool Use and Decorative Fountains and Pools in containers over 5 gallons)

PESTICIDE STORAGE: Store in original containers and place in locked storage area. Keep from freezing. Do not contaminate water, food, or feed by storage or disposal.

SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water: or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse container (bottle, cans, jars). Triple rinse (or equivalent). Offer for recycling if available or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

(FOR USE ON NON-REFILLABLE CONTAINERS WITH COMMERCIAL/INDUSTRIAL USES)
(Note: For use on containers of 5 gallons or less.)

PESTICIDE STORAGE: Store only in original container. Keep from freezing. If a leaky container must be contained within another, mark the outer container to identify the contents. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL/RESIDUE REMOVAL: Non-refillable container. Do not reuse empty container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Wrap container and put in trash or offer for recycling or reconditioning. If not available, puncture and dispose of in a sanitary landfill.

SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained and the material then moved into containers and disposed of by approved methods for hazardous wastes.

(FOR USE ON NON-REFILLABLE CONTAINERS WITH COMMERCIAL/INDUSTRIAL USES)
(Note: For use on containers greater than 5 gallons)

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Keep from freezing. If a leaky container must be contained within another, mark the outer container to identify the contents. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: (Note: Only one of the following Container Disposal paragraphs will be used, depending on packaging type)

Non-refillable container. Do not reuse this container to hold materials other than pesticide or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions.

(Note: Several of our customers' packaging options are sealed containers or bottles designed to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed sealed containers. The following text will be used on these non-refillable sealed container types only.)

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

RESIDUE REMOVAL INSTRUCTIONS: To clean the container before final disposal, empty the remaining contents from this container into [application equipment] (a mix tank). Fill the container ¼ full with water. Replace and tighten closures. [Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds then stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and

3.2 OUNCE PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL FOR INITIAL APPLICATION

MIX EACH PACKET WITH 7,500 GALLONS OF WATER

MAQUAT MC1412-60%-LF

E.P.A. Reg. No. 10324-196 E.P.A. Est. No. 10324-IL-1

NET CONTENTS: 3.2 FLUID OZ.

ACTIVE INGREDIENTS:

n-Alkyl (50%C ₁₄ , 40%C ₁₂ , 10%C ₁₆)	60.0%
dimethyl benzyl ammonium chloride	40.0%
INERT INGREDIENTS:	
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

MASON CHEMICAL COMPANY
"THE QUATERNARY SPECIALISTS"

721 W. Algonquin Road
Arlington Heights, IL 60005

847-290-1621

Toll Free:

1-800-362-1855



PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

tip it back and forth several times) (Agitate vigorously or recirculate water for 30 seconds)]. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times.

(FOR USE ON REFILLABLE CONTAINERS WITH COMMERCIAL/INDUSTRIAL USES)

(Note: For use on all refillable containers.)

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

(For use on all refillable containers except fixed tank containers)

CONTAINER HANDLING/RESIDUE REMOVAL INSTRUCTIONS: Refillable container. To clean the container before final disposal, empty the remaining contents from this container into (application equipment) (a mix tank)]. Fill the container ¼ full with water. Replace and tighten closures. (Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds then stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times) (Agitate vigorously or recirculate water for 30 seconds)]. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Follow Pesticide Disposal instructions for rinsate disposal.

(Note: To be used on fixed tanks only)

CONTAINER HANDLING/RESIDUE REMOVAL INSTRUCTIONS: Refillable container. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Drain rinsate into application equipment and dispose of according to Pesticide Disposal instructions. Triple rinse container (or equivalent) promptly after emptying. Continue to drain for 10 seconds after the flow ends. Repeat this procedure two more times.

Made in USA



(Optional - for use on residential use swimming pool and spa products.)



ACCEPTED with COMMENTS in EPA Letter Dated:

JUL 31 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1.6 OUNCE PACKET LABEL TO BE USED WITH MASTER CONTAINER LABEL FOR MAINTENANCE/BOOSTER APPLICATION

MIX EACH PACKET WITH 7,500 GALLONS OF WATER

MAQUAT MC1412-60%-LF

E.P.A. Reg. No. 10324-196 E.P.A. Est. No. 10324-IL-1

NET CONTENTS: 1.6 FLUID OZ.

ACTIVE INGREDIENTS:

n-Alkyl (50%_{C14}, 40%_{C12}, 10%_{C16}) dimethyl benzyl ammonium chloride..... 60.0%

INERT INGREDIENTS:..... 40.0%

TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

MASON CHEMICAL COMPANY
"THE QUATERNARY SPECIALISTS"

721 W. Algonquin Road
Arlington Heights, IL 60005



847-290-1621

Toll Free:

1-800-362-1855

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

ACCEPTED with COMMENTS in EPA Letter Dated:

2012

FUL 31
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

SECONDARY CONTAINER LABEL

(Note to Reviewer: This secondary container label will be used only when the product is diluted in accordance with the use directions.)

MAQUAT MC1412-60%-LF

E.P.A. Reg. No. 10324-196 E.P.A. Est. No. 10324-IL-1

The product in this container is diluted as directed on the pesticide product label.

ACTIVE INGREDIENTS:

n-Alkyl (50%_{C14}, 40%_{C12}, 10%_{C16}) dimethyl benzyl ammonium chloride..... 60.0%

INERT INGREDIENTS:..... 40.0%

TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not get into eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear goggles or face shield and rubber gloves and protective clothing when handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

CONTAINER HANDLING: Triple rinse (or equivalent). Refill this container with this product only. Do not reuse this container for any other purpose.

Follow the directions for use on the pesticide label when applying this product. See product label for Storage and Disposal instructions.

MASON CHEMICAL COMPANY
"THE QUATERNARY SPECIALISTS"

721 W. Algonquin Road
Arlington Heights, IL 60005



847-290-1621

Toll Free:

1-800-362-1855

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.