


10324-212

02/02/2012

1/7

 <p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460</p> <p align="center"><b>NOTICE OF PESTICIDE:</b> <u>  x  </u> Registration <u>      </u> Reregistration</p> <p align="center">(under FIFRA, as amended)</p>	EPA Reg. Number: <b>10324-212</b>	Date of Issuance: <b>FEB -2 2012</b>
	Term of Issuance: <b>Conditional</b>	
	Name of Pesticide Product: <b>Maquat 1010N-24:6</b>	
Name and Address of Registrant (include ZIP Code): <b>Mason Chemical Company\ 721 W. Algonquin Road Arlington Heights, IL 60005</b>		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.		
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:		
1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Revise the "EPA Registration Number to read, "EPA Reg. No.10324-212".		
Signature of Approving Official: <b>Marshall Swindell</b> Product Manager Team-33 Regulatory Management Branch I Antimicrobials Division (7510P)	Date: <b>FEB -2 2012</b>	

b. Submit the Storage Stability and Corrosion Characteristics studies within one (1) year from the date of this Notice of Registration.

c. Revise the Precautionary Statements section to read:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER

Keep Out of Reach of Children

Corrosive. Causes skin burns. Causes irreversible eye damage. Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear, and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear protective eyewear (goggles, face shield, or safety glasses). Avoid breathing spray mist.

FIRST AID:

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice."

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to first air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person."

NOTE TO PHYSICIAN: Note to PM/CRM/Registrant: the proposed label contains a Note to Physician which addresses the category I Primary Irritant toxicity and Primary Eye Irritant toxicity. The following statements are suggested types of information that may be included, if applicable:

- technical information on symptomatology;
- use of supportive treatments to maintain life functions;
- medicine that will counteract the specific physiological effects of the pesticide
- company telephone number to specific medical personnel who can provide specialized medical advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.


3. Submit two (2) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the "accepted" label is enclosed for your records.

If you have any questions concerning this letter, please contact Marshall Swindell at (703) 308-6341.

Sincerely,



Marshall Swindell  
Product Manager 33  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Enclosure

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER. Keep Out of Reach of Children.** Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through the skin or inhaled. Avoid contact with skin, clothing and spray mist. Do not get in eyes. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

*(If container is 5 gallons or larger the following statement must appear on the label.)*

**ENVIRONMENTAL HAZARD**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.  
Do not mix with oxidizers, anionic soaps and detergents.

**First Aid**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

A microbiocide for use in controlling sulfate-reducing bacteria and slime forming bacteria in oil well drilling, oil field processing applications, oil field water systems, oil and gas productions and transmission pipelines and systems, and gas storage fields and equipment; such as steam-injection water holding tanks, flood water, injection water, holding pond water, disposal-well water, water holding tanks, fuel storage tanks and related refinery and oil field closed, industrial recirculating water handling systems.

A highly effective microbiocide for use in controlling bacteria including slime forming bacteria and sulfate-reducing bacteria (SRB) and fungi (yeast and molds) and algae in air washers and industrial scrubbing systems, recirculating cooling and process water systems including those that contain reverse osmosis membranes and in service water and auxiliary systems and heat transfer systems and in wastewater systems including wastewater sludge and holding tanks, and in paper mills and paper mill process water systems and water based coatings for paper and paperboard.

(Product of USA) (Made in the USA)

**ACTIVE INGREDIENTS:**

- Glutaraldehyde.....24.0%
  - Didecyl dimethyl ammonium chloride.....6.0%
- INERT INGREDIENTS:** .....70.0%
- TOTAL:** .....100.00%

Weight Approx. -- lbs/gal.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER PELIGRO**

See left (back) (side) (right) panel (of label) (below) for additional precautionary statements and first aid statements.

*(Note to Reviewer: This information has been verified per DOT regulations. It is NOT required to be on the label but is being requested by a customer.)*

**TRANSPORTATION INFORMATION**

DOT Hazard Class: 8 Corrosive

DOT Proper Shipping Name: Disinfectant Liquid Corrosive (Quaternary Ammonium Compound), 8, UN1903, PGI1

**PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.**

EPA Letter Dated:

Manufacturing and/or Lot no. Date:

FEB -- 2 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10324-212

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### AIR WASHERS AND INDUSTRIAL SCRUBBING SYSTEMS/RECIRCULATING COOLING AND PROCESS WATER SYSTEMS

This product is used in industrial air washers and air washers systems which have mist-eliminating components.

This product is added at the application rates described below to a water treatment system at a convenient point of uniform mixing such as the basin area. Addition is made intermittently (Slug Dose) or continuously. Badly fouled systems can be shocked treated with this product. Under these conditions, blowdown is discontinued for up to 24 hours.

This product is used in industrial process water systems that contain ultra filtration units and non-medical reverse osmosis membranes (where approved by membrane manufacturer) and associated distribution systems.

#### INTERMITTENT (SLUG DOSE) METHOD

**Initial Dose:** When the system is noticeably fouled, apply 21.33 to 42.67 fluid ounces (50 to 100 ppm on an actives basis) of this product per 1,000 gallons of water in the system. Repeat until control is achieved.

**Subsequent Dose:** When microbial control is evident, add 8.53 to 21.33 fluid ounces (20 to 50 ppm on an actives basis) of this product per 1,000 gallons of water in the system weekly, or as needed to maintain control.

Badly fouled systems must be cleaned before treatment is begun.

#### CONTINUOUS FEED METHOD

**Initial Dose:** When the system is noticeably fouled apply 21.33 to 42.67 fluid ounces (50 to 100 ppm on an actives basis) of this product per 1,000 gallons of water in the system.

**Subsequent Dose:** Maintain this treatment level by starting a continuous feed of 4.27 to 21.33 fluid ounces (10 to 50 ppm on an actives basis) of this product per 1,000 gallons of water in the system per day.

Badly fouled systems must be cleaned before treatment is begun. Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide, **SERVICE WATER AND AUXILIARY SYSTEMS**, registered under EPA Reg. No. 10344-2/8.

This product is used at the same application rates, and in the same manner as described above. It is added to the system at a point that will allow for uniform mixing throughout the system.

#### HEAT TRANSFER SYSTEMS

(Evaporative Condensers, Dairy Sweetwater Systems, Hydrostatic Sterilizers and Retorts, and Pasteurizers and Warmers)

This product is used at the same application rates, and in the same manner as described above. It is added to the system at a point of uniform mixing such as a basin area, sump area or other reservoir or collecting area from which the treated water will be circulated uniformly throughout the system.

#### INDUSTRIAL WASTEWATER SYSTEMS

(Wastewater Systems, Wastewater Sludge and Wastewater Holding Tanks)

This product is added to a wastewater system or sludge at a convenient point of uniform mixing such as digester. Add 0.83 to 4.17 gallons (250 to 1250 ppm on an actives basis) of this product per 1,000 gallons of wastewater or sludge.

#### PAPER MILLS AND PAPER MILL PROCESS WATER SYSTEMS

This product is added to a paper making system at a point of uniform mixing such as the thin or thick stock chest, save-all tank, process tank or white water tank. Do not use to treat paper or paperboard which will contact food.

**Initial Dose:** When the system is noticeably contaminated, add 0.5 to 5.0 lbs. of this product per ton or 0.25 to 2.5 kg of this product per metric ton of pulp or paper (dry basis) as a continuous or slug dose. Repeat until control is achieved. Heavily fouled systems should be boiled out prior to initial treatment.

**Subsequent Dose:** When microbial control is evident, add 0.5 to 3.33 lbs. of this product per ton or 0.25 to 1.67 kg of this product per metric ton of pulp or paper (dry basis) as necessary to maintain control.

#### WATER BASED COATING, PIGMENTS AND FILLER SLURRIES FOR PAPER AND PAPERBOARD

**Note:** For use in non-food contact coating only.

Use from 0.17 to 1.0 lbs. of this product per 1,000 lbs. of dry powder or 0.17 to 1.0 kg of this product per metric ton of dry slurry to produce a concentration of 166.7 to 1000 ppm as product (based on slurry solids) in the mixed slurry.

#### WATER FLOODS

This product is added to a water flood system at a point of uniform mixing.

**Initial Treatment:** When the system is noticeably contaminated, add 50 to 2500 ppm (on an actives basis) of this product to the system (0.17 to 8.33 gallons of this product per 1,000 gallons flood water). Repeat until control is achieved.

**Subsequent Dose:** When microbial control is evident, add 10 to 2500 ppm (on an actives basis) of this product (0.03 to 8.33 gallons of this product per 1,000 gallons flood water) to the system weekly, or as needed to maintain control.

#### FRAC FLUIDS

This product reduces bacterial contamination and degradation of fracturing fluids and gels used in oil and gas well stimulations. Add this product to the frac water storage tanks or directly into the well head injection pipeline as the water is being pumped down-hole.

**Usage Range:** This product is added at a rate of 50 to 2950 ppm on an actives basis (1.67 to 98.33 gallons per 10,000 gallons), depending on the degree of bacterial fouling in the source water.

#### DRILLING, COMPLETION, AND WORKOVER FLUIDS

This product is added to a drilling fluid system at a point of uniform mixing such as the circulating mud tank.

**Initial Treatment:** Add 25 to 500 ppm (on an actives basis) of this product (0.35 to 7.0 gallons of this product per 100 barrels of fluid) to a freshly prepared fluid depending on the severity of contamination.

**Maintenance Dose:** Maintain a concentration of 25 to 500 ppm (on an actives basis) of this product by adding 0.35 to 7.0 gallons of this product per 100 barrels of additional fluid, or as needed, depending on the severity of contamination.

#### PACKER FLUIDS

This product is added to a packer fluid at a point of uniform mixing such as circulating holding tank. Add 25 to 300 ppm (on an actives basis) of this product (0.35 to 4.2 gallons of this product per 100 barrels of fluid) to a freshly prepared fluid depending on the severity of contamination. Seal treated packer fluid in the wall between the casing and production tube.

ACCEPTED  
BY THE FEDERAL GOVERNMENT  
FEB 2 2012

#### **OIL AND GAS PRODUCTION AND TRANSMISSION PIPELINES AND SYSTEMS**

This product is added to an oil/gas production or transmission line via direct injection. The application is conducted to ensure maximum distribution of this product throughout the entire internal pipeline surface by adding a sufficient amount of biocide to detect/measure a residual concentration at the back end of the pipeline system. Criteria for success of the treatment will be a reduction in bacterial counts and/or reduced corrosion rates. To facilitate application, it may be desirable to dilute this product with an appropriate solvent immediately before use. The concentration in the solvent must not fall below an active concentration range of 500 to 5,000 ppm based on the volume of water in the pipeline. Injections to the system are made weekly, or as needed to maintain control.

#### **GAS STORAGE WELLS AND SYSTEMS**

Individual injection wells are treated with a sufficient quantity of this product to produce a concentration of 833.4 to 8333.4 ppm of this product (250 to 2500 ppm on an active basis) when diluted by the water present in the formation. Injection takes place before gas is injected (during the summer). Injections should be repeated yearly, or as needed to maintain control.

Individual drips should be treated with a sufficient quantity of this product to produce a concentration of 333.4 to 3333.4 ppm of this product (100 to 1000 ppm on an active basis) when diluted by the water present in the drip. Injections should be repeated yearly or as needed to maintain control.

#### **HYDROTESTING**

Water used to hydrotest pipelines or vessels should contain 50 to 2,000 ppm (on an active basis) of this product (0.17 to 6.67 gallons of this product per 1,000 gallons water) depending on the water quality and length of time the equipment remains idle.

#### **PIPELINE PIGGING AND SCRAPING OPERATIONS**

Add the product to a slug of water immediately following the scraper. Ideally this water volume can be kept to a minimum and contained between the scraper and a trailing pig. Sufficient product is added to produce a concentration of 0.17 to 1.67% (0.17 to 1.67 gallons of this product per 100 gallons of water), depending on the length of the pipeline and the severity of biofouling.

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**FEB 2 2012**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 10324-2/2

*(Note to reviewer: The title and first statement of this section must appear on every label, followed by the appropriate Storage and Disposal section.)*

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

*(FOR USE ON NON-REFILLABLE CONTAINERS WITH WITH*

*INSTITUTIONAL/COMMERCIAL/INDUSTRIAL NON-PUBLIC HEALTH USES ONLY)*

**PESTICIDE STORAGE:** Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING DISPOSAL:** Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

**RESIDUE REMOVAL INSTRUCTIONS (For containers less than 5 gallons):** Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons):** Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store for later use or disposal. Repeat this procedure two more times.

**BATCH CODE:** *(Can be placed on container or label)*

*(FOR USE ON REFILLABLE CONTAINERS - 5 gallon and 55 gallon containers)*

**PESTICIDE STORAGE:** Open dumping is prohibited. Store only in original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING DISPOSAL:** Triple rinse (or equivalent). Refill this container with this product only. Do not reuse this container for any other purpose.

**RESIDUE REMOVAL INSTRUCTIONS (For containers greater than 5 gallons with Industrial/Commercial/Non-public Health Uses):** Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30

seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

FEB 9 2012

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 10324-212