



**CONCENTRATED  
DETERGENT  
DISINFECTANT - SANITIZER  
DEODORANT**

*FOR HOSPITAL AND INSTITUTIONAL USE*

**ACCEPTED**  
*12-22-71*

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO.

**ACTIVE INGREDIENTS**

N-alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides .....	2.25%
N-alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides .....	2.25%
Sodium carbonate .....	3.0 %
<b>INERT INGREDIENTS</b> .....	92.5 %
	100.0 %

*10331-2*

**PHENOL COEFFICIENTS**

Staphylococcus aureus .....	40
Salmonella typhosa .....	26

E.P.A. Registration No. 10331-2

**WARNING**

**Keep out of reach of children.** See Side Panel for Additional Precautions.

Net Contents - One Gallon

**Del Tek Inc.**

14221 SUBURBAN GARDEN ROAD  
PEARLAND, TEXAS 77581

**DIRECTIONS**

C + D FOUR FIVE is designed for cleaning and disinfecting floors, walls, surfaces as found in hospitals, nursing homes, veterinary hospitals, institutions,

**WARNING**

**Keep out of reach of children.** See Side Panel for Additional Precautions.

Net Contents – One Gallon

**Del Tek Inc.**

14221 SUBURBAN GARDEN ROAD  
PEARLAND, TEXAS 77581

**DIRECTIONS**

C + D FOUR FIVE is designed for cleaning and disinfecting floors, walls, surfaces as found in hospitals, nursing homes, veterinary hospitals, institutions, public rooms, homes, industrial areas, conveyances, etc., where housekeeping is of prime importance.

**USE DIRECTIONS**

At two (2) ounces per gallon of water (1/64 aqueous solution) the product will kill Staphylococcus aureus, S. choleraesuis, Pseudomonas aeruginosa, and Trichophyton interdigitale (a fungus causing athlete's foot) on inanimate surfaces. For all Hospital and Veterinary Hospital applications, such as operating rooms, where surfaces are heavily contaminated with soil and/or organic matter, apply solution twice to ensure disinfection. For maximum germicidal and detergent activity, surfaces to be treated should be wet thoroughly.

Disinfectant activity against Staphylococcus aureus, S. choleraesuis, and Pseudomonas aeruginosa was determined by the AOAC Use Dilution Method. Fungicidal activity was determined by the AOAC Fungicidal Test. (Actual laboratory test data is available on request.)

**FOR CLEANING AND SANITIZING**

Apply by mop or cloth C + D FOUR FIVE at least one (1) ounce to one gallon of water. Allow at least two (2) minutes of contact with surface before rinsing.

**FOR CLEANING AND DEODORIZING**

Apply by mop or cloth C + D FOUR FIVE one (1) ounce diluted to one or two gallons of water.

Rinse empty container thoroughly with water and discard it.

## DIRECTIONS

Recommended for cleaning, disinfecting, and deodorizing in hospitals. Will include hard surfaces such as floors, walls, ceilings, equipment and fixtures in areas such as operating rooms, clinics, isolation wards, nurseries, diet kitchens, rest rooms, etc..

For cleaning, disinfecting and deodorizing in nursing homes, veterinary clinics and hospitals, schools and public institutions, all hard surface areas such as corridors, class rooms, offices, rest rooms, locker rooms, showers . . . in public places where cleanliness and bacterial control are vital for protection of health.

For cleaning and sanitizing and deodorizing food handling equipment in food, milk, and beverage processing plants, restaurants, farms. Such equipment would include blanchers, evaporators, homogenizers, holding tanks, pipes, valves, fittings, utensils, etc.. All equipment should be flushed with clear water just prior to re-use except when the sanitizing solution is limited to 200 ppm of quaternaries (or 2-1/4 ounces of C + D FOUR FIVE in four (4) gallons of water).

In use dilutions C + D FOUR FIVE is non-corrosive to inanimate surfaces.

## PRECAUTIONS

Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

