



FOOD SERVICE AND FOOD PROCESSING—Sanitize or Disinfect dishes, glassware, silverware, pots, pans, coffee urns, kitchen equipment, sinks, work tables, processing equipment, and dairy equipment. Equipment must be properly cleaned before sanitizing or disinfecting. Wipe, mop, or immerse to thoroughly wet all articles or surfaces with CONSAN 20 solution. Rinse items treated with clean potable water. Deodorize drains by flushing with CONSAN 20 solution.



LAUNDRIES—CONSAN 20 provides residual bacteriostatic activity when used at the rate of 1 oz to 4 gallons of water, as determined by the Petrocci and Clark Method for laundry additives. ADD CONSAN 20 ONLY TO THE FINAL RINSE WATER.

**DANGER:** Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

RINSE and DISCARD empty CONSAN 20 container.

EPA. Reg. No. 10331-7



## Disinfectant

### Sanitizer Deodorant


ACTIVE INGREDIENTS:	PERCENT
n-alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides	9.0
n-alkyl (50% C <sub>12</sub> , 30% C <sub>14</sub> , 17% C <sub>16</sub> , 3% C <sub>18</sub> )	
dimethyl ethylbenzyl ammonium chlorides	9.0
n-alkyl (50% C <sub>12</sub> , 30% C <sub>14</sub> , 17% C <sub>16</sub> , 3% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides	2.0
INERT INGREDIENTS:	80.0
Total	100.0%

## DANGER

KEEP OUT OF REACH OF CHILDREN  
See side panel for first aid and additional precautions.

EPA EST. 10331-TX-1

1 GALLON




### For Sanitizing For Disinfecting

HOSPITALS—Use on frames and equipment by wiping, mopping, or spraying to provide residual activity. Use as a spray sanitizing solution on potable water areas.

SCHOOLS—Use on restrooms, food lockers, lavatories. Always use with clean potable water to aid in preventing disease.

Do not mix with other materials.



14221 SUB



## Disinfectant

### Sanitizer Deodorant

ACTIVE INGREDIENTS:	PERCENT
n-alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides.....	9.0
n-alkyl (50% C <sub>12</sub> , 30% C <sub>14</sub> , 17% C <sub>16</sub> , 3% C <sub>18</sub> )	
dimethyl ethylbenzyl ammonium chlorides.....	9.0
n-alkyl (50% C <sub>12</sub> , 30% C <sub>14</sub> , 17% C <sub>16</sub> , 3% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides.....	2.0
INERT INGREDIENTS:	80.0
Total	100.0%

## DANGER

KEEP OUT OF REACH OF CHILDREN  
See side panel for first aid and additional precautions.

EPA EST. 10331-TX-1  
1 GALLON

Disinfect dishes,  
equipment, sinks,  
equipment must  
be, mop, or im-  
AN20 solution.  
lines by flushing

activity when  
by the Petrocci  
ONLY TO THE

1. Do not get in,  
d rubber gloves  
ination of food.  
skin with plenty  
n. Remove and  
drink promptly  
f these are not  
call a physician  
mage may con-  
culatory shock,



For Sanitizing (200 PPM) 1 ounce to 8 gallons water

For Disinfecting (400 PPM) 1 ounce to 4 gallons water

HOSPITALS—Use disinfecting solution for lavatories, floors, walls, bed frames and equipment. Thoroughly wet surfaces with disinfecting solution by wiping, mopping, or scrubbing. Immerse small equipment and instruments in disinfecting solution after thorough pre-cleaning. Laundry rinse to provide residual bacteriostatic activity and diaper sanitation. Can be used as a spray to deodorize mattresses, pillows and bed pans. Use the sanitizing solution for this purpose. Rinse all hard surfaces with clean potable water after disinfecting.

SCHOOLS—Use to disinfect and deodorize hard surfaces such as refrigerators, food lockers, garbage cans, locker rooms, shower rooms, and lavatories. Always clean before disinfecting. Thoroughly wipe, mop, scrub, or pressure spray disinfecting solution on all surfaces being treated. Follow with clean potable water rinse. Scrub shower and locker room floors, benches, mats, and other surfaces commonly contacted by the bare feet, to aid in preventing the spread of athlete's foot fungi on environmental surfaces.

Do not mix CONSAN 20 with common soap, detergents, or other anionic materials.

A PRODUCT OF


**Del Tek Inc.**

14221 SUBURBAN GARDEN ROAD, PEARLAND, TEXAS, 77581

CEPTED

13 1974

RECEIVED  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 10331-1



ACCEPTED

107 13 1974

RECEIVED  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 10331-1