

**DIRECTIONS FOR USE**  
General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


**LAWN FUNGI:** For control of fungi treat before, or at first signs of disease. *Helminthosporium*, *Rhizoctonia* brown patch, *Cercularia* fading-out, and *Pythium* blight, apply Consan Triple Action 20 at a rate of one tablespoon per gallon of water. Treat at rate of one gallon to 40 square feet (4 ft. x 10 ft.) of lawn. If entire lawn is not treated, apply solution at least one foot beyond infected areas to prevent spreading of infection. Repeat Applications are to be made at 10 to 14 day intervals as needed with New or Established cases. Treatment is required during warm weather, and may be made when the grass is dry or damp; Not during wet, rainy weather.

**GOLF COURSES AND COMMERCIAL TURF GROWERS:** Follow instructions for lawn fungi. If commercial power sprayers are used, reduce the solution ratio to one teaspoon per gallon of water.

**ROSES:** Use 1½ teaspoons per gallon of water to control leaf black spot and powdery mildew. Apply at first signs of disease by any convenient means but be sure to get all plant surfaces. Apply in warm weather. Repeat in 10 to 14 days, and thereafter as needed. Do not apply during wet, rainy weather.

**PEAR TREES AND CREPE MYRTLE:** Use a solution of one tablespoon per gallon of water to control Bacterial Fireblight, pear, mist, or rinse the complete plant. Treat pear trees only in early Spring and after harvest in late fall while still dormant. Crepe Myrtle should be treated during warm weather, and after pruning. Treatment should be repeated at two week intervals as needed.

1 Ounce = 2 Tablespoons = 6 Teaspoons



**COMMON  
TURF  
ACTION**

20

**FUNGICIDE**

**BACTERICIDE**  
For Use on Ornamental Plants,  
Grasses and Trees

**ACTIVE INGREDIENTS:**  
n-alkyl (60 C<sub>14</sub>, 30 C<sub>16</sub>,  
5 C<sub>17</sub>, 5 C<sub>18</sub>) dimethyl  
benzyl ammonium chlorides, 9.0  
n-alkyl (50 C<sub>12</sub>, 30 C<sub>14</sub>,  
17 C<sub>16</sub>, 3 C<sub>18</sub>) dimethyl  
ethylbenzyl ammonium chlorides ..... 9.0  
n-alkyl (50 C<sub>12</sub>, 30 C<sub>14</sub>,  
17 C<sub>16</sub>, 3 C<sub>18</sub>) dimethyl  
benzyl ammonium chlorides, 2.0  
**INERT INGREDIENTS:** ..... 80.0

**TOTAL:** 100.0

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

See side panel for additional  
precautionary statements and  
statement of practical treatment

EPA REG. NO. 10331-9  
EPA EST. NO. 10331-XX-1

PEL. TEC., INC.  
P.O. BOX 170  
11221 SOUTHERN GARDEN ROAD  
PEACHTREE, GA 30069

**NET CONTENTS**

**PRECAUTIONARY STATEMENT**  
Hazard To Human and Domestic Animal

**DANGER:** Keep Out of Reach of Children. Can cause eye damage and skin irritation. Do not get in eyes, on skin or clothing. Avoid breathing spray mists. Use a mask or other breathing apparatus during tree spraying operations. Wear goggles or face shield and rubber gloves when handling. Keep children and pets off treated lawns until area is completely dry. Do not use on feeding and grazing pastures.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Remove and wash contaminated clothing before reuse.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**ENVIRONMENTAL HAZARD**

This pesticide is toxic to fish. Do not apply directly to fish bearing waters. Do not contaminate waters by cleaning of equipment or disposal of wastes. Avoid application to turf areas actively grazed by waterfowl.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**

- a. Do not contaminate water, food or feed by storage or disposal
- b. Open dumping is prohibited
- c. Do not reuse empty container

**PESTICIDE USE**

- a. Pesticide spray mixture or rinse water that can not be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL**

- a. Plastic containers - Triple rinsing (or equivalent) then offer for recycling or reconditioning, or dispose of in sanitary landfill, or by incineration if allowed by state and local authorities.

**GENERAL**

- a. Contact Federal, state or local authorities for approved alternative procedures when treated open burning.