

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FUNGI: For control of lawn fungi treat before, or at first sign of disease. Helminthosporium, Rhizoctonia brown patch, Curvularia Fading-out, and Dollar Spot Blight, apply Consan Triple Action 20 at a rate of one tablespoon per gallon of water. Treat at rate of one gallon to 40 square feet (4 ft. x 10 ft.) of lawn. If entire lawn is not treated, apply solution at least one foot beyond infected areas to prevent spreading of infection. Repeat Applications are to be made at 10 to 14 day intervals as needed with New or Established cases. Treatment is required during warm weather, and may be made when grass is dry or damp; not during wet rainy weather.

GOLF COURSES AND COMMERCIAL TURF GROWERS: Follow instructions for lawn fungi. If commercial power sprays are used, reduce the solution ratio to one teaspoon per gallon of water.

ROSES: Use 1-1/2 teaspoons per gallon of water to control leaf black spot and powdery mildew. Apply at first signs of disease by any convenient means but be sure to wet all plant surfaces. Apply in warm weather. Repeat in 10 to 14 days, and thereafter as needed. Do not apply during wet, rainy weather.

PEAR TREES AND CREPE MYRTLE: Use a solution of one tablespoon per gallon of water to control Bacterial Fireblight. Spray, mist or rinse the complete plant. Treat pear trees only in early Spring and after harvest in late fall while still dormant. Crepe Myrtle should be treated during warm weather, and after pruning. Treatment should be repeated at two week intervals as needed.

GREENHOUSE — HARD SURFACES: To disinfect hard inanimate surfaces (such as glass, work surfaces, benches, flats, pots, tools, cooler pads, walkways, and walls) add 1/4 oz. Consan Triple Action 20 to one gallon of water. Apply solution with mop, cloth, sponge, or mechanical sprayer so as to wet thoroughly. Allow to remain wet to ten minutes, and then let air dry.

1 Ounce = 2 Tablespoons = 6 Teaspoons

A PRODUCT OF

Del Telle Inc.

14221 Surburban Garden Road
P.O. Box 179
Pearland, TX 77588

Del Telle Inc.



**TRIPLE ACTION
20
ALGICIDE**

FUNGICIDE • BACTERIACIDE

FOR USE ON ORNAMENTAL PLANTS, GRASSES AND TREES

ACTIVE INGREDIENTS	PERCENT
n-alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	9.0%
n-alkyl (50% C12, 30% C14, 17% C16, 3% C18)	
dimethyl ethylbenzyl ammonium chlorides	9.0%
n-alkyl (50% C12, 30% C14, 17% C16, 3% C18)	
dimethyl benzyl ammonium chlorides	2.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

DANGER

Keep out of reach of children.

See side panel for first aid and additional precautions.

EPA REG. NO. 10331-9

1 GALLON

EPA EST. 10331-TX-1

PM 31
10331-9
1 of 2

21

ACCEPTED

JUL 13 1980

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 10331-9

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Avoid breathing spray mists. Use a mask or some other breathing apparatus during tree spraying operations. Wear goggles or face shield and rubber gloves when handling. Keep Children and Pets Off Treated Lawns until area is completely dry. Do not use on Feeding and Grazing Grasses.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Remove and wash contaminated clothing before re-use.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish. Do not apply directly to fish bearing waters. Do not contaminate waters by cleaning of equipment or disposal of wastes. Avoid application to turf areas actively grazed by waterfowl.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide Spray mixture, or rinse water that can not be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Plastic Containers-triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in sanitary landfill, or by incineration if allowed by state and local authorities.

GENERAL: Consult Federal, state or local authorities for approved alternative procedures, such as limited open burning.

Pin 31
10331-9
2 of 2

6