

GUARANTEED HERBICIDE ANALYSIS	
Active Ingredients	
*Dimethyl Amine Salt of Dichlorophenoxyacetic Acid	1.00%
**Isocetyl Ester of Silver (2, 2, 4, 5-Trichlorophenoxy) propionic Acid	0.20%
Inert Ingredients (Plant Food)	98.80%
Total	100.00%
*Equivalent to 2, 4-Dichlorophenoxyacetic Acid	0.83%
**Equivalent to (2, 2, 4, 5-Trichlorophenoxy) propionic Acid	0.14%
U.S.D.A. REG. NO. 10339-2	

**20 lbs.
NET WEIGHT**

*GUARANTEED FERTILIZER ANALYSIS	
Total Nitrogen (N)	10.00%
Available Phosphoric Acid (P ₂ O ₅)	4.00%
Soluble Potash (K ₂ O)	4.00%
Iron (Fe)40%
*In Michigan read Michigan	

\$4⁹⁵

LIGHT WEIGHT

**MR
FRO**



10-6-4

WEED & FEED

**MR
PRO**



10-6-4

WEED & FEED
 COVERS UP TO 5000 SQ. FT.

WITH
SILVEX & IRON

Contains 2, 4-D and Silvex
 See additional cautions on back panel.
 CAUTION Keep out of reach of children and pet.
 MANUFACTURED BY WEGRO INC., GRAND RAPIDS, OHIO

MR GRO

10-6-4

WEED AND FEED

WITH SILVEX AND IRON

LIGHTWEIGHT

COVERS UP TO 5,000 SQUARE FEET
20 LBS. NET WEIGHT

FEEDS —Supplies nitrogen, phosphorus and potash, the three primary plant food elements necessary for healthier greener lawns.

KILLS —or controls dandelion, buckhorn, clover and many other broadleaf plants.

CONTAINS —Iron, necessary for the formation and functioning of chlorophyll.

DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperature is warm, in spring, early summer or fall. Do not apply when conditions are hot, dry or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications.


SUGGESTED SPREADER CHART SETTINGS

Lawn Beauty	5	Scott	5½	Jackson	6½
Cyclone	4	Sears	4		

Not recommended for use on Carpetgrass, Bent grass, Dichondra, Centipede grass, St. Augustine grass, on lawns where clover is present or desired, or on new lawns. Apply on a calm day, avoid drifts to or contact with vegetables, flowers, or shrubs. Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. Do not store near other fertilizer, seed, insecticides, or fungicides. Spread evenly and avoid lapping.

CAUTION Keep out of reach of children.
Avoid contact with skin, eyes and clothes.
Do not take internally.
Avoid breathing dust.

For contents guarantee see front panel. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such, or in combination with other materials.



MULTIBAG

MADE IN THE UNITED STATES OF AMERICA
THE FOLLOWING PATENTS
NO. 2,973,325
NO. 2,973,326