

# FOREST CITY

YOU MUST BE SATISFIED • WE GUARANTEE IT!

## GUARANTEED HERBICIDE

### ACTIVE INGREDIENTS:

*Dimethyl Amine Salt of Dichlorophenoxyacetic Acid	80%
**Isooctyl Ester of Silvex (2,2,4,5- Trichlorophenoxy) propionic acid	40%
Inert Ingredients (Plant Food)	98.80%

Total 100.00%

\*Equivalent to 2,4-Dichlorophenoxyacetic Acid 66.4%

\*\*Equivalent to (2,2,4,5-Trichlorophenoxy) propionic Acid 28%

USDA Reg. No. 10339-8

# Weed & feed plus iron

ACCEPTED  
4-14-70  
10339-8

22-7-7 • CONTAINS SILVEX

KILLS WEEDS

FERTILIZES YOUR LAWN



**weed**  
**& feed**  
**plus iron**

10339-8

**22-7-7 · CONTAINS SILVEX**  
**KILLS WEEDS**  
**FERTILIZES YOUR LAWN**



**COVERS 5000 SQ. FT.**

**CAUTIONS:** Keep out of reach of children and pets. See back panel for additional CAUTIONS.

TO ATTACH

# 20 LBS. NET WEIGHT FOREST CITY WEED & FEED 22-7-7

4-14-70

10339-8

*GUARANTEED FERTILIZER ANALYSIS	
Total Nitrogen (N) .....	22.00%
(Water Insoluble Nitrogen . . 2%)	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) ..	7.00%
Soluble Potash (K <sub>2</sub> O) ..	7.00%
Iron (Fe) ..	.40%
<small>*In All other feeds Minimum</small>	

FERTILIZES    KILLS WEEDS  
PROVIDES IRON    LIGHT WEIGHT  
COVERS UP TO 5,000 SQUARE FEET

FEEDS - Supplies nitrogen, phosphorus and potash, the three primary plant food elements necessary for healthier, greener lawn.

KILLS - Controls dandelion, burdock, clover and many other broadleaf plants with 2,4-D and SILVEX.

CONTAINS Iron, necessary for the formation and functioning of chlorophyll.

### DIRECTIONS

Best results can be obtained if applied when the lawn is damp and temperature is warm in spring, early summer or fall. Do not apply when conditions are hot days or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications can be applied with at least 60 days between applications. Spread evenly over lawn.

### APPLICATOR SPREADER CHART SETTINGS

1/2" spreader	1/2" spreader	6" Greenleaf	5
1" spreader	1" spreader	15" Greenleaf	2
1 1/2" spreader	1 1/2" spreader	Use front spreader. Make a trial before using this product. Avoid overlap.	
2" spreader	2" spreader	Use front spreader. Make a trial before using this product. Avoid overlap.	
3" spreader	3" spreader	Use front spreader. Make a trial before using this product. Avoid overlap.	

ACCEPTED

4-14-70

10339-8

*GUARANTEED FERTILIZER ANALYSIS	
Total Nitrogen (N)	22.00%
(Water Insoluble Nitrogen .. 2%)	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	7.00%
Soluble Potash (K <sub>2</sub> O)	7.00%
Iron (Fe)	.40%
*In Michigan reads Minimum	

FERTILIZES — KILLS WEEDS  
 PROVIDES IRON — LIGHT WEIGHT  
 COVERS UP TO 5,000 SQUARE FEET

**FEEDS** - Supplies nitrogen, phosphorus and potash, the three primary plant food elements necessary for healthier, greener lawn.

**KILLS** - or controls dandelion, buckhorn, clover and many other broadleaf plants with 2,4-D and SILVEX.

**CONTAINS** - Iron, necessary for the formation and functioning of chlorophyll.

**DIRECTIONS**

Best results can be obtained if applied when the lawn is damp and temperatures are warm in spring, early summer or fall. Do not apply when conditions are hot, dry, or when temperatures are cold. Wait at least three days after mowing before applying. Two or three applications are recommended with at least 60 days between applications. Spread evenly and avoid lapping.

**APPROX. SPREADER CHART SETTINGS**

Lawn Beauty	4½	Jackson	6	Greenfield	5
Scott	5	Cyclone	3½	Cross Country	3½

Spreader setting may vary with age, model and condition of spreader. Make a trial check on a measured area of 1000 square feet with 4 pounds of this product. Avoid overlap.

**NOT RECOMMENDED** for use on Carpetgrass, Bentgrass, Dichondra, Centipede grass, St. Augustine grass, on lawn where clover is present or desired, or on new lawns. Apply on a calm day, avoid drift to or contact with vegetables, flowers or shrubs. VAPORS from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean all equipment after each use. **DO NOT STORE** near other fertilizer, seed, insecticides, or fungicides.

**CAUTION:** *Keep out of reach of children.*  
 Avoid contact with skin, eyes and clothes.  
 Do not take internally.  
 Avoid breathing dust.

For contents guarantee see front panel. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such, or in combination with other materials.

Contains 4 lbs. of 2,4-D, 1 lb. of Silvex, 1 lb. of Iron, and 1 lb. of Phosphoric Acid. Do not use on lawns where clover is present or desired. Apply to lawn in early spring or fall.

**MANUFACTURED BY WEGO INC., GRAND RAPIDS, OHIO**

FREIGHT SHIPPING TAG  
 Meeting Requirements of  
 APPLICABLE FREIGHT CLASSIFICATION  
 Guaranteed By  
 White Bag Company  
 Sparta, N.J.