ACCEPTED PRECAUTION ARY STATEMENTS HAZARDS TO HUMANS AND COMESTIC ANIMALS

JUL 1 8 1985

Under the Federal Insection le, Pungicide, and Rodenticide Act. as amended, for the posticide registered under .

KEEP OUT OF THE REACH OF CHILDREN No. CAUSES SEVERE SKIN AND EYE DAMAGE. HARMFUL OR FATAL IF SWALLOWED, Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS Flammable - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excell pesticide, spray mixture, or rinsate is a violation of Federal Law, If these wastes cannot be disposaed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and ใบผล มนมาดาเน่ยง.

NALCO

1-1 # 10347-3 PT 31

ADOMALL

AQUEOUS FRACTURING ADDITIVE

ACTIVE INGREDIENTS											
Aikyl(C ₈ -C ₁₈)*bis (2-hydroxyethyl)											
benzyl ammonium chloride											. 23.6%
N-polyethylene polyemine (18-mole)											
N-oleylamine hydrochloride											2.7%
Isopropanol											. 30,0%
INERT INGREDIENTS											
Total											100.0%
*As in fatty acids of coconut oil.											
(Co = 1%, Cao = 57%, Cao = 20%, Ca	٠.	. 1	11	×							

(C₈ = 1%, C₁₀ = 57%, C₁₆ = 2%, C₁₈ = 9%)

EPA Registration No. 10349-3

EPA Est. No. 1706-TX-1

KEEP OUT OF REACH OF CHILDREN DANGER!

STATEMENT OF PRACTICAL TREATMENT

In cess of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician, Remove and with contaminated clothes before reuse. If swallowed, do not induce vomiting, drink large quantities of fluid and call a physician immediately.

See Side Panel for Additional Precautionary Statements.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with it's labeling.

For control of bacteria in fracturing fluids add 0. to 1.0 gallons Adomall per 1000 gallons of fracturin fluid (100-1000 npm). Assistance of individual sit problems obtainable from your Nalco Representative Refer to Adomite Bulletin No. 50 for additiona information on Adomall.

For surface tension reduction and emulsion prever tion use 1 to 2 gallons Adomall per 1000 gallon of fracturing fluid or acid (1000-2000 ppm).

Adomall may be added and premixed prior to th fracturing operation or may be added directly from the drum by means of a proportioning oump to th blender during the operation.

NALCO CHEMICAL COMPANY

P.O. BOX:87 SUGAR LAND, TEXAS 77487-0087

MET CONTENTS SHOWN ELSEWHERE ON CONTAINER