

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
DANGER!**

CORROSIVE. KEEP OUT OF REACH OF CHILDREN. CAUSES SEVERE EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Do not take internally. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS


Flammable - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



**OIL WATERFLOOD OR SALTWATER DISPOSAL SYSTEM
BACTERIA CONTROL CHEMICAL
and
CORROSION INHIBITOR**

ACTIVE INGREDIENTS:

3-alkoxy-2-hydroxy-n-propyl trimethylammonium chloride 50%
Isopropyl alcohol 20%
*as in linear, primary alcohol (C₁₂-C₁₅)
INERT INGREDIENTS 30%

Total 100%
Weight/Gallon = 7.97 lbs.
EPA Reg. No. 10349-4

EPA Est. No. 1076 TX-1

**KEEP OUT OF REACH OF CHILDREN
DANGER!
STATEMENT OF PRACTICAL TREATMENT**

In case of contact immediately flush affected area with water for at least 15 minutes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluid and call a physician at once.
See Side Panel for Additional Precautionary Statements.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with it's labeling.

For control of slime forming and free living bacteria in oil field waterflood or saltwater disposal systems, add 50-100 ppm VISCO 1152 (5-10 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 10-15 ppm VISCO 1152 (1-2½ gallons per 2400 barrels of water) continuous feed to maintain control.

VISCO 1152 may also be fed intermittently at a rate of 50-200 ppm (5-20 gallons per 2400 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control.

NOTE: This product is not recommended for brines with greater than 30-40,000 mg/L of NaCl.

Feed VISCO 1152 directly from the drum through any type chemical pump.

NALCO CHEMICAL COMPANY

P.O. BOX 87 • SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER