NOT REVIEWED

CORROSIVE. KEEP OUT OF REACH OF CHILDREN. CAUSES SEVERE EYE AND SKIN DAMAGE. MAY BE HARM-FUL IF SHALLOHED OR ABSORBED THROUGH SKIN Do not get in

eyes, on skin or on clothing Do not take internally Keep container closed when not in use Hear goggles or face shield and rubber gloves when handling Auoud contanination of food

ENUIRONMENTAL MAZAROS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lates, streams, ponds, estuaries, oceans, or public naters unless this product is specifically identified and addressed in an MOPES permit. Do not discharge effluent containing this product to sever systems without previously notifying the sewage treatment plant authority for guidance contact your State Hater Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS FLANMABLE - DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dunning is prohibited

PESTICIDE DISPOSAL Pesticide Nastes are texic. Improper disposal of excess pesticide, sprau mixture, or rinsate is a violation of Federal Can If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Haste representative at the mearest EPA Regional Office for quidance

METAL CONTAINERS: Triple rinse (or equivalent) Then offer for recucling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities



OIL AND HATERFLOOD OR SALTHATER DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL AND CORROSION INHIBITOR

1152

ACTIVE INCREDIENTS: H as in linear, grinary alcohol (C12-C15) INERT INGREDIENTS: 307 Weight Per Gallon-7.97 lbs

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT, immediately flush affected area with water for at least 15 minutes, call a physician Remove and wash contaminated cloth-IF SHALLONED, do not induce voniting. Drink large quantities of fluid and call a physician at once. NOTE TO PHYSICIAM: Probable necesal danage may contraindicate the use of eastric lawage SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this project in a number inconsistent with it's

FOR USE WITH TLOSED BELIVERY SYSTEMS ONLY

For control of sline forming and free living bacteria in bil field, interflood or saltmater disposal systems, add 50-100 pan UISCO 1152 (5-10 gallons per 2400 barrels of mater) continuously until the desired degree of control is acheived. Follow up with 10-15 ppm WISCO 1152 (1.0-2.5 gallens per 2400 barrels er water) continuous feed to maintain control.

UISCO 1152 may also be fed intermittently at a rate of 50 300 ppm (5-20 gallons per 2400 barrels of water) for 4-8 bours a day, one to four times a week or as meeded to waintain centrel

NOTE: This product is not recommended for brines with greater than 30-40,000 mg/L of NaCl.

Feed UISCO 1152 directly from the draw through any type chemical pump.

EPA Est. No. 1706-TX-1 EPA Reg. No. 10349-4

EMERGENCY TELEPHONE NUMBER (312) 920-1510

CHEMICAL COMPANY

TEXAS 77487-0087 SUGAR LAND, P.O. BOX 87

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D. O. T. PROPER SHIPPING NAME FLAMMARIE LIGHTO. L. D. C. CONTATNO TOOPSOONS STATE AND

504 6h 1

ω