

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER!**

**CORROSIVE. KEEP OUT OF REACH OF CHILDREN. CAUSES SEVERE EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.** Do not get in eyes, on skin or on clothing. Do not take internally. Keep container closed when in use. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, ocean, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS**  
**FLAMMABLE - DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.**

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL:** Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



**NALCO®**

**VISL®  
1152**

**OIL AND WATERFLOOD OR SALTWATER  
DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL  
AND CORROSION INHIBITOR**

<b>ACTIVE INGREDIENTS:</b>	
3-alkoxy-2-hydroxy-n-propyl trimethylammonium chloride.....	50Z
# as in linear, primary alcohol (C12-C15)	
<b>INERT INGREDIENTS:</b> .....	50Z
<b>TOTAL</b> .....	100Z
Weight Per Gallon-7.97 lbs.	

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

**IN CASE OF CONTACT,** immediately flush affected area with water for at least 15 minutes, call a physician. Remove and wash contaminated clothing before reuse.  
**IF SWALLOWED,** do not induce vomiting. Drink large quantities of fluid and call a physician at once.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.  
**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY**

For control of slime forming and free living bacteria in oil field, waterflood or salt-water disposal systems, add 50-100 ppm VISCO 1152 (5-10 gallons per 2000 barrels of water) continuously until the desired degree of control is achieved. Follow up with 10-15 ppm VISCO 1152 (1.6-2.5 gallons per 2000 barrels of water) continuous feed to maintain control.

VISCO 1152 may also be fed intermittently at a rate of 50-200 ppm (5-20 gallons per 2000 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control.

**NOTE:** This product is not recommended for brines with greater than 30-40,000 mg/L of NaCl.

Feed VISCO 1152 directly from the drum through any type chemical pump.

EPA Reg.No.10349-4    EPA Est.No.1706-TX-1

**EMERGENCY TELEPHONE NUMBER**  
(312) 926-1510

**NALCO CHEMICAL COMPANY**

**P.O. BOX 87 . SUGAR LAND, TEXAS 77487-0087**

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D. O. T. PROPER SHIPPING NAME: FLAMMABLE LIQUID, N. O. S. (CONTAINS ISOPROPANOL) UN 1993

Not Reviewed. Registrant responsible for its registration. Registration of Pesticide Products. EPA. Response, Page 2 12, Active to Inert Data.