



**OIL AND WATERFLOOD OR SALTWATER DISPOSAL SYSTEM
BACTERIA CONTROL CHEMICAL
AND
CORROSION INHIBITOR**

ACTIVE INGREDIENTS

1-alkyl (C ₆ to C ₁₈)*amino-3-aminopropane-acetate	24%
alpha-nonylphenyl-omega-hydroxy polyoxyethylene (12 mole)	5%
N-polyoxyethylated (10 mole) n-octadecylamine	5%
Isopropyl alcohol	40%
INERT INGREDIENTS	<u>26%</u>
Total	100%

*As in fatty acid of coconut oil.

Weight/Gallon = 7.56 lbs.
EPA Reg. No. 10349-10

DIRECTIONS:

For control of slime forming and free living bacteria in oil field waterflood or saltwater disposal systems, add 50-200 ppm VISCO 1153 (5-20 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 5-25 ppm VISCO 1153 (½ - 2½ gallons per 2400 barrels of water) continuous feed to maintain control.

VISCO 1153 may also be fed intermittently at a rate of 50-200 ppm (5-20 gallons per 2400 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control. Feed VISCO 1153 directly from the drum through any type chemical pump.

NOTE: VISCO 1153 IS INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable or domestic water systems. Do not reuse this container. Return to drum reconditioner or destroy by perforating and burial in a safe place. Apply this product only as specified on this label.

Water treated with this product should not be discharged where it will drain into lakes, streams, ponds or public water.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DANGER:

FLAMMABLE. KEEP AWAY FROM HEAT AND OPEN FLAME. CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED. Do not get in eyes, on skin, or on clothing. Do not take internally. Avoid breathing of vapors. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Wash well after handling.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, also call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, do not induce vomiting, drink *promptly* a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NALCO CHEMICAL COMPANY

P. O. BOX 87 • SUGAR LAND, TEXAS 77478

EPA Est. No. 1706-FX-1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER