

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER!

CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED. Do not get in eyes, on skin, or on clothing. Do not take internally. Avoid breathing of vapors. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Wash well after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NDPS permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.


PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE - DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL. Pesticide Wastes are toxic. Proper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

EMPTY CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or recapture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



NALCO®

**UISCO®
1153**

OIL AND WATERFLOOD OR SALTWATER DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL AND CORROSION INHIBITOR

ACTIVE INGREDIENTS:

1 alkyl (C6 to C18) N-amino-3-aminopropane-acetate.....	24%
alpha-nonylphenyl-omega-hydroxy polyoxyethylene (12 mole).....	5%
N-polyoxyethylated (10 mole) N-octadecylamine.....	5%
INERT INGREDIENTS:	66%
TOTAL	100%

* As in fatty acids of coconut oil.
Weight Per Gallon-7.57 lbs.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT
IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, also call a physician. Remove and wash contaminated clothing before reuse.
IF SWALLOWED, do not induce vomiting. Drink promptly a large quantity of egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY
For control of slime forming and free living bacteria in oil field waterflood or saltwater disposal systems, add 50-200 ppm UISCO 1153 (5-20 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 5-25 ppm UISCO 1153 (0.5-2.5 gallons per 2400 barrels of water) continuous feed to maintain control.

UISCO 1153 may also be fed intermittently at a rate of 50-200 ppm (5-20 gallons per 2400 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control. Feed UISCO 1153 directly from the drum through any type chemical pump.

NOTE: UISCO 1153 IS INTENDED FOR INDUSTRIAL USE ONLY.

EPA Reg.No.10349-10 EPA Est.No.1706-TX-1

BEST AVAILABLE COPY

**EMERGENCY TELEPHONE NUMBER
(312) 920-1510**

NALCO CHEMICAL COMPANY

P.O. BOX 87 . SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER!

CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED. Do not get in eyes, on skin, or on clothing. Do not take internally. Avoid breathing of vapors. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Wash well after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE - DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.**

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACCEPTED
DEC 14 1988
Under...
Rodenticide Act, as amended, and
pesticide registered under
EPA Reg. No. 10349-10

NALCO®

**UISCO®
1153**

BEST AVAILABLE COPY

**OIL AND WATERFLOOD OR SALTWATER
DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL
AND CORROSION INHIBITOR**

ACTIVE INGREDIENTS:	
1 alkyl (C6 to C18) N-amino-3-aminopropane-acetate.....	24%
alpha-nonylphenyl-omega-hydroxy polyoxyethylene (12 mole).....	5%
N-polyoxyethylated (10 mole) N-octadecylamine.....	5%
INERT INGREDIENTS:	66%
TOTAL:	100%
* As in fatty acids of coconut oil.	

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT
IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, also call a physician. Remove and wash contaminated clothing before reuse.
IF SWALLOWED, do not induce vomiting. Drink promptly a large quantity of egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY
For control of slime forming and free living bacteria in oil field waterflood or saltwater disposal systems, add 50-200 ppm UISCO 1153 (5-20 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 5-25 ppm UISCO 1153 (0.5-2.5 gallons per 2400 barrels of water) continuous feed to maintain control.

UISCO 1153 may also be fed intermittently at a rate of 50-200 ppm (5-20 gallons per 2400 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control. Feed UISCO 1153 directly from the drum through any type chemical pump.

NOTE: UISCO 1153 IS INTENDED FOR INDUSTRIAL USE ONLY.

EPA Reg. No. 10349-10 EPA Est. No. 1706-TX-1

**EMERGENCY TELEPHONE NUMBER
(312) 920-1510**

NALCO CHEMICAL COMPANY

P.O. BOX 87 . SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

FLAMMABLE LIQUID, CORROSIVE, N. O. S. (Isopropanol, Organic Amine Compound) UN 2924