

CAUTIONARY STATEMENTS
HARMS TO HUMANS
DOMESTIC ANIMALS

DANGER!

**CORROSIVE. CAUSES SEVERE EYE
SKIN DAMAGE. MAY BE HARM-
FUL IF SWALLOWED.** Do not get
on skin or on clothing. Do not take
milk. Avoid breathing of vapors. Wear
eyes or face shield and rubber gloves when
handling. Avoid contamination of food. Wash
after handling.

ENVIRONMENTAL HAZARDS

Product is toxic to fish. Do not discharge
containing this active ingredient into
streams, ponds, estuaries, oceans, or
other waters unless this product is specifically
labeled and addressed in a DAPES permit.
Do not discharge effluent containing this product
into any waterway without previously notifying the
treatment plant authority. For guidance
contact your State Water Board or Regional Office
of EPA.

PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE - DO NOT USE OR STORE NEAR HEAT OR
FLAME.

PRECAUTIONS AND DISPOSAL

Do not contaminate water, food, or feed by storage
or disposal. Open dumping is prohibited.

WASTE DISPOSAL: Pesticide wastes are toxic.
per disposal of excess pesticide, spray mix-
ture or sludge is a violation of Federal law.
If these wastes cannot be disposed of by use
of the label instruction, contact your
State Pesticide or Environmental Control Agency,
or nearest regional representative at the nearest
Regional Office for guidance.

CONTAINERS: Triple rinse (or equivalent).
Offer for recycling or reconditioning, or
reuse and dispose of in a sanitary landfill,
or other procedures approved by state and
local authorities.



NALCO®

**UISCO®
1153**

**OIL AND WATERFLOOD OR SALTWATER
DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL
AND CORROSION INHIBITOR**

ACTIVE INGREDIENTS:	
1 alkyl (C6 to C18) amino-3-aminopropane-acetate.....	24%
N-polyomethylated (10 w/w) N-octadecylamine.....	5%
INERT INGREDIENTS:	71%
TOTAL	100%

* As in fatty acids of coconut oil.
Weight Per Gallon-7.57 lbs.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT
IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water
for at least 15 minutes. For eyes, also call a physician. Remove and
wash contaminated clothing before reuse.
IF SWALLOWED, do not induce vomiting. Drink promptly a large quantity of
egg whites or gelatin solution. If these are not available, drink large
quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of
gastric lavage. Measures against circulatory shock, respiratory depression,
and convulsions may be needed.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this
product in a manner inconsistent with its
labeling.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY

For control of slime forming and free
living bacteria in oil field waterflood or
saltwater disposal systems, add 50-200 ppm
UISCO 1153 (5-20 gallons per 2000 barrels
of water) continuously until the desired
degree of control is achieved. Follow up
with 5-25 ppm UISCO 1153 (0.5-2.5 gallons
per 2000 barrels of water) continuous feed
to maintain control.

UISCO 1153 may also be fed intermittently
at a rate of 50-200 ppm (5-20 gallons per
2000 barrels of water) for 4-8 hours a day,
one to four times a week or as needed to
maintain control. Feed UISCO 1153 directly
from the drum through any type chemical
pump.

**NOTE: UISCO 1153 IS INTENDED FOR INDUSTRIAL
USE ONLY.**

Reg. No. 10349-10 EPA Est. No. 1706-TX-1

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response. Page 2.12, Active to Insert Change in Status.

**EMERGENCY TELEPHONE NUMBER
(708) 926-1510**

NALCO CHEMICAL COMPANY

P.O. BOX 87 . SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Organic Amine Compound) UN 2924