DANGER!

Corrosive. Causes severe eye injury and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. See front panel for first aid.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS
Flammable - Do not use or store near heat or open
flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mix ture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or disposed of the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



OIL AND WATERFLOOD OR SALTWATER
DISPOSAL SYSTEM BACTERIA CONTROL CHEMICAL
AND CORROSION INHIBITOR

ACTIVE INGREDIENTS:										
N-alkyl* 1, 3-propylene diamine adipate										50%
INERT INGREDIENTS:										 .50%
TOTAL										
*As in fatty acids of coconut oil.										
Weight Per Gallon	. '	7.	9 I	bs	_					

EPA Res. No. 10349-14

EPA Est. No 1706-CA-1

KEEP OUT OF REACH OF CHILDREN DANGER!

STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting, drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol, call a physician immediately.

If on skin, immediately flush skin with copious quantities of weter for at least 15 minutes.

If in eyes, immediately flush eyes with copious quantities of weter, call a physician

See Side Panel for Additional Precautionery Statements

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with it's labeling.

For control of bacteria in oil field, waterflood, or saltwater disposal systems.

VISCO 1151 may be fed intermittently at a rate of 50–100ppm (5–20 gallons per 2400 barrels of water) for 1-2 hours a day, 1-4 times a week, or as needed to maintain control. VISCO 1151 may also be fed continuously at a rate of 50–200 ppm until the desired degree of control is achieved. Follow up with 10-25 ppm VISCO 1151 (1-2.5 gallons per 2400 barrels of water) continuous feed to maintain control.

Feed VISCO 1151 directly from the drum through any type chemical pump.

ACCEPTED

JUL 2 9 1985

Uniter the Federal Insection of Fungicide, and Radenticide Act, as amended, for the pesticide registered under 1919-14

NALCO CHEMICAL COMPANY

P.O. BOX B7 SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D.O.T. PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (contains isopropanol) UN 1993