

NALCO VISCO^(R) 3951^(M)

MICRO-ORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS

n alkyl(60%C14, 30%C16, 5%C12, 5%C18)
(dimethyl benzyl ammonium chloride)

12.5%

Bis (tributyltin) oxide

2.5%

INERT INGREDIENTS

85.0%

Total

100.0%

Weight/gallon 8.38 lbs

EPA Registration No. 10349-18

EPA Est No. 1706 IL 1

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Wash skin with soap and water. Remove contaminated clothing and wash before reuse. Discard contaminated shoes.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. Never give an unconscious person anything by mouth.

NOTE TO PHYSICIAN: Probably, mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

BEST DOCUMENT AVAILABLE

NALCO CHEMICAL COMPANY

P. O. BOX 87 • SUGAR LAND, TEXAS 77478

8-1012-15

CONTENTS SHOWN ELSEWHERE ON CONTAINER

ACCEPTED

12 JUL 1979

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10349-18

DANGER!

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

Corrosive. Causes eye and skin damage. May be harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For control of slime forming and free living bacteria in oil field water flood or saltwater disposal systems, add 50-100 ppm Visco 3951 (5-10 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 10-15 ppm Visco 3951 (1-1½ gallons per 2400 barrels of water) continuously feed to maintain control.



Visco 3951 may also be fed intermittently at a rate of 50-100 ppm (5-10 gallons per 2400 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a land fill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and: offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures.



NALCO VISCO 3950

MICRO-ORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS: (by weight)

Methylene bis (thiocyanate) 10%

INERT INGREDIENTS. 90%

Total 100%

EPA Registration No. 10349-17

Weight per gallon - 8.21 lb

EPA Est 1706-1L-1

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

If swallowed, promptly drink a large quantity of milk, beaten egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. NEVER give an unconscious person anything by mouth.

If on skin, immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing.

If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

DANGER!

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

Corrosive. Causes eye and skin damage. Harmful if swallowed or absorbed through skin. Do not get in eyes on skin or clothing. Keep container closed when not in use.

Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

For control of sludge forming and free living bacteria in oil field water flood or salt water disposal systems, feed Visco 3950 at 50 to 100 ppm (5 to 100 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 10 to 15 ppm continuous feed to maintain control. Feed Visco 3950 directly from the drum. Stainless steel, penton, teflon, and/or aluminum metering equipment is required. Polyethylene or polypropylene tubing may be used for feed lines.

Visco 3950 is intended for industrial use only. Do not apply to potable or domestic water systems.

STORAGE AND DISPOSAL


Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a land fill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Reseal container and offer for reconditioning. Do not reuse container.

NALCO CHEMICAL COMPANY

P. O. BOX 87 • SUGAR LAND, TEXAS 77478



NALCO[®] VISCO[®] 3951

MICRO-ORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS

alkyl(60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈)	12.5%
dimethyl benzyl ammonium chloride	2.5%
Bis (tributyltin) oxide	85.0%

INERT INGREDIENTS	100.0%
Total	100.0%

Weight/gallon - 8.38 lbs

EPA Registration No. 10349-18

EPA Est No. 1706-IL-1

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Wash skin with soap and water. Remove contaminated clothing and wash before reuse. Discard contaminated shoes.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. Never give an unconscious person anything by mouth.

NOTE TO PHYSICIAN: Probably, mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DANGER!

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

Corrosive. Causes eye and skin damage. May be harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For control of slime forming and free living bacteria in oil field water-flood or saltwater disposal systems, add 50-100 ppm Visco 3951 (5-10 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 10-15 ppm Visco 3951 (1-1½ gallons per 2400 barrels of water) continuously feed to maintain control.

Visco 3951 may also be fed intermittently at a rate of 50-100 ppm (5-10 gallons per 2400 barrels of water) for 4-8 hours a day, one to four times a week or as needed to maintain control.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a land fill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures.

NALCO CHEMICAL COMPANY

P. O. BOX 87 • SUGAR LAND, TEXAS 77478