# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DAMCEDI

Corrosive. Causes severe eye injury and skin irritation. Do not get in eyes, on skin or on clothing. Remove and wash contaminated clothing before reuse. Viear goggles or face shield and rubber gloves when handling. Harmful if swallowed. See front panel for statement of practical treatment.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this active ingredient into takes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable - Do not use or store near heat or open flame.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is rohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excell pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If purned, stay out of smoke.



### LOW FOAMING COMBINATION BACTERIA CONTROL CHEMICAL CORROBION INHIBITOR AND SCALE INHIBITOR

ACTIVE INGREDIENTS:	
1-alkyl (C <sub>6</sub> to C <sub>18</sub> ) * amino-3-aminopropane-acetate	14.89/
alpha-nonylphenyl-omega-hydroxy	14.0 //
polyoxyethylene (12 mole)	3.0%
N-polyoxyethylated (10 mole) n-octadecylamine	
INERT INGREDIENTS	
Total	100.0%
re in tarry ecid of cocondition.	

Weight Per Gallon — 7.9 lbs.
EPA Est. No. 1706-TX-1
EPA Reg. No. 10349-21

## DANGER!

### STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting, drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol, call a physician immediately.

If on skin, immediately flush with copious quantities of water for at least 15 minutes.

If in eyes, immediately flush eyes with copious quantities of water, call a physician.

See Side Panel for Additional Precautionary Statements


### DIRECTIONS FOR USE GENERAL CLASSIFICATION

1/41 1 #/7/22/21 11 21 31

It is a violation of Federal law to use this product in a manner inconsistent with it's labeling.

For control of bacteria, corrosion and scale in oil field systems, UNIOTREAT 3905 must be fed continuously at a rate of 10-b0 ppm (1-5 gallons/2400 bbl of water.)

For control of oil field bacteria UNI®TREAT 3906 can be fed intermittently at a rate of 100-400 ppm (10-40 gailons/2400 bbl of water) for 4-8 hours a day, one to four times a week or as needed to maintain control.



JUL 1 8 1985

Under the Federal Insection to Fungicide, and Redenting Act as amended, for the posticide registered under 1849-21

# NALCO CHEMICAL COMPANY

P.O. BOX 87 SUGAR LAND, TEXAS 77487-0087

MET CONTENTS SHOWN ELSEWHERE OH CONTAINER

\*D:O.T: PROPER-\$HIPPING NAME: FLAMMABLE LIQUID, N.O.S. (contains isopropanol) UN 1993