

AUG 20 1985

Nalco Chemical Co.
Visco Div.
P.O. Box 87
Sugarland, TX 77478

Attention: Mr. E. S. Littmann

Gentlemen:

Subject: Nalco Visco 4997 Oilfield Bacteria Control
Chemical and Corrosion Inhibitor
EPA Registration No. 10349-22
Your Submission Dated June 7, 1985
EPA Received Date: June 14, 1985

The submitted labels were considered as the DRAFT labels requested in our letter of January 24, 1985.

The label referred to above, submitted in connection with registration under FIFRA is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Introduce the sentence "Do not apply in marine and/or estuarine oil fields" after the first sentence "This Product is Toxic to Fish," and before the sentence "Do Not Discharge"
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-76/C)

RD/FHB:JOB:51728:CBI-B:8/8/85:Del:8/19/85:Kendrick&Co.:898-1270:DAA

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER!

Corrosive. Causes eye and skin damage. Harmful if swallowed or absorbed through skin. Do not get in eyes on skin or clothing. Keep container closed when not in use.

Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS


Flammable - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



**NALCO[®]
VISCO[®]
4997**

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 20 1985

**OILFIELD BACTERIA CONTROL CHEMICAL
AND
CORROSION INHIBITOR**

ACTIVE INGREDIENTS:

3-alkoxy-2-hydroxypropyl-
trimethylammonium chloride 32%

*as in linear, primary alcohol (C₁₂-C₁₅)

INERT INGREDIENTS 68%

Total 100%

Weight/Gallon = 7.91 lbs.

EPA Reg. No. 10349-22

EPA Est. No. 1706-TX-1

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

If swallowed, promptly drink a large quantity of milk, beaten egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. NEVER give an unconscious person anything by mouth.

If on skin, immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing. If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

See Side Panel for Additional Precautionary Statements

NALCO CHEMICAL COMPANY

P.O. BOX 87 • SUGAR LAND, TEXAS 77487

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

**DIRE
GENER**

It is a violation
in a manner incor

For control of
in oil field water
add 100-200 p
2400 barrels of
degree of contr
ppm VISCO 49

For control of
in oil field pr
VISCO 4997 (1
continuously u
achieved. Follo
(2.5 gallons pe
feed to maintain

VISCO 4997 r
rate of 100-2
barrels of fluid
times a week or

prentox[®]

DDVP- CARBAMATE CONCENTRATE

(Contains 10% PROPOXUR & 2% DDVP)

AN INSECTICIDE FOR FORMULATING USE ONLY

ACTIVE INGREDIENTS:

0-Isopropoxyphenyl Methylcarbamate*	10.00%
2,2-dichlorovinyl dimethyl phosphate	2.00%
Related Compounds	0.14% 0.15%
2-Butoxyethanol	87.86% 87.43%
INERT INGREDIENTS	0.50% 0.42%

TOTAL: 100.00%

PRENTOX[®]—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. Gastric lavage is indicated if material was taken internally. **DONOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Move person to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately if symptoms of poisoning occur.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING — May be fatal if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

PHYSICAL HAZARDS OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

NOTE TO PHYSICIAN

Symptoms: Symptoms include weakness, headache, lightheadedness, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE — If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

EPA REG. NO. 655-338

EPA EST. NO. 655-GA-1

NET CONTENTS

LOT #



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001