

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER!

Corrosive. Causes eye and skin damage. Harmful if swallowed or absorbed through skin. Do not get in eyes on skin or clothing. Keep container closed when not in use.

Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Flammable - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



**OILFIELD BACTERIA CONTROL CHEMICAL
AND
CORROSION INHIBITOR**

ACTIVE INGREDIENTS:

3-alkoxy*2-hydroxypropyl-
trimethylammonium chloride 32%
*as in linear, primary alcohol (C₁₂-C₁₅)

INERT INGREDIENTS 68%
Total 100%

Weight/Gallon = 7.91 lbs.

EPA Reg. No. 10349-22

EPA Est. No. 1706-TX-1

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

If swallowed, promptly drink a large quantity of milk, beaten egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. NEVER give an unconscious person anything by mouth.

If on skin, immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing. If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

See Side Panel for Additional Precautionary Statements


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For control of slime forming and free living bacteria in oil field waterflood or saltwater disposal systems, add 100-200 ppm VISCO 4997 (10-20 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 20-35 ppm VISCO 4997 (2-5 gallons per 2400 barrels of water) continuous feed to maintain control.

For control of slime forming and free living bacteria in oil field production wells, add 100-200 ppm VISCO 4997 (10-20 gallons per 2400 barrels of fluid) continuously until the desired degree of control is achieved. Follow up with 20-30 ppm VISCO 4997 (2-5 gallons per 2400 barrels of fluid) continuous feed to maintain control.

VISCO 4997 may also be fed intermittently at a rate of 100-2100 ppm (10-40 gallons per 2400 barrels of fluid) for 4-8 hours a day, one to four times a week or as needed to maintain control.



NALCO CHEMICAL COMPANY

P.O. BOX 87 • SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D.O.T. PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (CONTAINS ISOPROPANOL, TOLUENE) UN 1993