

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
DANGER!**

Corrosive. Causes severe eye and skin damage. Do not get in eyes on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



ADOMITE CHEMICALS

1FP - 636

MICRO-ORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENT:

Hexahydro - 1, 3, 5 -
Tris (2-Hydroxyethyl) -
S-Triazine

INERT INGREDIENTS	78.5%
Total	100.0%

EPA Registration No. 10349-23

EPA Est. No. 1706-TX-1

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

If swallowed, promptly drink a large quantity of milk, beaten egg white or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. NEVER give an unconscious person anything by mouth. If on skin, immediately flush contact areas with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing. If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.


SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with it's labeling.

For control of bacteria in fracturing fluids add 0.1 gallons to 0.5 gallons ADOMITE 1FP-636 per 1,000 gallons of fracturing fluids (100 to 500 ppm.) A tance on individual site problems is obtained from your ADOMITE representative.

ADOMITE 1FP-636 may be added and premixed prior to the fracturing operation or may be added directly from the drum by means of a proportioning pump to the blender during the operation.



NALCO CHEMICAL COMPANY

P.O. BOX 87 • SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER