

**PRECAUTIONARY STATEMENTS  
HAZARDOUS TO HUMANS  
AND DOMESTIC ANIMALS**

**CAUTION!**

Keep out of reach of children. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after using. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. Do not apply in marine and/or estuarine oil fields. For guidance, contact your Regional Office of the Environmental Protection Agency.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable - Do not use or store near heat or open flame.

**STORAGE AND DISPOSAL**

Pesticide Wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



**ROBAN™  
3999**

**OIL FIELD WATER ANAEROBIC  
MICROORGANISM CONTROL CHEMICAL**

<b>ACTIVE INGREDIENT:</b>	
METRONIDAZOLE (2-methyl-5-nitroimidazole 1 ethanol)	0.87%
<b>INERT INGREDIENTS:</b>	99.13%
Total	100.00%

Weight/Gallon = 8.4 lbs.  
EPA Registration No. 10349 31

EPA Est. No. 1706 TX 1

**KEEP OUT OF REACH OF CHILDREN  
CAUTION!**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Call a physician at once. Avoid alcohol. NEVER give an unconscious person anything by mouth.  
If on skin, immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing.  
If in eyes, flush with plenty of water. Get medical attention if irritation persists.  
See back panel for additional precautionary statements.

**DIRECTIONS FOR USE**

For control of anaerobic bacteria in oil field water flood, saltwater disposal system, crude oil and gas storage systems, and other oil field water process systems. Add 35-200 ppm ROBAN™ 3999 (5-20 gallons per 2400 barrels of water) continuously until the desired degree of control is achieved. Follow up with 25-100 ppm ROBAN™ 3999 (2.5-10 gallons per 2400 barrels of water) continuous feed to maintain control.

ROBAN™ 3999 may also be fed intermittently at a rate of 35-200 ppm (1-20 gallons per 2400 barrels of water) for 8-20 hours a day, one to seven times a week or as needed to maintain control.

ROBAN™ 3999 may be added at any point in the system. ROBAN™ 3999 is water soluble and will not interfere with oil dewatering or coagulation processes.

Feed ROBAN™ 3999 directly from the drum through any type chemical pump.

**NALCO CHEMICAL COMPANY**

P.O. BOX 87 • SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

8 1047 2S

D.O.T. PROPER SHIPPING NAME: FLAMMABLE LIQUID, N.O.S. (contains Isopropanol) UN 1993