PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION!

KEEP OUT OF REACH OF CHILDREN CAUSES EYE IRRITATION.

Avoid contact with eyes or clothing. Hash thoroughly thoroughly with soap and unter after using. Remove contaminated clothing and wash before reuse.

ENVIRONHENTAL HAZARDS

Do not discharge effluent containing this active impredient into lates, streams, pends, or public waters unless this product specifically identified and addressed in an MPDES permit. Do not discharge effluent containing this product to sever systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regimal Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Firmulable - Do not use or store near heat or open firme.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Nastes are toxic. Improper disposal of excess pesticide, sprag mixtore, or rinsate is a violation of Federal Lam. If these mastes cannot be disposed of by use according to label instructions, contact goor State Pesticide or Emirosmental Control Agency, or the Nazardous Naste representative at the mearest EPA regional Office for g.idance.

METAL CONTAINERS: Triple rinse (or equivalent). Them offer for recycling or reconditioning, or puncture and dispose of in a spuitary landfill, or by other procedures approved by state and local authorities.

A. TPPTED

APR 0 5 1990

Under the Funga viscous insuminate Act, as amended, for the pesticide registered under 1345-31

COPY

AVAILABLE (

BEST



NALCO® ROBAN® 3999

OIL FIELD HATER ANAEROBIC MICROORGANISM CONTROL CHEMICAL

KEEP OUT OF REACH OF CHILDREN CHUTION!

STATEMENT OF PRACTICAL TREATMENT

If SHALLOHED: Orink promptly a large quantity of milt, egg shites or gelatin solution. If these are not available, drink large quantities of mater. Cail a physician at once. Avoid alcohol. HEVER give an unconscious person anything by mouth.

IF ON SKIN: Immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wish contaminated clothing.

IF IN EYES: Flush with plenty of unter. Get medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR U

It is a violation of Federal law to duct in a manner inconsistent with

For control of anaerobic bacteria i waterflood, saltuater disposal systemater process systems. Add 35-200 pl (5-20 gallons per 2400 barrels of wously until the desired degree of achieved. Follow up with 25-100 ppm (2.5-10 gallons per 2400 barrels of incous feed to maintain control.

ROBAN 3999 way also be fed intermitinate of 35-200 ppm (1-20 gallons per of mater) for 8-20 hours a day, one a week or as beeded to maintain control

ROBAN 3777 way be added at any point ROBAN 3777 is water soluble and wil. with oil dewatering or coagulation (

Feed ROBAN 3777 directly from the di ang type chemical pump.

EPA Reg.No. 10319-31

EPA Est

EMERGENCY TELEPHONE (312) 920-1510

NALCO CHEMICAL COMPAN

F.O. BOX 87 . SUGAR LAND, TEXAS 77487-008

THET CONTENTS SHOWN ELSEWHERE THE CONTAINER

D. O. T. SHIPPING NAME. FLAMMABLE LIQUID, N. O. S. (CONTAINS ISOPROPANOL) UN 1993