

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND
DOMESTIC ANIMALS

BEST AVAILABLE COPY



CAUTION!

KEEP OUT OF REACH OF CHILDREN.
CAUSES EYE IRRITATION.
Avoid contact with eyes or clothing. Wash thoroughly
thoroughly with soap and water after using. Remove
contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this active
ingredient into lakes, streams, ponds, or public
waters unless this product specifically identified
and addressed in an NPDES permit. Do not discharge
effluent containing this product to sewer systems
without previously notifying the sewage treatment
plant authority. For guidance contact your State
Water Board or Regional Office of the EPA.

ACCEPTED

NALCO®

JAN 14 1991

ROBAN®
3999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10849-31

PHYSICAL OR CHEMICAL HAZARDS

Flammable - Do not use or store near heat or
open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by stor-
age or disposal. Open dumping is prohibited.

Pesticide Wastes are toxic. Improper disposal
of excess pesticide, spray mixture, or rinsate
is a violation of Federal Law. If these wastes
cannot be disposed of by use according to label
instructions, contact your State Pesticide or
Environmental Control Agency, or the Hazardous
Waste representative at the nearest EPA reg-
ional Office for guidance.

METAL CONTAINERS: Triple rinse (or equivalent).
Then offer for recycling or reconditioning, an-
puncture and dispose of in a sanitary landfill,
or by other procedures approved by state and
local authorities.

**OIL FIELD WATER ANAEROBIC MICROORGANISM
CONTROL CHEMICAL**

ACTIVE INGREDIENT:
METRONIDAZOLE (2-methyl-5-nitroimidazole-1-ethanol)..... 0.87%

INERT INGREDIENTS:..... 99.13%

Total..... 100.00%

This product contains the toxic inert ingredient Dimethylformamide.

Weight/Gallon = 8.4 lbs.

**KEEP OUT OF REACH OF CHILDREN
CAUTION!**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites or
gelatin solution. If these are not available, drink large quantities of
water. Call a physician at once. Avoid alcohol. NEVER give an unconscious
person anything by mouth.

IF ON SKIN: Immediately flush contacted area with copious quantities of
water for at least 15 minutes. Remove and wash contaminated clothing.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation
persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this pro-
duct in a manner inconsistent with its labeling.

FOR USE WITH CLOSED DELIVERY SYSTEMS ONLY.

For control of anaerobic bacteria in oil field
waterflood, saltwater disposal system, crude oil
water process systems. Add 35-200 ppm ROBAM 3999
(5-20 gallons per 2400 barrels of water) contin-
uously until the desired degree of control is
achieved. Follow up with 25-100 ppm ROBAM 3999
(2.5-10 gallons per 2400 barrels of water) cont-
inuous feed to maintain control.

ROBAM 3999 may also be fed intermittently at a
rate of 35-200 ppm (1-20 gallons per 2400 barrels
of water) for 8-20 hours a day, one to seven times
a week or as needed to maintain control.

ROBAM 3999 may be added at any point in the system.
ROBAM 3999 is water soluble and will not interfere
with oil dewatering or coagulation processes.

Feed ROBAM 3999 directly from the drum through
any type chemical pump.

EPA Reg.No. 10849-31 EPA Est.No. 1706-TX-1

EMERGENCY TELEPHONE NUMBER
(708) 920-1510

NALCO CHEMICAL COMPANY

P.O. BOX 87 . SUGAR LAND, TEXAS 77487-0087

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D. O. T. PROPER SHIPPING NAME: FLAMMABLE LIQ. (), N. O. S. (CONTAINS ISOPROPANOL) UN 1993