

Front Panel

DURATROL™ PLUS HOUSEHOLD FLEA SPRAY

3M

Contains Esbiothrin® and microencapsulated Dursban®
for quick kill and residual control of fleas and ticks indoors.
Kills and controls deer ticks; the tick that may carry and
transmit Lyme disease.

ACTIVE INGREDIENTS:

Chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate.....	0.50%
Esbiothrin [d/l-allethrolone d-trans-chrysanthemate*].....	0.20%
INERT INGREDIENTS:	99.30%
TOTAL	100.00%

*Min. 72% d-trans-chrysanthemum monocarboxylic ester of
d-2-allyl-4-hydroxy-3-methyl-2-cyclopentene-1-one
Max 28% other isomers

Net Contents: 30 fl.oz. (887 ml)

Keep Out Of Reach Of Children
CAUTION

See back panel for additional precautionary statements

2/22/95

ACCEPTED
MAR 22 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
this product is the pesticide
registered under
EPA Reg. No. 10350-29

134

PRECAUTIONARY STATEMENTS:
CAUTION

HAZARDS TO HUMANS:

Harmful if inhaled. Avoid breathing vapors or spray mist. Harmful if absorbed through the skin. Avoid contact with skin and clothing. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not allow spray to contact food or food-contacting surfaces, foodstuffs, or water supplies.

STATEMENT OF PRACTICAL TREATMENT:

If inhaled: Remove victim to clean air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention.

HAZARDS TO DOMESTIC ANIMALS:

Do not spray directly on pets. Remove dogs, cats, and birds from room and cover aquariums before spraying. Allow treated surfaces to dry thoroughly before allowing contact by pets. Some animals may be sensitive to insecticides, especially puppies and kittens less than 12 weeks of age. Do not use this product to treat pet bedding or resting areas where puppies and kittens less than 12 weeks of age may have prolonged contact.

NOTES TO PHYSICIAN OR VETERINARIAN:

Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is the preferable antidote. Oximes, such as 2-PAM/Protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Plants need not be removed during product application, but avoid direct foliage contact to prevent possible damage.

STORAGE AND DISPOSAL:

Pesticide Storage: Store product in original container out of the reach of children. Do not store above 100°F. Do not store below 32°F and avoid freezing to prevent container damage. If exposed to temperatures below 32°F, warm to room temperature and shake well before spraying.

Pesticide Disposal: Securely wrap unused pesticide in original container in several layers of newspaper and discard in trash.

Empty Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.

SHAKE WELL BEFORE USING!

DURATROL™ PLUS HOUSEHOLD FLEA SPRAY is a unique combination of Esbiothrin® and "timed release" microencapsulated Dursban® in a single formulation for fast knock-down and residual control of fleas and ticks (including deer ticks). The microencapsulated Dursban provides up to 90-day control of adult fleas and flea larvae. It also kills many other household insects. (See Directions for Use.) For a total flea control program, ask your veterinarian about other Duratrol and Sectrol™ microencapsulated flea and tick control products.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use, shake thoroughly and adjust sprayer to deliver a coarse spray.

FLEA TREATMENT:

Thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Seal vacuum bag and dispose. Mop hard surface floors. Do not treat human or animal bedding. Wash or replace pet bedding. Thoroughly treat all baseboard areas and room perimeters, as well as cracks and crevices in hard surface floors. Spot treat additional areas where fleas may be present. These areas include under furniture, dark corners and favorite resting spots or other places your pet frequents (See Precautionary Statements.) Provide a good, even treatment, but do not soak the areas you treat. **Humans and pets should avoid contact with treated areas until spray has thoroughly dried, usually about four (4) hours.**

DURATROL PLUS HOUSEHOLD FLEA SPRAY will not damage surfaces that are unaffected by water; however, delicate fabrics should be tested in an inconspicuous area before using this product. You should begin to notice a reduction in adult fleas within hours. If adult fleas reappear about 1 - 4 weeks after treatment, it may be because they've hatched from their pupal (cocoon) stage. Flea control products are generally ineffective against pupae. If you notice this problem, allow the product's microcapsules another few days to kill the newly emerged fleas. If fleas persist, contact your veterinarian before retreatment.

- Application Rates: 30 fl. oz /500 sq ft - Initial treatment of **heavy** infestation
- 30 fl. oz./1000 sq ft - Treatment of **light** or **moderate** flea infestation and **prevention** or **follow-up** treatments

TO TREAT OTHER HOUSEHOLD PESTS (including ants, beetles, centipedes, cockroaches, crickets, earwigs, millipedes, silverfish, sow bugs, spiders, ticks, and waterbugs) Direct this spray to areas where these pests are found, such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks and stoves, and other similar areas. Spray directly on insects where possible. Repeat treatment as necessary.



4 3 4

Notice - Limited Warranty: 3M guarantees that the product, if used as directed, will perform as described on this label. 3M makes no other guarantees, warranties or promises, express or implied, for the product. The purchaser's sole and exclusive remedy shall be limited to product replacement or refund for the returned product at 3M's option. 3M will replace any product found by 3M to be defective.

The foregoing warranty is in lieu of all other warranties, express or implied, including the warranty of merchantability or fitness for a particular purpose. 3M shall not be liable for any damages, including indirect, special, incidental and/or consequential damages, regardless of the legal theory asserted, including negligence and/or strict liability arising out of the use of, or the inability to use, or the performance of the product.

Some states do not allow the exclusion or the limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific rights, and you may also have other rights which vary from state to state. For any warranty questions, contact 3M Animal Care Products.

(For more information call 1-800-270-FLEA)

"Esbiothrin" is a registered trademark of Roussel-Uclaf

"Dursban" is a trademark of DowElanco

"Duratrol" and "Sectrol" are trademarks of 3M

EPA Reg. No. 10350-29
EPA Est. (G) 54487-GA-1
(L) 6175-LA-1
(T) 11715-TN-1

Lot number prefix (G), (L) or (T) indicates appropriate establishment number

Made in U.S.A. for
3M Animal Care Products
St. Paul, MN 55144-1000



4