

(Front Panel)

**DURATROL™ PLUS**

**3M**

**FLEA & TICK DIP  
FOR DOGS**

Contains Esbiothrin® and  
Microencapsulated Chlorpyrifos  
for quick kill and residual control  
of fleas and ticks on dogs.

**ACCEPTED**  
SEP 20 1994  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 10350-30

**ACTIVE INGREDIENTS:**

Chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate ..... 1.70%  
Esbiothrin [\* d/l-allethrolone d-trans chrysanthemate].....0.20%

**INERT INGREDIENTS:**.....98.10%

\*Min. 72% d-trans-Chrysanthemum monocarboxylic ester of  
d-2-allyl-4-hydroxy-3-methyl-2-cyclopentene-1-one  
Max 28% Other Isomers

EPA Reg. No. 10350-30

EPA Est. No. (L) 6175-LA-1 or  
EPA Est. No. (G) 54487-GA-1 or  
EPA Est. No. (M) 42048-MD-1  
Lot number prefix (L) (G) or (M)  
indicates appropriate Est. No.

Net Contents: 3 fl. oz. (88ml) 12 fl. oz. (355ml)

**Keep Out Of Reach Of Children**

**CAUTION**

See side panel for additional precautionary statements

**BEST AVAILABLE COPY**

(Right Panel)

**PRECAUTIONARY STATEMENTS:**

**CAUTION**

**HAZARDS TO HUMANS:**

Harmful if inhaled. Avoid breathing vapor or spray mist. Avoid contact with clothing.

**STATEMENT OF PRACTICAL TREATMENT:**

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**HAZARDS TO DOMESTIC ANIMALS:**

**DO NOT APPLY TO CATS.**

Do not apply to puppies less than 12 weeks of age or to bitches nursing puppies. Do not apply to sick or debilitated animals. Do not use this product within a few days prior to, simultaneously with, or within a few days after, exposure to other cholinesterase inhibiting drugs, pesticides or chemicals. Some animals may be sensitive to insecticides.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

**NOTES TO PHYSICIAN OR VETERINARIAN:**

Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only, is the preferable antidote. Oximes, such as 2-PAM/Protopam, may be therapeutic if used early, however use only in conjunction with atropine.

**PESTICIDE STORAGE:**

Store product in original container out of the reach of children. Do not store above 100° F. Do not store below 32°F. and avoid freezing to prevent container damage. If exposed to temperatures below 32° F., warm to room temperature and shake well before diluting.

**PESTICIDE DISPOSAL:**

Securely wrap unused pesticide in original container in several layers of newspaper and discard in trash.


**EMPTY CONTAINER DISPOSAL:**

Do not reuse container. Rinse thoroughly before discarding in trash.

"DURATROL" is a trademark of 3M

"ESBIOTHRIN" is a registered trademark of Roussel-UCLAF

Made in USA for or by  
3M Animal Care Products  
St. Paul, MN 55144-1000



**BEST AVAILABLE COPY**

(Left Panel)

**SHAKE WELL BEFORE USING!**

Duratrol Plus Flea and Tick Dip For Dogs is a unique combination of esbiothrin and microencapsulated chlorpyrifos in a single formulation for fast knock-down and residual control of fleas and ticks. For a total flea control program, ask your veterinarian about other Duratrol™ and Sectrol™ flea and tick control products.

**Directions for Use:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR RESIDUAL 30-DAY CONTROL OF FLEAS AND 7-DAY CONTROL OF BROWN DOG TICKS ON DOGS:

**PREPARATION:**

1. Dilute 3 fl.oz. (6 tbsp.) (or entire contents of pouch) of dip into 1 gallon of water and stir or shake well.
2. Bathe the dog with a shampoo which does not contain a cholinesterase inhibiting insecticide and rinse thoroughly. The dog does not need to be dry before applying the dip solution.

**APPLICATION:**

1. Avoiding the dog's mouth, nose and eyes, apply the solution to the dog. Thoroughly wet the hair and skin. Either immerse the dog in the solution or apply the solution to the dog by pouring or sponging.
2. Allow the dog to dry in warm air without toweling or rinsing. A blow dryer may be used.
3. Treatment may be repeated as frequently as every seven (7) days if needed. Repeat all steps including shampooing.

Notice - Limited Warranty: 3M guarantees that the product, if used as directed, will perform as described on this label. **3M MAKES NO OTHER GUARANTEES, WARRANTIES OR PROMISES, EXPRESS OR IMPLIED, FOR THE PRODUCT. THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY SHALL BE LIMITED TO PRODUCT REPLACEMENT OR REFUND FOR THE RETURNED PRODUCT AT 3M'S OPTION. 3M WILL REPLACE ANY PRODUCT FOUND BY 3M TO BE DEFECTIVE.**

**THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. 3M SHALL NOT BE LIABLE FOR ANY DAMAGES, INCLUDING INDIRECT, SPECIAL, INCIDENTAL AND/OR CONSEQUENTIAL DAMAGES, REGARDLESS OF THE LEGAL THEORY ASSERTED, INCLUDING NEGLIGENCE AND/OR STRICT LIABILITY ARISING OUT OF THE USE OF OR THE INABILITY TO USE OR THE PERFORMANCE OF THE PRODUCT.**

Some states do not allow the exclusion or the limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific rights, and you may also have other rights which vary from state to state. For any warranty questions, contact 3M Animal Care Products.

**BEST AVAILABLE COPY**