PM- 19

173

ACCEPTED

MAR - 2 1993

Under the Federal Insecticide. Fungicide, and Redenticide As an amended, for the posticide registered under

©RAFT LABEI (Front Panel)

DURATROL<sup>TM</sup> PLUS

**3M** 

## FLEA SPRAY FOR DOGS

Contains Esbiothrin® and Microencapsulated Chlorpyrifos for quick kill and residual control of fleas and ticks on dogs.

### **ACTIVE INGREDIENTS:**

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl

Esbiothrin [\* d/l-allethrolone d-trans chrysanthemate]:......... 0.20% INERT INGREDIENTS: 99.65%

\*Min. 72% d-trans-Chrysanthemum monocarboxylic ester of

d-2-allyl-4-hydroxy-3-methyl-2-cyclopentene-1-one

Max 28% Other Isomers

EPA Reg.No 10350-31

EPA Est.(T)11715-TN-1 or

EPA Est. (L) 6175-LA-1 or

EPA Est. (G) 54487-GA-1

Lot number prefix (T), (L) or (G) indicates

appropriate establishment rumber.

Net Contents: 30 fl.oz. (887 ml) Keep Out Of Reach Of Children CAUTION

See side panel for additional precautionary statements





## DRAFT LABEL (Right Panel)

#### PRECAUTIONARY STATEMENTS:

CALT'ON

HAZARDS TO HUMANS: Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated cloth 1, and wash before reuse.

#### STATEMENT OF PRACTICAL TREATMENT:

If on skin: Wash with plenty of water. Get medical attention

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

HAZARDS TO DOMESTIC ANIMALS: DO NOT APPLY TO CATS. Do not apply to puppies less than 12 weeks of age or to bitches nursing puppies. Do not apply to sick or debilitated animals. Do not use this product within a few days prior to, simultaneously with, or within a few days after, exposure to other cholinesterase inhibiting drugs, pesticides or chemicals. Some animals may be sensitive to insecticides.

NOTES TO PHYSICIAN OR VETERINARIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only, is the preferable antidote. Oximes, such as 2-PAM/Protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.


PESTICIPE STORAGE: Store product in original container out of the reach of children. Do not store above 120°F. Do not store below 32°F and avoid freezing to prevent container damage. If exposed to temperatures below 32°F, warm to room temperature and shake well before spraying.

PESTICIDE DISPOSAL: Securely wrap unused pesticide in original container in several layers of newspaper and discard in trash.

EMPTY CONTAINER DISPOSAL: Do not reuse bottle. Rinse thoroughly before discarding in trash.

"DUR/ TP.OL" is a trademar! of 3M
"ESBIOTHRIN" is a registered Trademark of Roussel-UCLAF

Made in U.S.A. for or by 3M Animal Care Products St. Paul, MN 55144-1000



# DRAFT LABEL (Left Panel)

#### SHAKE WELL BEFORE USING!

Duratrol Plus Floa Spray for Dogs is a unique combination of Esbiothrin and Microencapsulated Chlorpyrifos in a single formulation for fast knock-down and residual control of fleas and ticks. The microencapsulated chlorpyrifos provides up to 28-day control of adult fleas. For a total flea control program, ask your veterinarian about other Duratrol<sup>TM</sup> and Sectrol<sup>TM</sup> flea and tick control products.

For residual 28-day control of fleas and 7-day control of Brown Dog Ticks:

Directions for Use: It is a violation of federal law ', use this product in a manner inconsistent with its labeling.

Before use, shake thoroughly and adjust sprayer to deliver a coarse spray.

- 1. Hold spray nozzle 4-6 inches from the pet. Apply DURATROL PLUS FLEA SPRAY FOR DOGS to the hair and skin by brushing back the haircoat while spraying. Moisten the skin but do not soak to dripping.
- 2. Avoiding the pet's eyes and nose, spray the pet evenly over all areas of the body.
- 3. Allow the pet to air dry. Do not towel dry as this can remove many DURATROL PLUS SPRAY microcapsules. A blow dryer may also be used.
- 4. Wash hands thoroughly with soap and water after application.
- 5. Repeat as necessary, but no more frequently than every 3 weeks.

Notice - Limited Warranty: 3M guarantees that the product, if used as directed will perform as described on this label. 3M MAKES NO OTHER GUARANTEES, WARRANTIES OR FROMISES, EXPRESS OR IMPLIED, FOR THE PRODUCT. THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY SHALL BE LIMITED TO PRODUCT REPLACEMENT OR REFUND FOR THE RETURNED PRODUCT AT 3M'S OPTION. 3M WILL REPLACE ANY PRODUCT FOUND BY 3M TO BE DEFECTIVE.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, ENPRESS OR IMPLIED, INCLUDING THE WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. 3M SHALL NOT BE LIABLE FOR ANY DAMAGES, INCLUDING INDIRECT, SPECIAL, INCIDENTAL AND/OR CONSEQUENTIAL DAMAGES, REGARDLESS OF THE LEGAL THEORY ASSERTED, INCLUDING NEGLIGENCE AND/OR STRICT LIABILITY ARISING OUT OF THE USE OF OR THE INABILITY TO USE OR THE PERFORMANCE OF THE PRODUCT.

Some states do not allow the exclusion or the limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific rights, and you may also have other rights which vary from state to state. For any warranty questions, contact 3M Animal Care Products.

