

(Front Panel)

**DURATROL™ PLUS
FLEA SPRAY
FOR DOGS**

3M

Contains Esbiothrin® and microencapsulated Dursban®
for quick kill and residual control of fleas and ticks on dogs.
Kills and controls deer ticks; the tick that may
carry and transmit Lyme disease.

ACTIVE INGREDIENTS:

Chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate.....	0.15%
Esbiothrin [d/l-allethrolone d-trans-chrysanthemate*].....	0.20%

INERT INGREDIENTS:	<u>99.65%</u>
TOTAL	100.00%

*Min. 72% d-trans-chrysanthemum monocarboxylic
ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopentene-1-one
Max 28% other isomers

Net Contents: 15 fl. oz. (444 ml) 30 fl.oz. (887 ml)

ACCEPTED

MAR 05 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10350-31

Keep Out Of Reach Of Children

CAUTION

See back label for additional precautionary statements

PRECAUTIONARY STATEMENTS:

CAUTION

HAZARDS TO HUMANS:

Harmful if inhaled. Avoid breathing vapor or spray mist. Avoid contact with clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

HAZARDS TO DOMESTIC ANIMALS:

DO NOT APPLY TO CATS

Do not apply to puppies less than 12 weeks of age or to bitches nursing puppies. Do not apply to sick or debilitated animals. Do not use this product within a few days prior to, simultaneously with, or within a few days after exposure to other cholinesterase inhibiting drugs, pesticides or chemicals. Some animals may be sensitive to insecticides.

NOTES TO PHYSICIAN OR VETERINARIAN:

Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is the preferable antidote. Oximes, such as 2-PAM/Protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL:

Pesticide Storage: Store product in original container out of the reach of children. Do not store above 100 °F. Do not store below 32° F. and avoid freezing to prevent container damage. If exposed to temperatures below 32° F., warm to room temperature and shake well before spraying.

Pesticide Disposal: Securely wrap unused pesticide in original container in several layers of newspaper and discard in trash.

Empty Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.

"Esbiothrin" is a registered trademark of AgrEvo

"Dursban" is a trademark of DowElanco

"Duratrol" and "Sectrol" are trademarks of 3M

SHAKE WELL BEFORE USING!

DURATROL™ PLUS FLEA SPRAY FOR DOGS is a unique combination of Esbiothrin® and "timed release" microencapsulated Dursban® in a single formulation for fast knock-down and residual control of fleas and ticks (including deer ticks). The microencapsulated Dursban provides up to 28-day control of adult fleas. For a total flea control program, ask your veterinarian about other Duratrol and Sectrol™ flea and tick control products.

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR RESIDUAL 28-DAY CONTROL OF FLEAS, 7-DAY CONTROL OF BROWN DOG TICKS AND 14-DAY CONTROL OF DEER TICKS

DO NOT USE ON CATS

1. Before use, shake thoroughly and adjust sprayer to deliver a coarse spray.
2. Hold spray nozzle 4-6 inches from the pet. Apply **DURATROL PLUS FLEA SPRAY FOR DOGS** to the hair and skin by brushing back the haircoat while spraying. Moisten the skin but do not soak to dripping.
3. Avoiding the pet's eyes and nose, spray the pet evenly over all areas of the body.
4. Allow the pet to air dry. Do not towel dry as this can remove many **DURATROL PLUS FLEA SPRAY FOR DOGS** microcapsules. A blow dryer may be used.
5. Wash hands thoroughly with soap and water after application.
6. Repeat as necessary, but no more frequently than every 3 weeks.

Notice - Limited Warranty:

3M guarantees only that the product, if used as directed, will perform as described on this label. 3M makes no other guarantees, warranties or promises, express or implied, for the product. The purchaser's sole and exclusive remedy shall be limited to product replacement or refund for the returned product at 3M's option. 3M will replace any product found by 3M to be defective.

The foregoing warranty is in lieu of all other warranties, expressed or implied, including the warranty of merchantability or fitness for a particular purpose. 3M shall not be liable for any damages, including indirect, special, incidental and/or consequential damages, regardless of the legal theory asserted, including negligence and/or strict liability arising out of the use of, or the inability to use, or the performance of the product.

Some states do not allow the exclusion or the limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

4 y 4

This warranty gives you specific rights, and you may also have other rights which vary from state to state. For any warranty questions, contact 3M Animal Care Products.

(For more information call 1-800-270-FLEA)

Made in USA for
3M Animal Care Products
St. Paul, MN 55144-1000

EPA Reg. No. 10350-31
EPA Est. (L) 6175-LA-1
(T) 11715-TN-1

Lot number prefix (L) or (T)
indicates appropriate establishment number