

495

This collar works best as a supplement to a total flea control program. It provides long lasting protection to help prevent infestation or reinfestation of fleas and kills ticks that may carry and transmit disease; it also kills ticks that may carry and transmit Lyme Disease.

This collar starts killing fleas and ticks as soon as it is placed around the dog's neck and will provide effective head to tail control of fleas within 1 day. New fleas and ticks, which may temporarily appear on the dog, will also be killed while the collar is worn. This collar has been shown to provide effective flea kill up to 8 months and tick kill up to 5 months. During the first few days of use, inspect the dog's neck daily for any signs of irritation. (Replace collar as frequently as directed by your veterinarian.)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DO NOT USE ON CATS**

1. Put the collar around the dog's neck.
2. Lift release latch on collar clasp [see fig. 1].
3. Insert free end of collar into clasp on top of the existing end and adjust to fit dog's neck (2-3 fingers between collar and dog's neck) [see fig. 2].
4. Close clasp [see fig. 3].
5. Cut off excess collar [see fig. 4].
6. Wash hands thoroughly after handling collar.

"Q-Sect" is a trademark of 3M.

Note: Occasional fraying at collar edge may be observed during wear; this does not adversely affect collar performance.

**Notice-Limited Warranty:**

3M guarantees that the product, if used as directed, will perform as described on this label. 3M makes no other guarantees, warranties or promises, express or implied, for the product. The purchaser's sole and exclusive remedy shall be limited to product replacement or refund for the returned product at 3M's option. 3M will replace any product found by 3M to be defective. The foregoing warranty is in lieu of all other warranties, express or implied, including the warranty of merchantability or fitness for a particular purpose. 3M shall not be liable for any damages, including indirect, special, incidental and/or consequential damages, regardless of the legal theory asserted, including negligence and/or strict liability arising out of the use of or the inability to use or the performance of the product.

Some states do not allow the exclusion or the limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific rights, and you may also have other rights which vary from state to state. For any warranty questions, contact 3M Animal Care Products.

(For more information call 1-800-270-FLEA)

Made in USA for  
3M Animal Care Products  
St. Paul, MN 55144-1000

EPA Reg. No. 10350-32  
EPA Est. 66743-MN-01  
US Patent 5194265

Reg # 10350-32

PM-17

1) 5

FEB 03 1995

Ms. Janet K. Jones  
3M Animal Care Products  
3M Center, Bldg. 270-2N-03  
St. Paul, Minnesota 55144

Dear Ms. Jones:

Subject: Amended Labeling, Revised CSF  
Q-Sect™ Flea & Tick Collar for Dogs  
EPA Registration No. 10350-32  
Your Application Dated December 16, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Please note, that in order for us to accept this labeling, the second product name has been deleted from the front panel. Additional product names are referred to as "brand names". You may market your product under separate brand names provided that you notify the Agency of the additional brand name(s) you intend to use. Each name must differ from the name of any other product that you have registered, so as to permit clear identification of the product in case of emergency. However, you should continue to refer to the product by its official name of record (i.e., the name of your product as it appears on the Notice of Registration, unless a product name change was approved by the Agency) in all correspondence with the Agency. With this letter, therefore, we acknowledge that "3M Flea & Tick Collar for Dogs" will be an additional brand name for this registration.

We have also reviewed the Confidential Statement of Formula (CSF), dated December 15, 1994, which documents removal of the bittering agent from the formulation. The CSF is acceptable and has been added to the product file. This formulation is now considered to be the Basic formulation for this registration.

Sincerely,

DHE

Dennis H. Edwards, Jr.  
Product Manager 19  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

(Front Panel)

**Q-SECT™**  
**FLEA & TICK COLLAR**  
**FOR DOGS**

**3M**



Kills both fleas and ticks  
Kills lyme disease-carrying ticks, including ixodes dammini

**ACTIVE INGREDIENT:**

Chlorpyrifos: O,O-diethyl-O-(3,5,6-trichloro-2-pyridyl) phosphorothioate .....20.00%

**INERT INGREDIENTS:**.....80.00%

**TOTAL** ..... 100.00%

ACCEPTED  
with COMMENTS  
to EPA Letter Dated

**FEB 03 1995**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

10350-32

**CAUTION**  
**Keep Out Of Reach Of Children**

See back label for additional precautionary statements

Net Collar Wt.: 12 grams

(Available through Veterinarians)

39

**PRECAUTIONARY STATEMENTS:**

**CAUTION**

**HAZARDS TO HUMANS:**

Avoid contact with eyes. Do not allow children to play with this collar. Some people may be sensitive to insecticides.

**STATEMENT OF PRACTICAL TREATMENT:**

**If in eyes:** Immediately flush with plenty of water. Get medical attention if persistent irritation results.

**HAZARDS TO DOMESTIC ANIMALS:**

Do not apply to cats, to puppies less than 12 weeks of age or to bitches nursing puppies. Do not apply to sick or debilitated animals. Do not use this product simultaneously with other cholinesterase inhibiting drugs, pesticides, or chemicals. Some animals may be sensitive to insecticides. Remove collar at the first sign of skin irritation or adverse effects such as excess salivation, vomiting, or diarrhea.

**NOTES TO PHYSICIAN OR VETERINARIAN:**

Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is the preferable antidote only if symptoms of cholinesterase inhibition are present. Oximes, such as 2-PAM/Protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish, birds and other wildlife.

**STORAGE AND DISPOSAL:**

**Pesticide Storage:** Store product in original container out of the reach of children.

**Unused Pesticide and Empty Container Disposal:** Securely wrap excess collar and original container in several layers of newspaper and discard in trash.