

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow entry into treated areas during the restricted-entry interval (REI) of 4 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, wear: coveralls, shoes plus socks and waterproof gloves.

APPLICATION INSTRUCTIONS: This product is an effective tool to help manage codling moth populations in stone fruit, apples, pears quince, and walnuts [optional text: peaches or other food commodities]. This product interferes with the chemical communication system between male and female codling moths thereby delaying or reducing the incidence of mating. This decreases the number of eggs laid and lowers larval populations, thereby reducing the need for conventional insecticides. Supplemental insecticides may be required if initial populations in the treated area are too high, or if a major source of mated females is present adjacent to the treated orchard.

Apply this product just prior to the start of codling moth flight. Consult your local specialist for information on timing of flights. The product can be applied with conventional airblast or aerial application equipment. Rate of application is 3.4 US fl. oz. - 6.8 US fl. oz. of product per acre (10-20 grams a.i./acre), applied in sufficient water to ensure uniform coverage but avoiding runoff. Generally, the product should be applied once per flight at the recommended rates. Application rates and frequency will depend on codling moth population density and temperatures. Lower use rates may result in reduced efficacy. Consult with your local crop protection specialist or university extension specialist for additional guidance. **DO NOT** exceed 50 oz of product per acre per year (150 g rams ai/acre/year).

SHAKE WELL BEFORE USE. Do not apply during strong winds or within 6 hours of anticipated rainfall, overhead irrigation, or hydro-cooling. It is strongly recommended to use codling moth monitoring traps in conjunction with routine inspection of fruit or nuts for the presence of larvae. Pheromone-treated areas should be thoroughly monitored for the presence of other pests and controls applied if required.

ACCEPTED
 OCT - 8 2002
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10350-59

3TM

MEC – CM Sprayable Pheromone for Codling Moth

This product is a timed-release microencapsulated pheromone concentrate used for the mating disruption of codling moth (*Cydia pomonella*).

Active Ingredient:
 (E, E)-8, 10-Dodecadienol 9.23%
Other Ingredients..... 90.77%
Total 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If on skin or clothing:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15 - 20 minutes. - Call a poison control center or doctor for treatment advice
If in eyes:	- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
If inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. - Call poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. See side panel for additional precautionary statements.	

EPA Reg. No. 10350-59
 EPA Est. No. 10350-CN-01
 EPA Est. No. 000239-CAN-001
 EPA Est. No. 061423-CN-002

Net Contents - 30 fl. oz. (887 ml)

Made in Canada for: 3M Company
 St. Paul, MN USA 55144-1000

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION: Causes skin and eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Keep container closed when not in use. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. **Personal Protective Equipment (PPE):** Applicators and other handlers must wear long-sleeved shirt, long pants and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. **User Safety Requirements:** Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in original container in a cool, dry place above 32°F to avoid freezing. Should freezing occur, thaw the product completely and mix thoroughly by agitation before use. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If containers are incinerated, stay out of smoke.

NOTICE - LIMITED WARRANTY
 3M guarantees only that the product, if used as directed, will perform as described on this label. 3M makes no other guarantees, warranties or promises for the product. The purchaser's sole and exclusive remedy shall be limited to product replacement or refund for the returned product at 3M's option. 3M will replace any product found by 3M to be defective. The foregoing warranty is in lieu of all other warranties expressed or implied, including the warranty of merchantability or fitness for a particular purpose. 3M shall not be liable for any damages, including indirect, special, incidental and/or consequential damages, regardless of the legal theory asserted, including negligence and/or strict liability arising out of the use of or the inability to use or the performance of the product. Some states do not allow the exclusion or the limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific rights and you may also have other rights, which may vary from state to state. For any warranty or technical questions, contact 1-800-265-1840 Extension

Label amendment to update text and lower use rates. Last label version (11) dated September 7, 2002 - apr

10350-59

10-8-2002

11