

PROPYLENE OXIDE

Active Ingredient 100%

ACCEPTED

KEEP OUT OF REACH OF CHILDREN

DANGER! EXTREMELY FLAMMABLE
BREATHING OF VAPOR HARMFUL
LIQUID MAY CAUSE EYE AND SKIN IRRITATION

Keep away from heat, sparks and fire. Do not breathe vapor.
Do not leave container open. Avoid contact with eyes or skin.
In case of contact with eyes or skin, immediately flush with plenty
of water for at least 15 minutes; for eyes get medical attention.

**NET
WT.
374
LBS!**

DIRECTIONS FOR USE: To aid in the control of microbiological spoilage, and as an insecticide for liquid use for the control of stored products (insects in glass fruits and dried prunes), add to the glass fruits and dried prunes in the final packaging operation at the rate of 1 cc per pound of product. To reduce bacterial and mold contamination in starches, gums, processed spices, cocoa, processed nutmeats (except peanuts), add in vacuum and in retorts not more than 2.4 ounces Propylene Oxide in vapor form per cubic foot of space in the retorts. Exhaust retort within four hours and air wash. Temperature should not be in excess of 125 F. See FDA regulation §121.1076.

PC71805

FOR INDUSTRY USE ONLY

**UNION
CARBIDE**

UNION CARBIDE CORPORATION

CHEMICALS and PLASTICS

NEW YORK, N.Y. 10017 • OFFICES IN PRINCIPAL CITIES