



Ucarbide

SANITIZER 402

AN INDUSTRIAL PRODUCT FOR SANITIZING NON-FOOD CONTACT SURFACES, INDUSTRIAL AND FARM EQUIPMENT AND ANIMAL AND POULTRY HOUSING FACILITIES.


Active ingredient: 98.0%
Inert ingredients: 1.0%

100.0

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT



FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk or egg whites, or water if these are not available. Drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may be caused by the use of gastric lavage. Measures against circulatory depression and shock may be needed.

UNION CARBIDE CORPORATION • CHEMICALS AND PRODUCTS

270 PARK AVENUE, NEW YORK, N.Y. 10017

EPA Reg. No. 100-100-01

UCARCIDE is a registered trademark of Union Carbide Corporation.

EPA Est. No. 100-100-01
UCC No. 100-100-01
Made in U.S.A.

NET WT. 500 LBS. (227.3 Kg.)

NET VOL. 55 GALS.(U.S.) (208 L)

Ucarcide SANITIZER 402

**PRODUCT FOR SANITIZING NON-FOOD CONTACT SURFACES, INDUSTRIAL AND FARM EQUIPMENT,
AND ANIMAL AND POULTRY HOUSING FACILITIES.**


Active Ingredients: Glutaraldehyde
Inert Ingredients

100
98
2

KEEP OUT OF REACH OF CHILDREN.

DANGER

STATEMENT OF PRACTICAL TREATMENT



Immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove before reuse.

If quantity of milk, egg whites, gelatin, etc., not available, drink from a quart of water immediately.

Personal damage may result and adequate first aid should be used. Measures against fire, safety, shade, etc., as needed.

UCC CORPORATION • CHEMICALS AND PLASTICS

NEW YORK, N.Y. 10017

EPA Est. No. 10352 - WV - 2
UCC No.
Made in U.S.A.

Net weight of contents: 55 gallons (203.7 liters)

(Kg.)

NET VOL. 55 GALS.(U.S.) (203.7 LITERS)

SANITIZING NON-FOOD CONTACT SURFACES

Using suitable commercial dilution, mix one gallon of Ucarcide 402 with 99 gallons of water. Active ingredient is 0.1% and other closed space.

SANITIZING FARM EQUIPMENT

Remove all poultry from the area. Remove all litter and manure. Do not repopulate with fresh birds or dried.

Thoroughly saturate all surfaces with nineteen gallons of solution for at least five minutes.

All treated feeders and water troughs should be flushed with potable water prior to use.

1. The manufacturer does not warrant the product against claims of liability without the aid of a responsible expert.

2. The manufacturer does not warrant the product against claims of liability without the aid of a responsible expert. The manufacturer does not warrant the product against claims of liability without the aid of a responsible expert. THE USER SHALL BE RESPONSIBLE FOR ANY DAMAGE TO PERSONS OR PROPERTY. NO WARRANTY IS MADE BY THE MANUFACTURER FOR SPECIAL AND UNUSUAL USES.

3. The manufacturer does not warrant the product against claims of liability without the aid of a responsible expert.

SANITIZER

DIRECTIONS FOR USE GENERAL CLASSIFICATION

DO NOT USE THIS PRODUCT ON FOOD OR FEED

SANITIZING NON-FOOD CONTACT SURFACES, INDUSTRIAL EQUIPMENT AND BUILDINGS.

Using suitable commercially available equipment saturate all surfaces with a solution prepared by mixing one gallon of Ucarcide Sanitizer 402 with nineteen gallons of water which produces a solution containing 0.1% active ingredient. Allow to set for at least five minutes or until thoroughly dried. Ventilate buildings and other closed spaces.

SANITIZING FARM, ANIMAL, AND POULTRY HOUSING FACILITIES AND EQUIPMENT.

Remove all poultry and other animals and feed from the premises. Remove all portable equipment. Remove all litter and manure from floors and other surfaces. Empty all water troughs and feed racks. Do not repopulate with poultry or other animals or use equipment until treatment has been absorbed or dried.

Thoroughly saturate all surfaces with a solution prepared by mixing one gallon of Ucarcide Sanitizer 402 with nineteen gallons of water which produces a solution containing 0.1% active ingredient. Allow to set for at least five minutes or until thoroughly dried. Ventilate thoroughly before reuse.

All treated feeders, fountains, and waterers must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

WARRANTY:

1. The manufacturer warrants and warrants to that the net weight, content and the total net weight are in accordance with the label and that the product is warranted in the statement on this label and that the manufacturer is responsible for the quality, quantity, purity, effectiveness and stability of the product.

2. The manufacturer further warrants that the material is not responsible for any condition or condition created herein. The manufacturer DOES NOT MAKE AND DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY OF FITNESS OR OF MERCHANTABILITY, GUARANTEE OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. This product is sold only on the basis that the user is responsible for handling, storage, use, disposal and other conditions which may be involved in the use of this product. The manufacturer does not warrant that the product will be effective against all diseases and conditions which may be caused by the use of this product. The manufacturer does not warrant that the product will be effective against all diseases and conditions which may be caused by the use of this product.

3. The manufacturer warrants that the product is not responsible for any condition or condition created herein.

EQUIPMENT.

ED

do.
Acc.
do

19

all a physician. Remove

large quantities of water

ulatory shock, respira

PLASTICS

Est. No. 10352 - WV - 2

No.

in U.S.A.

(203.7 LITERS)