

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive - Causes irreversible eye damage. Causes burns. May cause skin sensitization. Harmful if swallowed.

Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities.



Ucarcide[®]
BIOLOGICAL GRADE

250
ANTIMICROBIAL

FOR USE BY MANUFACTURERS IN FORMULATING INDUSTRIAL BACTERICIDES AND PRESERVATIVES. FORMULATORS USING THIS PRODUCT ARE RESPONSIBLE FOR PROVIDING DATA FOR THE EPA REGISTRATION OF THEIR FORMULATED PRODUCTS.

Active Ingredient: Glutaraldehyde	50.0%
Inert Ingredient	50.0%
	<u>100.0%</u>

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

- If in eyes: Immediately flush with plenty of water for at least 15 minutes. Get immediate medical attention.
- If on skin: Wash with plenty of soap and water. Get medical attention.
- If swallowed: **DO NOT INDUCE VOMITING.**
Give at least two glasses of water; seek medical advice with urgency.
- If inhaled: Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, call a physician.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

UNION CARBIDE CORPORATION • SPECIALTY CHEMICALS DIVISION

Danbury, CT 06817 • Offices in Principal Cities
EPA Reg. No. 10352-21
UCARCIDE is a registered trade mark
of Union Carbide Corporation

NET WT. 227 kg (500 lb)

DOT SHIPPING NAME	Corrosive Liquid, NOS (Glutaraldehyde)	UN 1760 I.D. Number
-------------------------	---	------------------------

EPA Est. No. 10352-WV-2
UCC No. 3987-1F
Made in U.S.A.

PC-90222

Reg. # 10352-21

pm 31 1971



Ucarcide[®] 250

BIOLOGICAL GRADE ANTIMICROBIAL

PHYSICAL PROPERTIES

Specific Gravity at 20/20°C.	1.131	Solubility in Water at 20°C.	C
Vapor Pressure at 20°C.	15 mm Hg	Solubility of Water in at 20°C.	C
Freezing Point	-21°C	pH at 25°C.....	3

FOR USE BY MANUFACTURERS IN FORMULATING INDUSTRIAL BACTERICIDES AND PRESERVATIVES. FORMULATORS USING THIS PRODUCT ARE RESPONSIBLE FOR PROVIDING DATA FOR THE EPA REGISTRATION OF THEIR FORMULATED PRODUCTS.

STORAGE AND HANDLING

UCARCIDE[®] 250 solutions are corrosive to many commonly used materials of construction such as steel, galvanized aluminum, tin, and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene, stainless or reinforced epoxy-plastic equipment. This product freezes at about -21°C (-6°F). Therefore, unless the storage tank is above ground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 100°F can be tolerated but the preferred maximum temperature is about 80°F.

A stainless steel centrifugal pump is suggested for transfer service. Asbestos is suitable for gaskets and

Active Ingredient: Glutaraldehyde	50.0%
Inert Ingredients:	50.0%
	100.0%

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness and of toxicity to laboratory animals. Tests have not been made on all varieties of plants or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT EMPLOY ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. This warranty does not extend to, and the Buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT SUCH LIABILITY IS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF, THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

- If in eyes: Immediately flush with plenty of water for at least 15 minutes. Get immediate medical attention.
- If on skin: Wash with plenty of soap and water. Get medical attention.
- If swallowed: **DO NOT INDUCE VOMITING.**
Give at least two glasses of water; seek medical advice with urgency.
- If inhaled: Remove to fresh air. If breathing is difficult, administer oxygen.
If symptoms persist, call a physician.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

UNION CARBIDE CORPORATION • SPECIALTY CHEMICALS DIVISION

Danbury, CT 06817 • Offices in Principal Cities
EPA Reg. No. 10352-21
UCARCIDE is a registered trade mark of Union Carbide Corporation

NET WT. 227 kg (500 lb)

DOT SHIPPING NAME	Corrosive Liquid, NOS (Glutaraldehyde)	UN 1780 I.D. Number
-------------------	--	---------------------

EPA Est. No. 10352-WV-2
UCC No. 3987-1F
Made in U.S.A.

PC-90222

ACCEPTED

FEB 18 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10352-21