

DAE

KEEP OUT OF REACH OF CHILDREN

Use only as directed. Do not use if you are pregnant or nursing. Do not use if you are allergic to any of the ingredients. Do not use if you are taking any other medication. Do not use if you are taking any other medication. Do not use if you are taking any other medication.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

PHYSICAL PROPERTIES


Specific Gravity at 20°C: 1.047
Boiling Point at 760 mm Hg: 104°C
Melting Point at 760 mm Hg: 104°C
Flash Point: 104°C

STORAGE AND HANDLING

Store in a cool, dry place. Do not store in a hot, humid place. Do not store in a hot, humid place. Do not store in a hot, humid place. Do not store in a hot, humid place.

STORAGE AND HANDLING

1. Keep out of reach of children.
2. Keep out of reach of children.
3. Keep out of reach of children.
4. Keep out of reach of children.



A MICROBIOCIDAL FOR USE IN CONTROLLING SLIME AND ALGAE IN AIR WASHER SYSTEMS, AND IN R

Active Ingredients: Glutaraldehyde
Inert Ingredients: 100%

KEEP OUT OF REACH OF CHILDREN


DAE

STATEMENT OF PRODUCT

This product is a microbicide for use in controlling slime and algae in air washer systems, and in R. It is a microbicide for use in controlling slime and algae in air washer systems, and in R.

DAE CORPORATION

NET WEIGHT: 25 KG (213.2 Kg)



AQUICAR 515

WATER TREATMENT MICROBIOCIDES

A MICROBIOCIDES FOR USE IN CONTROLLING BACTERIA, SLIME-REDUCING BACTERIA, AND ALGAE IN AIR WASHER SYSTEMS, AND IN COOLING WATER CIRCULATING TOWERS AND SYSTEMS.

Active ingredient: 515-1000
Net weight: 470 LBS. (213.2 Kg.)

Net weight: 470 LBS. (213.2 Kg.)

KEEP OUT OF REACH OF CHILDREN

ANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes with plenty of water. If swallowed, induce vomiting. Remove and wash contaminated clothing before reuse.

If inhaled, get person into fresh air. If breathing is difficult, give oxygen. If necessary, consult a physician.

NOTE TO PHYSICIAN: In case of emergency, consult a physician. For first aid, see above.

UNITED HANSON CORPORATION, 10000 W. 10TH AVE., MINNEAPOLIS, MN. 55426

For more information, contact your local distributor or write to: United Hanson Corporation, 10000 W. 10th Ave., Minneapolis, MN 55426.

NET WT 470 LBS. (213.2 Kg.)

AQUICAR 515 Water
uniform mixing,
easily. Body cooled sys
down and the discen

Intermittent (SLUG DOSE)

Initial Dose: When
gal. of water in the
Get a good dose
gal. of water to the
Body cooled sys

Continuous Feed Method

Initial Dose: When
gal. of water in the
Get a good dose
AQUICAR 515
Body cooled sys

DATE-REDUCING BACTERIA, CLING TOWERS AND SYSTEMS.

50°
50°
50°

* If available, drink large quantities of water.

MEALS AND PLASTICS

FILE NO. 1582-AV-2
DATE 4/1/5
FOUO
MAY 1955

GENERAL CLASSIFICATION

RECIRCULATING COOLING WATER SYSTEMS

Intermittent (slug dose) dosing.

[illegible]

Continuous Feed Method:

1. **Preparation of the feed:** Weigh 100 g of AUCAR™ and 100 g of water. Mix thoroughly to form a slurry.

2. **Feeding:** Add the slurry to the feed trough. The feed will be consumed over a period of 24 hours.

3. **Results:** The feed will be consumed at a rate of 0.84 g/lb of body weight per day.

1944

