See MSDS for exposure limits of components

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive, Causes irreversible eve damage, Causes skin irritation. Harmful if inhaled. Harmful if swallowed. May cause skin sensitization.

Do not get in eyes, on skin, on clothing, Avoid breathing vapor. Do not swallow.

Wear goggles, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingradient into akes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA

PHYSICAL PROPERTIES

Solubility in Water at 20°C Complete Solubility of Water in at 20°C Complete
pH at 25°C 31 to 45

STORAGE AND HANDLING

JCAR® 514 Water Treatment Microbiocide solutions are corrosive to many commonly used materials onstruction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored handled in baked phenolic-fined steel, polyethylene, steel, steinless steel or reinforced epoxytic equipment. This product freezes at about -3°C (27°F). Therefore, unless the storage tank is te or underground, heating and insulation may be required. If heating is needed, exposure to high peratures should be avoided. For short storage times (up to about 1 month), temparatures of up 30°F can be tolerated but the preferred maximum storage temperature is about 80°F

ainless steel centrifugal pump is suggested for transfer service. Spiral wound stair less steel with LON® is suitable for gaskets and packing

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, load, or feed by storage or disposal. Open Jumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray miriture or rinsate is a violation of Federal Law III these wastes cannot be discussed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the negrest EPA Regional Office for guidance CONTAINER DISPOSAL: Metal Containers or Plastic Containers. Triple rinse (or inquivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities. Do not cut, or weld on or near metal containers. Plastic Containers: may be incinerated, if allowed by state and local authorities if burned, stay out of smoke. Metal Containers: must not be incinerated



A MICROBIOCIDE FOR USE IN CONTROLLING SLIME FORMING BACTERIA, SULFATE-REDUCING BACTERIA AND ALGAE IN AIR WASHERS, RETORT WATER SYSTEMS, AND RECIRCULATING WATER COOLING TOWERS AND SYSTEMS.

Active ingredients:

utaraldehyde		14.0%
kyl (C14 50%, C12 40%, C16 10%)		
methyl benzyl ammonium chloride		. 2.5%
ert Ingredients		83.5%
		100%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately Rush with plenty of water for at least 15 minutes. Get immediate medical attention IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, call a physician IF SWALLOWED: DO NOT INDUCE VOMITING. Do not give anything to drink Seek medical advice with urgency Note to Physician: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

UNION CARBIDE CHEPICALS AND PLASTICS COMPANY INC. • SPECIALTY CHEMICALS DIVISION

39 Old Ridgebury Road . Danbury, Ct 06817-0001 EPA Reg. No 10352-31 AQUCAR® is a registered trademark of Union Carbide Corporation Net Weight 219.5 kg (484 lb.)

CONTAMER SIZE 14349

EPA Est. No. 10352-WV-2 UCC-L 14349 (2/90) Made in USA

it is a violation of Federal law

AIR WASHERS AND R

AQUCAR® 514 Water Treatment Miof uniform mixing such as the bacontinuously Badly fouled system Microbiocide Under these condition

INTERM

Indial Dose: When the system is no Treatment Microbiocide per 100 gall Subsequent Dese: When microbial s Treatment Microbiocide per 100 uali-Badly fouled systems must be cleare

COL

Initial Dose: When the system is not Treatment Microbiocide per 100 gall-Subsequent Dose: Maintain this tre of AQUCAR® 514 Water Treatment & Badly fouled systems must be cleare

LIMITED

The manufacturer warrants (a) t label, (b) that this product is real when it is used in accordance i other statements on this label a tests of effectiveness and of to: varieties or in all states or under INTENDS, NOR DOES IT AUTH OTHER WARRANTIES, EXPRE DISCLAIMS ALL IMPLIED W/ PARTICULAR PURPOSE This responsible for, any and all loss manner which is inconsistent wit

BUYER'S EXCLUSIVE REMEDY A FOR ANY AND ALL CLAIMS, LO OR HANDLING OF THIS PROI CONTRACT, NEGLIGENCE, STR. AT THE MANUFACTURER'S OP PURCHASE PRICE FOR, THE QU ARE CLAIMED IN NO EVENT SH INDIRECT OR CONSEQUENTIAL THIS PRODUCT

IN CASE OF EMERGENCY, TELEPHONE (24 HOURS PER DAY) IN USA 1-800-UCC HELP.