The state of the s	Market State Control of the State of the Sta
US ENVIRONMENTAL INOTECTION AGENCA CON OFFICE OF PESTICIDES PROGRAMS (CARRESTRATION DIVISION (75-747) WASHINGTON, DC 20480	TERM OF ISSUANCE
NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT UCARCIDE 142 Antimicropia:
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u> </u>
Union Carbide Corporation Specially Chemicals Division P.O. Box 670 Bound Brook, NJ 08805	٦
L	٦
	•
NOTE: Changes in labeling formula differing in substance fro submitted to and accepted by the Registration Division prior to product always refer to the above U.S. EPA registration number	to use of the label in commerce. In any correspondence on this
On the basis of information furnished by the registrant, the at the Federal Insecticide, Fungicide, and Rodenticide Act.	pove named pesticide is hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Regis	stration/Reregistration is returned herewith.
Registration is in no way to be construed as an indorsement of health and the environment, the Administrator, on his motion, icide in accordance with the Act. The acceptance of any name Act is not to be construed as giving the registrant a right to e by others.	may at any time suspend or cancel the regis' ation of a pest- e in connection with the registration of a product under this
This product is conditionally isosection 3(c)(7)(A) provided that you.	istored in accordance With Firka
1. Submit/Cite all data required of your product under Firkh section 3(registrants of similar products to sub	
2. Make the laboring changes its product for shipment:	ted below belote you release the
a. Adu the phrase "LPA Regrs	tration do. 10352-32."
	this ingula produce in coime of uto be no objection to an accidional nds or nitograms.
3. Sübmic certiilea iimīts, the and incit ingredients in the Formulae.	u _{r'p} ss and lower limits for the active on, dote that for the active injudi-

ents the lower certained limit must be decrated on the label and it should we for pure active ingredient.

4. Submit the product chemistry data dericancies assets an our retter or June, 5, 1984, reems "3a" 1, 2, and 3.

BEST AVAILABLE COPY

凶	ATTACHMENT	15	APPLICA
---	------------	----	---------

SIGNATURE OF APPROVING OFFICIAL

DATE

5. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee Product Manager (31) Disinfectants Branch Registration Division (TS-767C)

Enclosure

BEST AVAILABLE COPY

UCARCIDE® 142 Label May 8, 1986

(Left Panel)

ACCEPTED
with COMMENTS
In EPA Letter Dated:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Keep Out of Reach of Children

APR 29 1987

Under the Festeral Inserticide, Pumpielde, and Rodemicide Act as amended, for the posterior as amended under EPA Res. No. 10352-32

Corrosive. Causes irreversible eye damage and skin damage. May cause skin sensitization.

Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing and rubber gloves. Avoid breathing vapors. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Po not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State, Water, Board, or Regional Office of the EPA.

PHYSICAL PROPERTIES

Specific Gravity at $20/20\,^{\circ}\text{C}$ 1.103 Solubility in Water at $20\,^{\circ}\text{C}$ Complete Vapor Pressure at $20\,^{\circ}\text{C}$ 15 mm Hg Solubility of Water in at $20\,^{\circ}$ Complete Freezing Point -14 $\,^{\circ}\text{C}$ pH at $25\,^{\circ}\text{C}$ 3.1 to 4.5

STORAGE AND HANDLING

UCARCIDE® 142 solutions are corrosive to many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about -14°C (-7°F). Therefore, unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month, temperatures of up to 100°F can be tolerated but the preferred maximum storage temperature is about 80°F.

A stainless steel centrifugal pump is suggested for transfer service. Asbestos is suitable for gaskets and packing.

STORAGE AND DISPOSAL

BEST AVAILABLE COPY

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Metal Containers. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities.


1


LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness and of toxicity to laboratory animals. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. This warranty does not extend to, and the Buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT SUCH LIABILITY IS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

ACCEPTED with COMMENTS in EPA Letter Dated:





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WATER FLOODS

UCARCIDE® 142 Antimicrobial should be added to a water flood system at a point of uniform mixing such as the area of addition of make up water to the holding tank.

Initial Treatment: When the system is noticeably contaminated, add 100-200 ppm UCARCIDE® 142 Antimicrobial to the system (0.09-0.18 gallons UCARCIDE® 142 per 1000 gallons flood water). Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 20-200 ppm UCARCIDE® 142 (0.018-0.18 gallons UCARCIDE® 142 per 1000 gallons flood water) to the system weekly, or as needed to maintain control.

DRILLING MUDS

UCARCIDE® 142 Antimicrobial should be added to a drilling fluid system at a point of uniform mixing such as the circulating mud tank.

Initial Treatment: Add 50-1000 ppm UCARCIDE® 142 Antimicrobial (0.19-3.8 gallons UCARCIDE® 142 per 100 barrels of fluid) to a freshly prepared drilling fluid depending on the severity of contamination.

Maintenance Dosage: As the total volume of the system increases due to increased well depths, maintain 50-1000 ppm UCARCIDE® 142 level by adding 0.19-3.8 gallons of UCARCIDE® 142 per 100 barrels of additional fluid, or as needed, depending on the severity of contamination.

COMPLETION AND WORKOVER FLUIDS

UCARCIDE® 142 Antimicrobial should be added to a completion and workover fluid at a point of uniform mixing such as a circulating tank. Add 50-1000 ppm UCARCIDE® 142 Antimicrobial (0.19-3.8 gallons UCARCIDE® 142 per 100 barrels of fluid) to freshly prepared fluid depending on the severity of contamination. Circulate the workover fluid system until the fluid returns clear, shut the system down and idle for several hours. Remove the workover fluid. The well should be ready for productive use.

PACKER FLUIDS

UCARCIDE® 142 Antimicrobial should be added to a packer fluid at a point of uniform mixing such as a circulating holding tank. Add 50-600 ppm UCARCIDE® 142 Antimicrobial (0.19-2.3 gallons UCARCIDE® 142 per 100 barrels of fluid) to a freshly prepared fluid depending on the severity of contamination. Seal the treated packer fluid in the wall between the casing and production tube.

with COMMENTS In EPA Leater Dated:

APR 29 1987

Under the Vederal In actually, Propiedly, and Rodemonie for the protection amended, for the protection under EPA Reg. No.

REST RELEASED

Proposed UCARCIDE® 142 Label EPA File No. 10352-GE May 8, 1986

(Center Panel)

UNION CARBIDE

UCARCIDE® 142 Antimicrobial

A MICROBIOCIDE FOR USE IN CONTROLLING SULFATE-REDUCING BACTERIA AND SLIME-FORMING BACTERIA IN OIL WELL DRILLING, OIL FIELD PROCESSING APPLICATIONS, AND OIL FIELD WATER SYSTEMS: SUCH AS, STEAM-INJECTION HOLDING TANKS, FLOOD WATER, INJECTION WATER, HOLDING POND WATER, DISPOSAL-WELL WATER, AND WATER HOLDING TANKS.

Active Ingredients: Glutaraldehyde 42.5%

Alkyl (C_{14} 50%, C_{12} 40%, C_{16} 10%) dimethyl benzyl ammonium chloride

7.5%

Inert Ingredients:

50.0%

100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Immediately flush with plenty of water for at least 15 minutes.

immediate medical attention.

Wash with plenty of soap and water. Get medical attention. If on skin:

If swallowed: DO NOT ANDUC VOMITING. Give at least two glasses of water.

medical Edvice with urgency.

If inhaled: Remove t fresh air. If breathing is difficult, administer oxygen.

> If sympton sist, call a physician.

NOTE TO PHYSICIAN: Prob Aucosal damage may contraindicate the use of gastric lavage.

UNION CARBIDE CORPORATION - SPECIALTY CHEMICALS DIVISION

Danbury, CT 06817 - Offices in Principle Cities

EPA Est. No. 10352-WV-1

EPA Reg. No. 10352-32

UCC No.

UCARCIDE® is a registered trademark of

Made in USA

Union Carbide Corporation _

Net Wt. 505 lb. (229 kg)

PC-90228

ACCEPTED with COMMENTS

In P.PA Letter Dated:

APR 29 1987

0049E

Under the Federal Investigate, Françoide, and Rodennesse Act as amended, for the pesticale 10352-32

BEST AVAILABLE COPY