PM-33

١

Reg # 10352-51

7/3/97

19 4

	a series and a state of the series of the		·····				
[]	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:				
Algenor Garage	Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	10352-51	JUL - 3 1997				
PAR PROTECT	NOTICE OF PESTICIDE: <u>x</u> Registration Reregistration	Term of Issuance: Conditional					
(under FIFRA, as amend		Name of Pesticide Product: Ucarcide P200 Antimicrobial					
Name and Address of Re	gistrant (include ZIP Code):						
Union Carbide Corporation P. O. Box 670 Bound Brook, NJ 08805							
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.							
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.							
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.							
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:							
1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires_all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.							
2. Make the labeling change listed below before you release the product for shipment:							
a. Revise the EPA Registration Number to read, "EPA Reg. No. 10352-51".							
		•					
Regulatory	All lon al a	Date: 3	3 1997				
PA Form 8570-6		L					

page 2 EPA Reg. No. 10352-51

> b. Submit a revised Confidential Statement of Formula and in block 13b enter the correct nominal concentration which would agree with the label claim and list all impurities that are present this product.

c. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions conernig this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marhsall Swindell Acting Product Manager 33 Regulatory Management Branch 1 Antimicrobial Division (7504C)

Enclosure____

1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. Harmful or fatal if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Do not get in eyes, on skin, on clothing. Avold breathing dust. Do not swallow. Wear goggles, protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

M

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND HANDLING

In its crystalline solid form, UCARCIDE[®] P 200 Antimicrobial can be stored in high density polyethylene drums or polyethylene-lined drums at 20-25°C (68-77° F) with no significant oxidation from air. This product mells at 55-56° C (131-133° F). Exposure to elevated temperatures in the presence of air should be avoided. For short storage times (up to one month), temperatures up to 40°C (104°F) can be toterated if the product is blankoled with an inert almosphere of nitrogen or argon. Since this product is light-sensitive, it must be stored in product a consciences.

UCARCIDE® P 200 Antimicrobial can be transferred with any solids handling equipment with appropriate precautions to avoid prolonged exposure to heat, light, and/or air as described above.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the fabol; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this fabol are based upon responsible experts' evaluation of reasonable tests of effectiveness and of foxicity to laboratory animats. Tests have not been made on all varieties or in all states or under all conditions, THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. This warranty does not extend to, and the Buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the fabel directions.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT SUCH LIABILITY IS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES FRESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BEFORE HANDLING OR USING, READ AND UNDERSTAND CURRENT UNION CARBIDE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CARBIDE UCARCIDE P200

FOR USE BY MANUFACTURERS IN FORMULATING INDUSTRIAL MICROBIOCIDES AND PRESERVATIVES. FORMULATORS USING THIS PRODUCT ARE RESPONSIBLE FOR PROVIDING DATA FOR THE EPA REGISTRATION OF THEIR FORMULATED PRODUCTS.

Active Ingredient: 1, 2-Benzenedicarboxaldehyde 99.8% (ortho-phthalaldehyde)

Inert Ingredients:

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Jumediately llush with plenty of water for at least 15 minutes. De NOT remove contact lenses, if wom. Get immediate medical attention.

IF ON SKIN: Immediately wash with plenty of scop and water for at least 15 minutos. Get Immediate medical attention.

IF INHALED: Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, call a physician.

IF SWALLOWED: DO NOT INDUCE VOMITING. Rinse mouth immediately with abundant quantities of water, then drink promptly a large quantity of water. Seek medical advice with urgency.

NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. UNION CARBIDE CORPORATION

39 Old Ridgebury Road o Danbury, CT 06817-0001 EPA Reg, No. 10352-


UCARCIDE[®] is a registered trademark

of Union Carbide. Net Contents EPA Est. No, 10352-WV-2 UCC-L26468 (6/96)

UCC-L26468 (6/96) Made In U.S.A PE0696

	26468	CONTAINER SIZE	shipping Name	CORROSIVE SOLID, N.O.S. (1,2-BENZENEDICARBOXALDEHYDE)	
	PRODUCT CODE	NET WEIGHT	HAZARD CLASS 8	ID NUMBER UN 1760	PG III

EMERGENCY CONTACT (24 HOURS PER DAY): IN USA 1-800-UCC-HELP (1-800-822-4357) OUTSIDE USA 01-304-744-3487



Under the

Fungicide.

Es amondo

. Caustered

07

It is a violation of Federa

RECD EPines

Is prohibited. Pesticide wastes are is a violation of Federal law. If they contact your Stale Pestickie or you representative at the nearest EPA CONTAINER DISPOSAL: Metal to offer for recycling or reconditioning approved by state and local author and local authorities, by burning. It incinerated. Do not cut or weld on

	7					w ²	
EMENTS DMESTIC ANIMALS	5					DIRECTIONS FOR USE	
	·····			®		GENERAL CLASSIFICATION It is a violation of Federal law to use this product in a manner inconsis	stent with its labeling.
Ins, Harmful if Inhaled. ed skin contact may cause	JINION CARBIDE	CAR	CID			RECD EFAVOR P/DPD2	
	FOR USE BY MANUFACTURERS FORMULATORS USING THIS PRO REGISTRATION OF THEIR FORM	ODUCT ARE RESPONSIBI ULATED PRODUCTS.	TRIAL MICROBIOC LE FOR PROVIDING	IDES AND PRESER	MICROBIAL VATIVES. A	96 SEP -6 A8:09	1
RDS ge efficient containing this product accordance with the requirements and the permitting authority has ntaining this product to sewer authority. For guidance contact your	Inert Ingredients:	1, 2-Benzenedicarb (ortho-phthalalo	dehyde)	<u>0.2%</u> 100.0%		ACCEPTID with COMMENTS In EPA Lotter Dates	
ING	KEEP	OUT OF REA	CH OF CH	HLDREN		.111 - 3 1997	
ored in high density polyethylene icani oxidation from air. This fures in the presence of air should p to 40°C (104°F) can be toterated h. Since this product is light- ndling equipment with appropriate scribed above.	DANGER STATEMENT OF PRACTICAL TREATMENT IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Do NOT remove contact lenses, if worn. Get immediate medical attention. IF ON SKIN: Immediately wash with plenty of soap and water for at least 15 minutes, Get immediate medical attention.					Under the Foderal Insecticids, Fungicide, and Rodenticide Act as amended, for the pesticide Foguered under EPA deg. No. 10352 = 51	- - - - - - - - - - - - - - - - - - -
LAIMER	IF INHALED: Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, call a physician.						
al description on the label; (b) that tions for use when it is used in and other statements on this label of effectiveness and of toxicity to states or under all conditions, THE T AUTHORIZE ANY AGENT OR RESSED OR IMPLED, AND IT INTIES OF MERCHANTABILITY t extend to, and the Buyer shall be m the use, of this product in any ions.	IF SWALLOWED: DO NOT INDUCE VOMITING. Rinse mouth immediately with abundant quantities of water, then drink promptly a large quantity of water. Seek medical advice with urgency. NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.			, :			
	SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. UNION CARBIDE CORPORATION 39 Old Ridgebury Road • Danbury, CT 06817-0001 EPA Reg. No. 10352-WV-2 UCC-L26468 (6/96)				o. 10352-WV-2	STORAGE AND DISPOS	AL
R'SEXCLUSIVE LIABILITY FOR SULTING FROM THE USE OR LITY IS BASED IN CONTRACT, SHALL BE LIMITED, AT THE PAYMENT OF THE PURCHASE TOT DUMAGES ADE ON UNCE	UCARCÍDE® is a registered trademark Made in Ù.S.Á of Union Carbide. PE0696 Net Contents				PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pestickle wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Metal Containers or Plastic Controliners; Triple rinse (or equivalent). Then		
HICH DAMAGES ARE CLAIMED. FOR SPECIAL, INDIRECT OR NDLING OF THIS PRODUCT.	26468	CONTAINER SIZE SHIPPING NAME	(1,2-BENZENEDIC	SOLID, N.O.S. XARBOXALDEHYDE)		offer for recycling or recorditioning, or purcharacter and response to a sanitary is approved by state and local authorities, Plastic Containers: May be incinera and local authorities, by burning. If burned, stay out of smoke. Metal Contail incinerated. Do not cut or weld on or near metal containers.	andfill, or other procedures ated, or, if allowed by state
ND UNDERSTAND	PRODUCT CODE	NET WEIGHT 8	UN 1760	PG III		L BEAUARANA DA DALAM AL AL BAW AN AL DEGI THOUS AND BUSA	

.

EMERGENCY CONTACT (24 HOURS PER DAY): IN USA 1-800-UCC-HELP (1-800-822-4357)

OUTSIDE USA 01-304-744-3487

JCT.

L SAFETY DATA

....

487