

FRM-CHLOR

DIRECTIONS:

FRM-CHLOR WASH SANITIZER is recommended for use in sanitizing dairy equipment, dishes, glasses, food processing equipment and utensils.

Dissolve 1 or 2 oz. of FRM-CHLOR WASH SANITIZER per 10 gal. of warm (125°F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Rinse well with potable water and dry. The items are then ready for use.

DIRECTIONS: (con't on right panel)

Active Ingredient

Sodium dichloro-s-triazinetriene dihydrate 28%
(provides 15.8% available chlorine)

Inert Ingredients

72%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause severe eye irritation. Do not get in eyes or on skin. Do not breathe dust.

FIRST AID: If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

SOLUBLE CHLORINE BEARING POWDER

EPA Reg. No. 10366-6 E.P.A.-Est. 10366-Mo.-1

Sold by: **FRM CHEM, INC.**
Box 216 28 Front St. Valley Park, Mo. 63088

The s
mixin
and to
taine
shoul
of 100
W
Store
conta
chlor
mix v
may
Decor
gases
taine
large
Do n
thoro
where
water
ment
speci

ACCEPTED

10366-6

FEB 18 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE
ACT FOR ECONOMIC POISON REGISTRATION
ED UNDER NO.



FRM-CHLOR

Active Ingredient

Sodium dichloro-s-triazinetriane dihydrate 28%
(provides 15.8% available chlorine)

Inert Ingredients

72%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause severe eye irritation. Do not get in eyes or on skin. Do not breathe dust.

FIRST AID: If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

SOLUBLE CHLORINE BEARING POWDER

EPA Reg. No. 10366-6 E.P.A.-Est. 10366-Mo.-1

Sold by: **FRM CHEM, INC.**

Box 216 28 Front St. Valley Park, Mo. 63088

Net Weight 5 lbs.

DIRECTIONS, Continued

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional FRM-CHLOR WASH SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

WARNING:

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire.

Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on this label.

STERI-DINE DISINFECTANT DIRECTIONS FOR USE:

Udderwashing:

Use a clean towel for each cow. Wet in STERI-DINE DISINFECTANT solution, one-half ounce in 10 qts. (2 - 1/2 gal.) warm water (100°F.), which provides 25 ppm titratable iodine.

Sanitizing Buildings and Equipment on the Farm:

To sanitize surfaces of buildings, equipment, or utensils which have previously been thoroughly cleaned, use 1 ounce of STERI-DINE DISINFECTANT in 5 gallons of water. Spray or swab solution on surfaces to be sanitized. Allow to drain dry without rinsing.

Sanitizing Poultry Drinking Water:

Add 1 ounce of STERI-DINE DISINFECTANT to every 10 gallons of drinking water. The regular use in the drinking water also keeps the waterers free of slime and mineral deposits.

Food Plant Sanitization:

Use 1 ounce of STERI-DINE DISINFECTANT in each 5 gallons of water as the final sanitizing rinse on previously-cleaned food-processing equipment and utensils. Drain, but do not rinse. When used at this dilution (1:640), STERI-DINE DISINFECTANT does not require a final potable water rinse, as prescribed in Federal Food Additive Regulation 121.2547.

Shoe Bath:

To help prevent tracking disease organisms into poultry houses, farrowing houses, and hog barns, place a shoe bath inside the doorway, containing 3 ounces of STERI-DINE DISINFECTANT per gallon of water. After scraping shoes outside doorway, stand in shoe bath for 30 seconds prior to entering building interior. Change shoe bath daily.

Deodorant:

STERI-DINE DISINFECTANT destroys many odors as it sanitizes and disinfects. For general deodorant applications (garbage pails, refuse containers, etc.), swab or spray on a solution of 1 ounce of disinfectant per gallon of water.

Cleaning and Disinfecting Buildings and Equipment on the Farm:
BEFORE PROCEEDING AS INDICATED BELOW, remove all animals and feeds from premises, cars, boats, trucks, and other equipment. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances, saturating all surfaces with STERI-DINE DISINFECTANT solution. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers. Ventilate buildings, cars, boats, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers must be thoroughly rinsed with potable water prior to reuse.

THEN, clean and disinfect in one easy step with STERI-DINE DISINFECTANT. Use 1/2 ounce STERI-DINE DISINFECTANT per gallon of water. Scrub surfaces to be cleaned and disinfected with a good brush or with a power sprayer. Start at the highest point of the building or equipment being cleaned, and work down. Let solution drain dry without rinsing.

DANGER:

CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.



FOR UDDE
FOR CLEA
SANITIZIN
BARNs AN
PROCESSIN

STERI-DINE D
STERI-DINE D
STERI-DINE C
STERI-DINE C

solut


ACTIVE INGRE
alpha-(p-Nonyl
(Providi

Phosphoric Ac
INERT INGRED

Manufactured under th

Manufactured b

EP



FIRM-CHLOR

DIRECTIONS

FIRM-CHLOR WASH SANITIZER is recommended for use in sanitizing dairy equipment, dishes, glasses, food processing equipment and utensils.

Dissolve 1 or 2 oz. of FIRM-CHLOR WASH SANITIZER per 10 gal. of warm (125° F.) water. This will give you 100 ppm. of available chlorine. Immerse articles to be sanitized in solution and hold for 2 or 3 minutes. Remove, rinse items prior to sanitizing. Then dip the items in the sanitizing solution and hold for 2 or 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank or immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Rinse well with potable water and dry. The items are then ready for use.

DIRECTIONS: (cont'd on right page)

Active Ingredient

Sodium dichloro-s-triazinetriene dihydrate 28%

Inert Ingredients

72%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause severe eye irritation. Do not get in eyes or on skin. Do not breathe dust.

FIRST AID: If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact, remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

SOLUBLE CHLORINE BEARING POWDER

EPA Reg. No. 10366-6 EPA Est. 10366-M-1

Sold by: FIRM CHEM. CO.

Box 216 28 Front St. Valley Park, Mo. 63088

DIRECTIONS


The sanitizing solution should be mixed. If the solution is allowed to stand and tests show the level of chlorine has fallen, additional FIRM-CHLOR should be added, to maintain a level of 100 ppm. available chlorine.

WARNING:

Store in a cool, dry, well-ventilated place. Contamination may occur from contact with other chemicals. Do not mix with other chemicals. May cause fire.

Decomposes at 350-475° F. releases chlorine gas. In case of decomposition, contain in open air or well-ventilated place. Use large volume of water if necessary.

Do not reuse empty container. Rinse thoroughly. Treated effluent should be drained into lake or water. Do not contaminate ground water or disposal of waste. See side panel for disposal of waste specified on this label.



FRM-CHLOR

Active Ingredient

Sodium dichloro-s-triazinetrione dihydrate 28%
(provides 15.8% available chlorine)

Inert Ingredients

72%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause severe eye irritation. Do not get in eyes or on skin. Do not breathe dust.

FIRST AID: If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact, remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

SOLUBLE CHLORINE BEARING POWDER

EPA Reg. No. 10366-6, EPA Est. 10366-M-1

Sold by

FRAMCHEM, INC.

Box 216 28 Front St.

Valley Park, Mo. 63088

Net Weight 5 lbs

DIRECTIONS, Continued

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional FRM-CHLOR WASH SANITIZER should be added to maintain a minimum concentration of 100 ppm available chlorine.

WARNING:

Use in a well-ventilated area. Moisture contamination may be fatal, irritating and hazardous to the respiratory system. Do not use with other chemicals. Contact with organic matter may cause fire.

On disposal of the 475 lb. with liberation of harmful gases. In case of decomposition, if possible isolate container, open in well-ventilated area. Flood with large volume of water if necessary.

Do not use empty container. Rinse empty container thoroughly. Excess material should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product as specified on this label.