

DIRECTIONS

Algaecide 40

1. In freshly filled pools or pools showing no visible algae growth add one quart Algaecide 40 per 50,000 gallons of water to prevent algae growth.
2. If algae growth is observed, add one quart Algaecide 40 for each 20,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one quart Algaecide 40 per 50,000 gallons of water.
3. If the pool water treated as in (1) or (2) is recycled, add one quart of Algaecide 40 per 50,000 gallons of water every five to seven days to maintain between two and five parts per million active ingredient. See serviceman for test kit.
4. If the pool water treated as in (1) or (2) above is not recycled or not filtered it should be tested periodically to determine the active ingredient content. When necessary, one quart Algaecide 40 per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.

FOR CLEAR SPARKLING SWIMMING POOLS

ALGAECIDE 40

CONCENTRATED ALGAECIDE

ACTIVE INGREDIENTS:

N-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
Dimethyl Benzyl Ammonium Chloride 40

INERT INGREDIENTS:

Water and Ethanol 60%

Danger — Keep out of Reach of Children

See Precautions on Side Panel

See antidote and other precautions on side panel

E.P.A. REG. NO. 10369-2

ANTECH Chemical Co., Inc.

MIDDLETON, MASS.

CONTENTS: ONE QUART

Algaecide 40

DANGER:

Keep out of reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, flush with water for at least 15 minutes. If irritation persists get medical attention.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FISH & WILDLIFE CAUTION

This product is toxic to fish. Do not discharge treated effluent where it will drain into lakes, streams, or ponds.

Rinse empty container thoroughly with water and discard it.

PRINTED IN U.S.A.

2/16/72

10369-2