

DIRECTIONS FOR USE:

For general household use, use a pump sprayer adjusted to spray at 15-20 psi.


FLIES, MOSQUITOES, GNATS: Open all doors and windows. Direct spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-20 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sawflies, silverfish and carpenter beetles. Spray thoroughly into hiding places such as cracks, crevices, under floor, baseboards and pipes and under refrigerators, barbecues, and storage areas. Spray directly on insect when possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible to protect as necessary.

REGISTERED AND DISTRIBUTED BY

 **Chemical & Service, Inc.**

907 South Main P. O. Box 734
 PACADENA, TEXAS 77501

**FORD'S 99P-1002™
 INSECTICIDE SPRAY**

For Indoor Use Only

FOR: General household use, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

ACTIVE INGREDIENTS:

* Chlorpyrifos methyl 2,2-dimethyl-3-hydroxypropyl phosphate	95.700
Permethrin	3.300
Aromatic petroleum hydrocarbons	3.000
Petroleum distillate	95.700

INERT INGREDIENTS 0.000

TOTAL 100.000

* Contains 60% active ingredient. max. 30 (1) oz and min. 70 (1) oz. + U.S. Patent No. 3,405,007

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Hazardous material. Do not store near heat or open flame. Do not reuse container. Destroy when empty. Avoid contact with children and pets. Use as a space spray in food storage areas, spray only when the plant is not in operation. For use in areas where insects are covered during treatment. All food preparation areas should be covered or thoroughly cleaned before use. Do not use in areas where food is prepared before spraying. Do not use in areas where food is prepared from room prior to treatment. Do not use in areas where ventilation for 2 hours after treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

EPA REG. NO. 10370-6
 EPA EST. #10370-TX-1

LCT NO. _____
 NET CONTENTS _____

FOR USE IN
 ROOMS