

This Copy Is In Response to EPA letters dated June 20, 1986 & Nov. 6, 1986.

fords[®]

Ready To Use

PYRENONE - DIAZINON
RESIDUAL-SPRAY LIQUID

070187 FLS

A Quick Acting Surface Spray For Indoor and Outdoor Use
In Homes, and Non-Food Areas of Institutions, Restaurants
and Food Processing Plants

ACCEPTED
OCT 26 1988
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10370-20

KILLS ROACHES
ANTS, FLIES, MOSQUITOES, FLEAS (OUTDOORS),
WATERBUGS, WASPS, BROWN DOG TICKS, SILVERFISH, SPIDER,
CHIGGERS, FLYING MOTHS AND CARPET BEETLES

ODORLESS - STAINLESS

THIS PRODUCT HAS RESIDUAL ROACH KILLING POWER
AND WILL REMAIN EFFECTIVE FOR 3 TO 4 WEEKS

ACTIVE INGREDIENTS:

| | |
|---|----------|
| DIAZINON: [O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate] | 0.500% |
| Pyrethrins | 0.052% |
| *Piperonyl Butoxide, technical | 0.261% |
| INERT INGREDIENTS** | 99.187% |
| Total | 100.000% |

*(Equivalent to 0.209% of (butylcarbityl)(6-propylpiperonyl) ether and 0.052% of related compounds)

**Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Product contains a Petroleum Distillate. Do not induce vomiting unless under the supervision of a physician. Vomiting may cause aspiration pneumonia. Gastric lavage is indicated if product was swallowed. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air & apply Artificial Respiration if needed. Call a physician.

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. ~~If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine.~~

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 10370-20

EPA EST. NO. 10370-TX.1

NET CONTENTS: 1 QUART (1 GALLON)

FORDS CHEMICAL & SERVICE, INC.
2739 PASADENA BLVD.
PASADENA TEXAS 77502

Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Wash thoroughly after using and before eating or smoking. Avoid contamination of food, utensils and food preparation areas. Do not use on household pets or humans. Do not allow children or pets in treated areas until spray has dried. Do not use as a Space Spray indoors.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to any body of water. Apply this product only as specified on this label. Do not apply to plants.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Provide adequate ventilation during application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not re-use empty container. Rinse thoroughly before discarding in trash.

NOT USE IN EDIBLE PRODUCT AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHERE FOOD IS EXPOSED.

DIRECTIONS FOR USE (Cont.)

INDOOR PEST CONTROL

For ROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS: Spray "until wet" into all cracks, around baseboards and other places where these insects hide. Also behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as needed.

For CARPET BEETLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to the floor and baseboards, Spray directly into cracks, closet and infested areas of shelving. Repeat as necessary.

For BROWN DOG TICKS: Apply a light spray mist to areas of animal sleeping quarters. Treat areas around baseboards, windows and door frames and wall coverings. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment.

DO NOT TREAT ANIMALS WITH THIS PRODUCT.

DIRECTIONS FOR USE (Cont.)

This Copy Is In Response to EPA letters dated June 20, 1986 & Nov. 6, 1986.

DIRECTIONS FOR USE
INDOOR PEST CONTROL (Cont.)

FLEAS, clean premises thoroughly before treatment. Using a coarse ~~nozzle~~ or fan spray, treat the entire floor and carpet area. Special attention should be given to cracks and crevices and under carpet and rug edges. Also treat animal sleeping quarters, closets, upholstered furniture (with particular attention to seams), beds, under sofas and other furniture. In animal sleeping quarters, bedding should be cleaned or replaced with fresh bedding. Do not use this application in children's nurseries or any area where infants may sleep. Apply at the rate of approximately 1 gallon to 750 Sq. Ft. (17 fl. oz. per 100 Sq. Ft.). To avoid reinfestation, pets must be treated simultaneously, with an E.P.A. approved insecticide labeled for use on animals. Application should be repeated as necessary. Humans and pets should avoid contact with treated surfaces (rugs, upholstered furniture, etc.) for 4 hours after treatment.

OUTDOOR PEST CONTROL

For FLIES, MOSQUITOES, WASPS, AND FLYING MOTHS: For outdoor use as an aid in reducing annoyance from these insects. Spray outside surfaces of screen doors, window frames or wherever these insect may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insect alight or congregate.

For FLEAS, CHIGGERS, ANTS: For treatment of localized infestations of these insects in outdoor areas, spray weeds and bushy non-crop areas around the home thoroughly. Avoid spraying desirable plants. For Ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as infestations occur.

NOTICE: Buyer and user assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

BEST AVAILABLE COPY