

Reg # 10370-25

PM-10

193

4/4/91

ford's

COMMERCIAL SPRAY

(Contains 0.2 pounds of SBP-1382 per gallon)

FOR INDOOR USE IN ULV, MECHANICAL MISTING
SPRAYERS, OR THERMAL FOGGERS

FOR HOMES, STORES, INSTITUTIONS, RESTAURANTS,
FOOD PROCESSING PLANTS, WAREHOUSES, INDUSTRIAL
INSTALLATIONS, AND HORSE STABLES

ACTIVE INGREDIENTS

* δ Resmethrin ([5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-
3-(2-methyl-1-propenyl)cyclopropanecarboxylate
Related compounds
~~Aromatic petroleum hydrocarbons~~
~~Petroleum distillate~~

3.00% w/w
0.41

~~96.572~~
100.00%

** INERT INGREDIENTS:

*Cis/trans isomers ratio: max. 30% (±) cis and min. (±) trans

U.S. Patent Nos. 3,465,007 and 3,542,928

\$Penick's SBP-1382® brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071.

** CONTAINS PETROLEUM DISTILLATE

T.M. Penick Corporation Trademark

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No. 10370-25

EPA Est. No. 10370-TX-1

Formulated By

Ford's Chemical & Service Inc.

2739 Pasadena Blvd.

Pasadena, Texas 77501

6-82

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Product Guidance for Phase 2
Annex, Page 2.12, Active to Inert Change in Status.

DIRECTIONS FOR USE

For ULV use in mechanical aerosol generators such as the LECO Mini ULV or Micro-Gen. Apply undiluted at the rate of 0.5 fl. oz. of concentrate per 1000 cubic feet of space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. This undiluted spray may be applied in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Extinguish all flames in the area to be treated. Shut off all air conditioning or ventilating equipment.

Vacate room before application. Leave closed for one hour after spraying. Ventilate room thoroughly before reentry.

Spore Spray—To kill adult and accessible stages of insect pests of stored foods: Grain Weevils, Flour Beetles, Saw-toothed Grain Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Grain Mites, Carpet Beetles and Spider Beetles. Direct output into corners, under pallets, filling as many of the insects as possible and then treat as a space spray upward toward upper corners of room and ceiling.

To kill houseflies, mosquitoes and gnats, treat as a space spray directing output toward upper corners of room and ceiling.

Contact Spray—Use undiluted to kill roaches, silverfish, earwigs, ants, spiders, crickets, centipedes, sowbugs, millipedes, carpet beetles. Apply the spray as a coarse wet spray into all cracks and crevices in woodwork, walls, floors, beneath sinks and other insect harborage contacting as many insects as possible.

To kill wasps and hornets, contact application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places, contacting as many insects as possible. Repeat as necessary.

For mechanical mixing equipment such as the Microsol or Challenger Machine.

Diluting Instructions—Dilute to 0.5% SBP-1382 by adding 1 fl. oz. of the 3.0% concentrate to 5 fl. oz. of petroleum distillate.

Dilute to 0.25% SBP-1382 by adding 1 fl. oz. of the 3.0% concentrate to 11 fl. oz. of petroleum distillate.

Dilute to 0.20% SBP-1382 by adding 1 fl. oz. of the 3.0% concentrate to 14 fl. oz. of petroleum distillate.

Dilute to 0.10% SBP-1382 (which would be used for flying insects only) by adding 1 fl. oz. of the 3.0% concentrate to 29 fl. oz. of petroleum distillate.

For most effective results against flying insects, operate spraying dispenser adjusted to deliver a fine mist. For flying insects, use either 0.10% or 0.25% SBP-1382.

To kill houseflies, mosquitoes, gnats, wasps, hornets and small flying moths. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room before reentry. Repeat as necessary.

To kill crawling insects, adjust spray to produce large wetting type spray particles and use either 0.25% or 0.50% SBP-1382.

To kill roaches, earwigs, grain mites, sowbugs, spiders, silverfish, crickets, centipedes and grain insects (adult and accessible stages of confused flour beetles, red flour beetles, sawtoothed grain beetles, shiny spider beetle, carpet beetles, grain weevils, Angoumois grain moths, Indian meal moths): Spray thoroughly into hiding places such as cracks, crevices, meat areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

To Kill Wasps and Hornets—Contact application should be made in late evening when the insects are at rest. Spray liberally into hiding and nesting places, contacting as many insects as possible. Repeat as necessary.

To Kill Ants—Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

THERMAL APPLICATIONS, INDOORS—Use 0.2% SBP-1382 for the control of houseflies, mosquitoes and gnats in warehouses, restaurants and industrial institutions. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated.

Extinguish all flames and pilot lights. Apply as a drying fog at the rate of 1 1/2 fluid ounces per 1000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated area. Ventilate the area before reentry.

WARRANTY STATEMENT—Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practices. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed. Avoid breathing vapor. Avoid Contact with skin, eyes, or clothing. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from other clothing, before re-use.

**STATEMENT OF PRACTICAL
TREATMENT**

IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Call a physician.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

IF ON SKIN: Wash off with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling **SEE SIDE PANEL FOR ADDITIONAL INSTRUCTIONS.**

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by methods of storage or disposal. Open burning, open dumping, including burial, are prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Properly identify all used containers. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. A container size of 30 gals. or more may be resealed and offered for reconditioning.

GENERAL: Consult Federal, State or Local disposal authorities for approved alternate procedures.

This concentrate is designed for use undiluted in ULV sprayers such as the Leco Mini ULV or Micro-Gen, which give particles of aerosol size. It can also be diluted with oils which meet food additive regulation 172-884 for use in mechanical logging equipment such as the Microsol or Challenger machines which give larger particles. It can also be diluted with oil as specified and applied as a contact spray.

In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

Before application, remove plants and animals from area to be treated. Remove horses before spraying stables. Use of this product in horse stables is restricted to stables housing horses that will not be used for food.

DEC 13 1992