

4/4/91

FORD'S
HOUSEHOLD + APARTMENT SPRAY
~~COMMERCIAL TIGGING SPRAY~~

Effective, Fast-Acting PYRENONE* Insecticide
For use in Homes, Institutions, Restaurants and Food
Processing Plants

Kills on contact exposed or accessible stages of:

Roaches, Silverfish, Crickets, Spiders, Ants, Fleas, Cadelles, Flies,
Skippers, Gnats, Wasps, Hornets, Sand Flies, Mosquitoes, Bedbugs, Meal
Worms, Meal Moths, Grain Mites, Rice Weevil, Spider Beetles, Angoumois
Grain Moth, Confused Flour Beetle, Saw-Toothed Grain Beetle,
Mediterranean Flour Moth, Brown Dog Ticks in Buildings, Cheese Mites,
Carpet Beetles, Granary Weevil, Red Flour Beetle, Clothes Moths.

ACTIVE INGREDIENTS ~~.....~~

Pyrethrins.....0.10%
Piperonyl Butoxide, Technical*.....0.50%
Petroleum Distillate ~~.....99.40%~~

** INERT INGREDIENTS.....99.40%

*Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl) ether and
to 0.1% of related compounds.

** CONTAINS PETROLEUM DISTILLATE

C A U T I O N

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs.
Avoid contact with eyes. In case of contact, immediately flush eyes
or skin with plenty of water. Get medical attention if irritation
persists.

The use of this product in food processing establishments should be
confined to time periods when the plant is not in operation. Food
should be removed or covered during treatment. All food processing
surfaces should be covered during treatment or thoroughly cleaned
before using. Vacate treated areas and ventilate before reoccupying.
Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams.
Do not contaminate water by cleaning of equipment or disposal of
wastes. Apply this product only as directed on the label.

EPA REG. NO. 10370-26

EPA EST. NO. 10370-TX-1

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry, locked area inaccessible to children and pets. **PESTICIDE DISPOSAL:** Pesticide that cannot be used must be disposed of according to applicable Federal, state or local procedures. **CONTAINER DISPOSAL:** Do not reuse empty container. Wrap container and place in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY: For rapid control of flies, fruit flies, mosquitoes, gnats, flying moths, sand flies, wasps and hornets: Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 to 2 ounces per 1,000 cubic feet of space. Vacate the treated area and ventilate before reoccupying. Keep the area closed for ten minutes after treating. Repeat application when reinfestation occurs.

SURFACE APPLICATION: To control roaches, silverfish, crickets and spiders: Apply as a coarse wetting spray directed into locations where these insects may hide; behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, around plumbing, drains and in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.

Against ant infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally. Repeat treatment as necessary. In controlling fleas and brown dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture and picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets

and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers.

To control infestations of granary weevils, rice weevil, saw-toothed grain beetle, confused flour beetles, rusty grain beetle, red flour beetle, cadelles, meal worms, grain mites, Angoumois grain moth, Indian meal moth and Mediterranean flour moth in food storage areas: If possible, clean out and destroy any infested food products, otherwise, fumigation or other effective treatment should be made using an approved product intended for this purpose. Apply this spray thoroughly to all surfaces of shelves, cabinets, bins, pantries, and similar food storage areas with particular attention to cracks, crevices, niches, and other hiding places.

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects named on this label (excepting clothes moths, bedbugs, and carpet beetles): Apply using conventional mechanical thermal or compressed air equipment. Fill the entire area with mist, using 3 to 6 ounces per 1,000 cubic feet of space. Repeat treatment as needed.

Manufactured by

FORD'S CHEMICAL & SERVICE, INC.
2739 Pasadena Blvd.
Pasadena, Texas 77502

EPA REG. NO. 10370-26

EPA EST. NO. 10370-TX-1

041381 FCS
5/88

WS4-10
Comm FOGS.

