

Reg. # 10370-29

PM-19

191

Ford's

AquaKill ROACH & ANT SPRAY

ACTIVE INGREDIENTS

*Chlorpyrifos [0.6 d-ethyl 0-3,5,6 trichloro-2 pyridyl] phosphorothioate
Xylene (aromatic solvent)
* INERT INGREDIENTS

99.5%
0.50%
100.00%

* CONTAINS XYLENE RANGE AROMATIC SOLVENTS

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL PRECAUTIONS

CAUTION

HAZARDS TO HUMANS

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.
IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.
IF ON EYES: Flush with plenty of water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residue on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. Ford's Aqua Kill is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. DO NOT STORE BELOW 32°F.
AGRICULTURAL CHEMICAL
DO NOT SHIP OR STORE WITH FOOD, FEEDS, DRUGS, OR CLOTHING.

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PESTS INDOORS

General Information: Use Aqua Kill insecticide to control the pests indicated in the areas listed below by application of the product as an undiluted spray (0.5% chlorpyrifos). Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Application Within Residential Buildings Including Homes and Apartment Buildings and Within Non-food Areas of Industrial, Institutional, and Commercial Buildings Including Hospitals, Stores, Manufacturing Plants and Warehouses. For Spot Treatment Only — Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, clover mites, crickets, firebrats, silverfish, and spiders are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. NOTE: A period of four to seven days is normally required for maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply as a spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving and wherever else these insects are seen or suspected.

For control of fleas and brown dog ticks, thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

PESTS OUT-OF-DOORS


FLIES, MOSQUITOES: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS AND EARWIGS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestation occurs.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.



EPA Est. No. 10370-Tr-1
EPA Reg. No. 10370-29
NET CONTENTS
U.S. PATENT NO. 3224526

Ford's Chemical & Service, Inc.
2739 Pasadena Blvd
Pasadena, Texas 77502

Not for use on...