

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 13 1994

Christina M. Lawes ROUSSEL UCLAF CORP. 95 Chestnut Ridge Road Montvale, NJ 07645416

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SUBJECT:

Label Amendment Submissions of 11/08/93 in Response to PR Notice 93-7

EPA Reg. No.: SEE ATTACHED 10370-32

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodencicide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 one the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Enclosures

BEST COPY AVAILABLE



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled from

145

ROUSSEL UCLAF CORP. 10370 11/08/93

Original Submissions

FORD'S LIQUID SEVIN 2L BRAND CARBARYL INSECTICIDE - 10370-32 FORD'S DURSBAN 2.5% G - 10370-54 FORD'S 50% MALATHION EC - 10370-147 FORD'S CRABGRASS AND FOXTAIL KILLER - 10370-169 LAWN FUNGICIDE GRANULES - 10370-202 ORGANICIDE DIP - 10370-207 CLEAN CROP SEVIN BRAND CARBARYL INSECTICIDE LIQUID - 10370-285

JUN 3 0 1994

Ford's Liquid Sevin* 2L Brand Carbaryl Insecticide

Under the Federal Insecticide, Fundicide, and Redenticide Act as amended, for the pasticide ragistered under EPA Reg. No.

• For Use on Ornamentals, Flowers, Lawns, Fruit Trees and Vegetables

ACTIVE INGREDIENT:

* Sevin is a Registered Trademark of Rhone-Poulenc

EPA Reg. No. 10370-32

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution. May be harmful if swallowed. Avoid breathing vapor or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not take internally. Keep children and animals off treated lawns until these areas are dry. Avoid contamination of food.

Note to Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Environmental Hazards

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residue on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store product in its original labeled container in a cool, dry, locked place out of reach of children. Disposal: Do not reuse empty bottle. Wrap and put in trash.



Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes, ornamental gardens or parks, or on golf courses or lawns and grounds.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels. Use 3 tablespoons of concentrated Liquid Sevin 2L for 1 gallon of water and apply thoroughly. Do not store diluted spray. Make new dilution for each use.

Roses, Ornamentals, Flowers, Shrubs, Shade Trees

Japanese Beetles, Rose Aphids, Bagworms, Elm Leaf Beetles, Leafminers (Birch, Boxwood and Oak), Rose Slugs, Periodical Cicadas (17 Year Locust), Scale Insects, Eastern Tent Caterpillars, Blister Beetles, Leaf Rollers, Exposed Thrips - Spray when first signs of damage appear and repeat every 7 to 10 days as necessary. Important - Do not use on Boston Ivy.

Apples

IMPQRTANT: To avoid possible fruit thinning on apples, do not apply within 15 days after petal fall. Apple Maggot, Rosy Apple Aphid, Fruit Tree Leaf Roller, Eastern Tent Caterpillar, European Apple Sawfly, Apple Rust Mite. May be applied within 1 day of harvest.

Pears

Pear Psylla, Japanese Beetle, Green Fruitworm, Pear Leaf Blister Mite, Pear Rust Mite - Make application between bud break and bloom, and a second at petal fall and then 3 to 4 week intervals for 3 to 4 months as necessary. May be applied within 1 day of harvest.

Peaches, Apricots and Nectarines

Oriental Fruit Moth, Peach Twig Borer, Plum Curculio, Codling Moth, Fruit Tree Roller, June Beetles, Japanese Beetles, European Earwig - Do not apply within 1 day of harvest for Peaches, and within 3 days of harvest for Apricots and Nectarines. For Peach Tree Borer, apply 2 or 3 sprays to trunk from ground to scaffold limbs, time with moth flight. For Codling Moth, Oriental Fruit Moth and Plum Curculio, apply at petal fall and every 10 to 14 days thereafter until control is achieved.

Lawn Insects

Sod Webworms, Earwigs, Grasshoppers, Fleas and Ants - Use 2 tablespoons per gallon of water for each 50 square feet of established lawn covered. For best results, use a hose-end sprayer and apply after mowing and watering area to be treated. Do not water for two days after treatment. Repeat in 2 to 3 weeks as necessary.

Tomatoes, Peppers, Cucumbers, Summer Squash

Pickleworm, Fruitworms, Melon Worms, Hornworms, Fall Armyworms, Corn Borer - Apply when insects first appear. Repeat at 7 to 10 day intervals.

Lynn

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.