

14. 112

MAR 22 1989

Mr. Richard B. Boyd, Jr.  
Ford's Chemical & Service, Inc.  
2739 Pasadena Boulevard  
Pasadena, TX 77502

Dear Mr. Boyd:

Subject: Ford's Dursban 1/2 G  
EPA Registration No. 10370-36  
Your Submission Dated February 3, 1989

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. Please delete the "disposal of wastes" sentence under the Environmental Hazards heading and replace with "Do not contaminate water when disposing of equipment washwaters."
  - b. Note the correct spelling "Call a physician immediately."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

50369:I:Edwards:240331:LE-14:KENCO:3/17/89:3/28/89:rw:JH:aw

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Denals H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (H7504C)

Enclosure

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

F O R D ' S

**FLEA & TICK LAWN & PERIMETER  
GRANULAR INSECTICIDE**

MAR 22 1980

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

KILLS INSECTS IN LAWNS

10370-36

**ACTIVE INGREDIENTS:**

Chlorpyrifos [0,0-diethyl-0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].....	0.5%
INERT INGREDIENTS.....	99.5%
TOTAL.....	100.0%

**CAUTION: KEEP OUT OF REACH OF CHILDREN  
MAY BE HARMFUL IF SWALLOWED**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies.

**NOTE TO PHYSICIAN:** Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. Apply respiration if indicated. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. **IF IN EYES:** Flush eyes for at least fifteen minutes with water. Call a physician immediately.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty or any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or

implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

#### USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply FORD'S FLEA & TICK granular insecticide uniformly to home lawns and other ornamental and recreational turf grass areas by using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear, using FORD'S FLEA & TICK at the rate of 200 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one direction, then apply the balance at a right angle. Immediately after application, sprinkle the turf with 1,300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of FORD'S FLEA & TICK and water needed for small sized areas. Re-treat as necessary.

#### RATES TO USE

AREA TO BE TREATED	LBS. OF FLEA & TICK	GALS. OF WATER TO SPRINKLE ON TURF AFTER TREATMENT
1,000 SQ. FT.	5	30
5,000 SQ. FT.	25	150
10,700 SQ. FT.	50	325

For control of fleas and brown dog ticks, thoroughly apply FORD'S FLEA & TICK as a spot treatment to infested areas such as:

**PET BEDS:** Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Do not apply this product indoors. To control the source of your flea infestation, treat pets with an EPA approved product registered for direct application to pets.

**YARD AREAS:** Apply FORD'S FLEA & TICK uniformly to home lawns, under shrubbery, and other ornamental recreational turf grass areas. Treat when insects first appear using granules at the rate of one pound per 200 sq. ft. or 4 pounds per 800 sq. ft. To help obtain uniform distribution, apply one-half required amount of product in one direction, then

apply the balance at a right angle. Immediately after application, sprinkle the turf with 40 gallons of water per 800 sq. ft. so as to wash the granules into the zone of insect infestation. Re-treat as necessary.

**COCKROACHES:** To help prevent infestation of buildings by cockroaches, treat a band 6 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of one pound per 200 sq. ft. or 5 lbs. per 1,000 sq. ft.

**DO NOT TREAT PETS WITH THIS PRODUCT**

Do not reuse empty container. Wrap container and put in trash collection.

To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of FORD'S FLEA & TICK shown in the table, i.e., 10 to 20 pounds per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.


To control Hyperodes (turfgrass) weevils use twice the rate of FORD'S FLEA & TICK shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for the best time to treat in your area.

**AGRICULTURAL CHEMICAL  
DO NOT SHIP WITH FOOD, FEEDS OR CLOTHING**

Manufactured by

FORD'S CHEMICAL & SERVICE, INC.  
2739 Pasadena Blvd.  
Pasadena, Texas 77502

EPA REG. NO. 10370-35  
EPA Est. No. 10370-TX-1



6/18/87 Ford's Chemical & Service, Inc.  
EPA Est. No. 10370

AMENDED COPY

D U R S B A N 1/2%G

IMPORTED FIRE ANT MOUND TREATMENT: As an aid in the control of the Imported Fire Ant, apply one cup of this product to the center of the mound and out two feet surrounding it. Do not water in or disturb the mound. Apply when temperatures are between 65° and 80° F. Allow 3 to 4 days for maximum control, then repeat as necessary.

Ford's Dursban 1/2%G  
EPA Reg. No. 10370-36

