

ford's

NON FOOD AREAS

NON FOOD AREAS Includes garbage rooms, laundries, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Prepare the spray as recommended in the table and apply as a spot treatment to baseboards, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS AND IN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING NON-FOOD AREAS OF HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES. For spot treatment only — apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to Diszinon), ants, crickets, firebrats, silverfish, and spiders are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

FOR CONTROL OF BROWN DOG TICKS. Thoroughly apply a concentrate spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

FLIES AND MOSQUITOES: Use only out-of-doors as an aid in reducing annoyance from these insects. Thoroughly apply a concentrate spray to outside surfaces of window and door frames as well as other areas where these pests may find entrance into structures. Also spray dark corners and localized resting areas (such as under eaves) where flies and mosquitoes may congregate. Repeat treatment when effectiveness diminishes.

**DURS-VAP
INSECTICIDE CONCENTRATE**

A water emulsifiable formulation of Chloryrifos and DDVP for fast-acting, long lasting control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders, and Brown Dog Ticks in and around Residential, Commercial, Industrial, and Institutional structures. Also use out-of-doors as an aid in reducing annoyance from Flies and Mosquitoes.

To be applied only by or under the supervision of Pest Control Operators, Public Health Organization, and other trained personnel responsible for insect control programs.

ACTIVE INGREDIENTS

Chlorpyrifos 0.0 diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate	16.4%
2,2-Dichlorovinyl dimethyl phosphate	7.6%
Related compounds	0.6%
Xylene Range Aromatic Solvent	61.2%
INERT INGREDIENTS	11.2%

Contains 1.34 pounds of chlorpyrifos and 0.67 pound of 2,2-dichlorovinyl dimethyl phosphate (DDVP) and related compounds per gallon.

KEEP OUT OF REACH OF CHILDREN



SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

EPA Reg. No. 10170-45

EPA Est. No. 10370-TX-1


NET CONTENTS ONE GALLON

MANUFACTURED BY

ford's Chemical & Service, Inc.

2739 PASADENA BLVD.
PASADENA, TEXAS 77502

241



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

KEEP OUT OF REACH OF CHILDREN
HARMFUL OR FATAL IF SWALLOWED, ABSORBED
THROUGH SKIN, OR INHALED
CAUSES EYE DAMAGE AND SKIN IRRITATION
COMBUSTIBLE

Do not take internally. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly after handling, and before eating, drinking, or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and domestic water supplies. Do not breathe vapors or spray mist. Keep container closed.

Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

Note to Physician: Chlordanes and DDVP are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife, and birds. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not store near food, feed, or food processing areas. STORAGE: Do not eat, drink, or light cigarette near stored area. Store in a vented, closed area.

PESTICIDE DISPOSAL: Pesticide spray residue water off of sprayer and label instructions must be disposed of according to Federal, State, and Local regulations under the direction of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Throw empty containers in the trash. Rinse containers three times with water. Then allow to dry. Do not burn. Do not puncture and dispose of in a sanitary landfill or by other approved state or local procedures.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Use DURS VAP insecticide to control the pests indicated in the areas listed below by application as a dilute spray containing 0.2% chlorpyrifos and 0.125% DDVP or a more concentrated spray containing 0.5% chlorpyrifos and 0.25% DDVP. Use the dilute spray to control light infestations and the more concentrated spray to quickly reduce the heavy infestation level as directed. To prepare the spray, dilute DURS VAP only with water as shown on the following SPRAY DILUTION CHART. Repeat treatment as needed.

SPRAY DILUTION CHART

Gallons of Spray Mixture Desired	Fluid Ounces* of DURS VAP to Use	More Concentrated Spray	Dilute Spray
1	4	2	
3	12	6	
5	20	10	
10	40	20	

*For each gallon of spray mixture add 6 fluid ounces of water.

FOOD HANDLING ESTABLISHMENTS — Places other than private residences in which food is prepared, processed, or served.

FOOD AREAS: APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY includes areas for receiving, storage, packing, scanning, buttoning, wrapping, boxing or preparing food; waste storage and enclosed processing systems (milk dairies, laboratories, spray booths). Serving areas where food is exposed and facility is in operation also are considered food areas. Prepare the spray as recommended in the table and apply in small amounts directly into cracks and crevices using equipment capable of delivering a fine stream of insecticide into points between the elements of construction between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs, and bases, where cockroaches, crickets, firebrats, silverfish, and spiders hide. Do not apply around electrical heating, junction and switch boxes or other electrical equipment because of possible short hazard. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS: Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Prepare the spray as recommended in the table and apply as a spot treatment to selective surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when the facility is in operation or foods are exposed.

CONTINUED ON SIDE PANEL