

PM 1.3 12:45

ford's

BEST AVAILABLE COPY

BEST AVAILABLE COPY

DURS-VAP INSECTICIDE CONCENTRATE

A water emulsifiable formulation of Chlorpyrifos and DDVP for fast-acting, long-lasting control of **COCKROACHES, ANTS, CRICKETS, FIREBRATS, SILVERFISH, SPIDERS, AND BROWN DOG TICKS** in and around Residential, Commercial, Industrial, and Institutional structures. Also use out-of-doors as an aid in reducing annoyance from Flies and Mosquitoes. Only For Sale To, Use & Storage by Pest Control Operators.

ACTIVE INGREDIENTS:

Chlorpyrifos 0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate	16.4%
2,2-Dichlorovinyl dimethyl phosphate	7.6%
Related compounds	0.6%
Xylene Range Aromatic Solvent	75.42

INERT INGREDIENTS

Contains 1.34 pounds of chlorpyrifos and 0.67 pound of 2,2-dichlorovinyl dimethyl phosphate (DDVP) and related compounds per gallon.

† CONTAINS XYLENE RANGE AROMATIC SOLVENTS

DANGER: POISON

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Harmful or fatal if swallowed, absorbed through skin or inhaled. Causes eye damage and skin irritation. Combustible. Do not take internally. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly after handling, and before eating, drinking or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and domestic water supplies. Do not breathe vapors or spray mist. Keep container closed. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If Inhaled: Remove victims to fresh air. Apply artificial respiration if indicated. If On Skin: Remove contaminated clothing and wash affected areas with soap and water. If In Eyes: Flush eyes with plenty of water. Call a physician immediately. Note To Physician: Chlorpyrifos and DDVP are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife, and birds. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment and disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

GENERAL INFORMATION: Use DURS-VAP insecticide to control the pests indicated in the areas listed below by application as a dilute spray containing 0.25% chlorpyrifos and 0.125% DDVP or a more concentrated spray containing 0.5% chlorpyrifos and 0.25% DDVP. Use the dilute spray to control light infestations and the more concentrated spray to quickly reduce the heavy infestations or as directed. To prepare the spray, dilute DURS-VAP only with water as shown in the following **SPRAY DILUTION CHART**. Repeat treatment as needed.

SPRAY DILUTION CHART

Gallons of Spray Mixture Desired	Fluid Ounces of DURS-VAP to Use	
	More Concentrated Spray	Dilute Spray
1	4	2
3	12	6
5	20	10
10	40	20

FOOD HANDLING ESTABLISHMENTS - Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS: APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Includes areas for receiving storage, packing (canning, bottling, wrapping, boxing, preparing edible), waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation also are considered food areas. Prepare the spray as recommended in the label and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where cockroaches, crickets, firebrats, silverfish, and spiders hide. Do not apply in conduits, water housing, junction and switch boxes or other electrical equipment because of possible shock hazard. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE PERMITTED.

SERVING AREAS: Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Prepare the spray as recommended in the label and apply as a spot treatment to selective surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when the facility is in operation or foods are exposed.

NON-FOOD AREAS: Includes garbage rooms, lavatories, rear drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (oil or grease) or bottling. Prepare the spray as recommended in the label and apply as a spot treatment to baseboards, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS AND IN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING NON-FOOD AREAS OF HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: For Spot Treatment Only - apply as a coarse spray or with a paintbrush to localized areas where cockroaches (including strains resistant to Dieldrin), ants, crickets, firebrats, silverfish, and spiders are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, behind doors and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else ants may find entrance.

FOR CONTROL OF BROWN DOG TICKS: Thoroughly apply a concentrate spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding as a treatment. Do not treat pets with this product.

FLIES AND MOSQUITOES: Use only out-of-doors as an aid in reducing annoyance from these insects. Thoroughly apply a concentrate spray to outside surfaces of window and door frames as well as other areas where these pests may find entrance into structures. Also spray dark corners and localized resting areas (such as under eaves) where flies and mosquitoes may congregate. Repeat treatment when effectiveness diminishes.

EPA Reg. No. 10370-45
EPA Est. No. 10370-TX-1

Manufactured By

ford's Chemical & Service, Inc.
2739 Pasadena Blvd.
Pasadena, Texas 77502

346

CPS-7004