

ford's LAWN GRANULES

CONTAINS 1% CHLORPYRIFOS

For the Control of Ants, Chinch Bugs, Crickets, Cutworms, Earwigs,
Grasshoppers, European Chafer (Larvae), Hyperodes, Weevils,
Japanese Beetle Larvae, Sowbugs (Pillbugs),
Sod Webworms and Brown Dog Ticks

ACTIVE INGREDIENTS

Chlorpyrifos [O,O-diethyl-O-(3,5,6-trichloro-2-
pyridyl) phosphorothioate]

INERT INGREDIENTS

TOTAL

10.0
99.0
100.0

U.S. Patent No. 3,244,586

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply granules with a spreader and water immediately. Do not mow for 24 hours following treatment.

CHINCH BUGS—Apply 16 lbs. per 5000 sq. ft. (100-150 lbs. per acre) when activity or damage appears. Control will last up to 8 weeks. To prevent damage apply as soon as daily temperatures reach 60° and repeat every 2 months.

ANTS, CRICKETS, GRASSHOPPERS, SOWBUGS (PILLBUGS) and BROWN DOG TICKS—Apply 13 lbs. per 5000 sq. ft.

CUTWORMS, EARWIGS—Apply 6 lbs. per 5000 sq. ft. Water in immediately with 150 gallons of water per 5000 sq. ft.

PERIMETER TREATMENT—To help prevent infestation of buildings by Ants, Crickets, Earwigs and Sowbugs (Pillbugs) treat a band 6 to 10 feet wide around and adjacent to the buildings where pests are active and may find entrance. Follow same rates as shown above for the pests to be controlled.

HYPERODES WEEVILS—Apply 23 lbs. 5000 sq. ft. Apply in mid-April and repeat in mid-May.

JAPANESE BEETLE LARVAE & EUROPEAN CHAFER (LARVAE)—Apply 25 to 50 lbs. per 5000 sq. ft. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Cooperative Agricultural Extension Service specialist for proper time to treat in your area.

CAUTION: KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL DRY

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Human Cautions: May be harmful if swallowed. May be injurious to eyes and skin. Do not get on skin or in eyes. Wash thoroughly after handling. Do not wear contaminated clothing. Wash contaminated clothing before reuse. Avoid breathing dust. Keep away from food, feedstuffs and water supplies. Flush contaminated eyes with plenty of water and get medical attention.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: In case of contact remove contaminated clothing and immediately wash skin with plenty of soap and water.

IF ON EYES: Flush with plenty of water.

ENVIRONMENTAL HAZARDS

Environmental Cautions: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Destroy empty container. Do not reuse.

NOTICE: Seller's guarantee shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of the use or handling and accepts the product on these conditions.

78-006

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON THIS LABEL

E.P.A. Reg. 10370-47

E.P.A. Est. No. 10370-Tx 1

Manufactured By:

ford's Chemical & Service, Inc.

2739 Pasadena Blvd.

PASADENA, TEXAS 77502