

# LAWN & ORNAMENTAL SPRAY

#### Containing 5.40% Chlorpyrifos

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Armyworms, Ants, Fleas, Brown Dog Ticks, Cutworms, Earwigs, Crickets, Grasshoppers and Hyperodes Weevils infesting home lawns and other ornamental turf areas. Also controls Aphids, Bagworms, Grasshoppers, Leathoppers, Spittle Bugs, Mealybugs, Whiteflies, Exposed Thrips, Mites and Cutworms infesting ornamental plants.

**ACTIVE INGREDIENTS** 

Chlorpyrifos (0,0 diethyl 0 (3,5,6 trichloro 2 pyridyl) Phosphorothioate)\* . . .

5.40% <del>90 90°</del>4

Azomatic Petroleum Denvetive Solventi. INERT INGREDIENTS

TOTAL \* Contains tylene know Alemain Solven

March Street and March Street

# **WARNING:**

# KEEP OUT OF REACH OF CHILDREN

#### PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. May be absorbed through skin. May be injurious to eyes and skin. Do not take internally. Do not get in eyes or on skin. Wash theroughly after handling. Wash contaminated clothing. Avoid breathing vapors and spray mist. Avoid spraying food crops

## CAUTION

## STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately. If on Skin, Wash theroughly with soap and wall in water. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: Chlorogrifos is a cholinesterase inhibitor. Treat symptomatically, Atropine is an anticote, CAUTION; Keep children and pets off freated areas until spray has dried. Keep out of lawn and garden fish ponds and other bodies of water. Fish may be killed if their waters are contaminated with this product

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this productionly as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on plants. Proflective information may be obtained from your Cooperative Agricultural Extension Service. Promptly crush empty containers and bury them and was its in locations. away from domestic water supplies. Do not reuse empty drum. Return to drum reconditioner or destroy by anexiorating on caushing and burying in a safe place away from water supplies.

NOTE: Seller's guarantee shall be limited to the terms of the label and subject thereto. The buyer assume out of use or handling and accepts the product on these conditions.

#### **DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labyling.

Pests of Lawns and other Ornamental and Recreational Turf Grass Areas: To control Ants, Brown Ticks, Clifficit Bugs, Crickets, Cutworms, Earwigs, Fleas, Armyworms, Grasshoppers, and Sod Webworms (Lawn Moths). Mix FORD'S LAYYN & QRNAMENTAL SPRAY according to directions given in the following table and apply as a coarse low pressure spray. Fortbest results the lawn should be mois; at the time of treatment, and care should be taken to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear, retreat when needed. Control for Chinch Bugs will last up to 8 weeks. To prevent damage from Chinch Bugs, apply as soon as daily temperatures reach 80°F and repeat every 2 months

#### DOSAGE AND DILUTION FOR USE ON TURF

Areas to be Treated	Amount of Lawn & Ornamental Spray used	Dilution with water make	
500 sq. ft.	3½ fl. oz.	15 gals.	
1,000 sq. ft.	7 fl. oz.	30 gals.	
5,000 sq. ft.	35 fl. oz.	150 gals.	
10,000 sq. ft.	75 fl. oz. (2 qts. 11 oz.)	325 gats.	

To control Turfgrass (Hyperodes) Weevils, use twice the amount of FORD'S LAWN & ORNAMENTAL SPRAY shown in the above Turf Table. Spray suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

Note: To help prevent infestation of buildings by Ants, Crickets, Earwigs and Sowbugs (Pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the building, also the building foundation, to a height of 2 to 3 feet, where pests are active and may find entrance. Use the same dosage and dilution recommended for control of these pests on turf as show in the above table. Apply as a coarse spray to thoroughly and uniformly wet the band area. For standard 15 gallon hose-end applicators, add 4 fl. oz. to quart bottle full of water. This will treat 500 square feet. DO NOT MOW LAWN FOR 24 HOURS FOLLOWING TREATMENT

Pests of Ornamentals: Use FORD'S LAWN & ORNAMENTAL SPRAY to control Aphids, Bagworms, Cutworms, Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Thrips (exposed) and Whiteflies on flowers, shrubs, vines, shade and flowering trees and evergreens found to be infested with these pests. Dilute FORD'S LAWN & ORNAMENTAL SPRAY with water according to directions given in the following table and apply using suitable hand or power spray equipment in a manner to provide complete and uniform coverage of infested plants. Avoid overspraying to the point of excessive runoff. Treat when pests appear and repeeat at 7 to 10 day intervals if needed. Note: Do not use on Azaleas, Camelias, Poinsettias, Rose Bushes or Varigated Ivy because of possible injury to these plants.

STORAGE AND DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

## **DOSAGE & DILUTION FOR USE ON ORNAMENTAL PLANTS**

PESTS CONTROLLED	Amount of LAWN & ORNAMENTAL SPRAY to Make		
	1 GAL.	3 GAL.	10 GAL.
Aphids, Bagworms, Grasshoppers, Mites, Spittlebugs, Whiteflies	1 fl. oz.	21/2 fl. oz.	1/2 pint
Cutworms, Mealybugs, Leafhoppers, Thrips (exposed)	2 fl. oz.	5 fl. oz.	1 pint

EPA Reg. No. 10370-48 EPA Est. No. 10370-TX-1 NET CONTENTS: 1 GAL.

> 072682 FC 5 8/88

> > MANUFACTURED BY
> > Chemical & Service, Inc.
> > 2739 PASADENA BLVD.
> > PASADENA, TEXAS 77502

